



链滴

wordpress 批量修改文章

作者: [figo930](#)

原文链接: <https://ld246.com/article/1357042126299>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

由于网站的搬迁或者其他因素影响，我们不得不大量修改以前的文章。比如这次的115网盘事件我不得不把以前网盘的地址换成其他的。因此就不得不用批量修改文章的方法了。

wordpress的文章是放在数据库里的，要想修改文章详细就必须修改数据库。登录到你的主机，入数据库管理工具，比如我的是phpMyAdmin，这里你就可以执行sql语句来更新数据库了。

要想修改文章就要用到replace函数，我们先来了解一下replace函数：

命令格式：update 表的名称 set 替换字段=REPLACE(替换字段,原来内容,新内容)
例子：

- 把backupfile表里url的字段内容为http://imfly.org的全部改为http://www.imfly.org

```

<code>update</code>
<code>backupfile</code>
<code>set</code>
<code>url=</code>
<code>REPLACE</code>
<code>(url,</code>
<code>'http://imfly.org'</code>
<code>,</code>
<code>'http://www.imfly.org'</code>
<code>);</code>

```

- 根据条件增加字段的内容，如把file_number=1的记录的logical_name字段的内容前面加上tm，后面加上end。

```

<tbody>
<tr>
<td>
<div>
1
</div>
<div>
2
</div>
<div>
3
</div>
<div>
4
</div> </td>
<td>
<div>
<div>
<code>update</code>
<code>backupfile </code>
</div>
<div>
<code>set</code>
<code>logical_name= </code>
</div>
<div>
<code>REPLACE</code>
<code>(logical_name,logical_name,</code>
<code>'tmp'</code>
<code>+logical_name+ </code>
<code>' end '</code>
<code>)</code>
</div>
<div>
<code>where</code>
<code>file_number=1;</code>
</div>
</div> </td>
</tr>
</tbody>
</table>
</div>
</div> </li>
<li>根据条件去掉指定记录的前面2个字符。
<div>
<div>
<table>
<tbody>
<tr>
<td>
<div>
1
</div>
<div>

```

```

2
</div>
<div>
3
</div>
<div>
4
</div> </td>
<td>
<div>
<div>
<code>update</code>
<code>backupfile </code>
</div>
<div>
<code>set</code>
<code>logical_name= </code>
</div>
<div>
<code>REPLACE</code>
<code>(logical_name,logical_name,</code>
<code>SUBSTRING</code>
<code>(logical_name,3,len(logical_name)-2)) </code>
</div>
<div>
<code>where</code>
<code>file_number=1;</code>
</div>
</div> </td>
</tr>
</tbody>
</table>
</div>
</div> </li>
<li>根据条件去掉指定记录的后面4个字符。
<div>
<div>
<table>
<tbody>
<tr>
<td>
<div>
1
</div>
<div>
2
</div>
<div>
3
</div>
<div>
4
</div> </td>
<td>

```

```

<div>
  <div>
    <code>update</code>
    <code>backupfile </code>
  </div>
  <div>
    <code>set</code>
    <code>logical_name= </code>
  </div>
  <div>
    <code>REPLACE</code>
    <code>(logical_name,logical_name,</code>
    <code>SUBSTRING</code>
    <code>(logical_name,1,len(logical_name)-4)) </code>
  </div>
  <div>
    <code>where</code>
    <code>file_number=2;</code>
  </div>
</div> </td>
</tr>
</tbody>
</table>
</div>
</div> </li>
</ol>

```

修改wordpress的文章就是把表名和字段名改一下就行了，wp_posts就是存放文章的表，里面有`D`,`post_author`,`post_date`,`post_content`,`post_title`,`post_excerpt`,`post_status`,`post_type`等等各种字段。举几个例子：</p>

批量修改文章里面的内容，把imfly.org改为http://imfly.org。 <p> </p>

```

<div>
  <div>
    <table>
      <tbody>
        <tr>
          <td>
            <div>
              1
            </div>
            <div>
              2
            </div>
            <div>
              3
            </div>
          </td>
          <td>
            <div>
              <div>
                <code>update</code>
                <code>wp_posts </code>
              </div>
              <div>
                <code>set</code>

```

```

        <code>post_content=</code>
    </div>
    <div>
        <code>REPLACE</code>
        <code>(post_content,</code>
        <code>'imfly.org'</code>
        <code>,</code>
        <code>'http://imfly.org'</code>
        <code>);</code>
    </div>
</div> </td>
</tr>
</tbody>
</table>
</div>
</div> </li>
<li>批量修改标题，把115去掉。
<div>
    <div>
        <table>
            <tbody>
                <tr>
                    <td>
                        <div>
                            1
                        </div>
                        <div>
                            2
                        </div>
                        <div>
                            3
                        </div> </td>
                    <td>
                        <div>
                            <div>
                                <code>update</code>
                                <code>wp_posts </code>
                            </div>
                            <div>
                                <code>set</code>
                                <code>post_title=</code>
                            </div>
                            <div>
                                <code>REPLACE</code>
                                <code>(post_title,</code>
                                <code>'115'</code>
                                <code>,</code>
                                <code>"</code>
                                <code>);</code>
                            </div>
                        </div> </td>
                    </tr>
                </tbody>
            </table>

```

```
</div>
</div> </li>
<li>批量修改作者，把admin改为wuyuan
<div>
<div>
<table>
<tbody>
<tr>
<td>
<div>
1
</div>
<div>
2
</div>
<div>
3
</div> </td>
<td>
<div>
<div>
<code>UPDATE</code>
<code>wp_posts </code>
</div>
<div>
<code>SET</code>
<code>post_author = admin的id </code>
</div>
<div>
<code>WHERE</code>
<code>post_author = imfly的id;</code>
</div>
</div> </td>
</tr>
</tbody>
</table>
</div> </li>
```

批量禁用所有文章的pingback功能。

```
<div>
<div>
<table>
<tbody>
<tr>
<td>
<div>
1
</div>
<div>
2
</div> </td>
<td>
<div>
<div>
```

```
<code>UPDATE</code>
<code>wp_posts </code>
</div>
<div>
<code>SET</code>
<code>ping_status = </code>
<code>'closed'</code>
<code>;</code>
</div>
</div> </td>
</tr>
</tbody>
</table>
</div>
</div> </li>
</ol>
```

如果你比较了解sql语句的话还可以做更多的操作。如果对修改不放心，也可以先预览一下，命如下：

```
<div>
<div>
<table>
<tbody>
<tr>
<td>
<div>
1
</div> </td>
<td>
<div>
<div>
<code>SELECT</code>
<code>REPLACE</code>
<code>(替换字段,</code>
<code>'原内容'</code>
<code>,</code>
<code>'新内容'</code>
<code>)</code>
<code>from</code>
<code>表名;</code>
</div>
</div> </td>
</tr>
</tbody>
</table>
</div>
</div>
<p>确认好了之后就可以放心修改了。</p>
```