



链滴

改变 fedora+windows7 双系统默认启动项

作者: [gideal](#)

原文链接: <https://ld246.com/article/1364470855087>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

系统为fedora+windows7的双系统，开机的默认启动项为fedora，用windows用的比较多，很方便有时候一边开机然后去接一杯水回来发现系统进入到fedora了，就改了一下默认启动项

操作方法如下。

首先找到windows启动项的menuentry

```
shell# cat /boot/grub2/grub.cfg |grep Windows
menuentry 'Windows 7 (loader) (on /dev/sda1)' --class windows --class os $menuentry_id_option 'osprober-cain-021692BF1692B2E1' {&nbsp;
```

记住'Windows 7 (loader) (on /dev/sda1)'单引号里的

设置默认启动项

```
shell#grub2-set-default "Windows 7 (loader) (on /dev/sda1)"
```

验证启动项

```
# grub2-editenv list
```

```
saved_entry=Windows 7 (loader) (on /dev/sda1)
```

更新配置文件

```
# grub2-mkconfig -o /boot/grub2/grub.cfg
Generating grub.cfg ...
Found linux image: /boot/vmlinuz-3.7.3-101.fc17.x86_64
Found initrd image: boot/initramfs-3.7.3-101.fc17.x86_64.img
Found linux image: /boot/vmlinuz-3.6.10-2.fc17.x86_64
Found initrd image: /boot/initramfs-3.6.10-2.fc17.x86_64.img
Found linux image: /boot/vmlinuz-3.6.6-1.fc17.x86_64
Found initrd image: /boot/initramfs-3.6.6-1.fc17.x86_64.img
No volume groups found
Found Windows 7 (loader) on /dev/sda
done
```