



链滴

# B3log/solo 本地Eclipse配置问题

作者: [iszer](#)

原文链接: <https://ld246.com/article/1444098089424>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<p>参考: <a href="https://ld246.com/forward?goto=https%3A%2F%2Fgithub.com%2Fb3log%2Fsolo%2Fwiki%2FIde" target="\_blank" rel="nofollow ugc">https://github.com/b3log/solo/wiki/Ide</a> <br>

按照说明, 运行 ECLIPSE 下步骤, 至 4,5 步运行不成功, 打开 http://localhost:8080 页面失败。 <b>

>  
求问, 是否 eclipse 需要其他配置? </p>

<p>4.运行项目: 右键 solo 项目, Run as → Maven build... → Goals: jetty:run<br>

5. 打开浏览器访问: http://localhost:8080</p>

<p>Thanks.</p>

<p>maven build 输出: </p>

<p>[INFO] Scanning for projects...<br>

[INFO]<br>

[INFO] -----<br>

[INFO] Building Solo 1.1.0<br>

[INFO] -----<br>

[INFO]<br>

[INFO] &gt;&gt;&gt; jetty-maven-plugin:8.1.14.v20131031:run (default-cli) &gt; test-compile @ solo &gt;&gt;&gt;<br>

[INFO]<br>

[INFO] --- maven-resources-plugin:2.7:resources (default-resources) @ solo ---<br>

[INFO] Using 'UTF-8' encoding to copy filtered resources.<br>

[INFO] Copying 9 resources<br>

[INFO]<br>

[INFO] --- maven-compiler-plugin:3.3:compile (default-compile) @ solo ---<br>

[INFO] Nothing to compile - all classes are up to date<br>

[INFO]<br>

[INFO] --- maven-resources-plugin:2.7:testResources (default-testResources) @ solo ---<br>

[INFO] Using 'UTF-8' encoding to copy filtered resources.<br>

[INFO] Copying 6 resources<br>

[INFO]<br>

[INFO] --- maven-compiler-plugin:3.3:testCompile (default-testCompile) @ solo ---<br>

[INFO] Nothing to compile - all classes are up to date<br>

[INFO]<br>

[INFO] &lt;&lt;&lt; jetty-maven-plugin:8.1.14.v20131031:run (default-cli) &lt; test-compile @ olo &lt;&lt;&lt;<br>

[INFO]<br>

[INFO] --- jetty-maven-plugin:8.1.14.v20131031:run (default-cli) @ solo ---<br>

[INFO] Configuring Jetty for project: Solo<br>

[INFO] webAppSourceDirectory not set. Defaulting to G:\OpenSource\solo\Source\solo\src\main\webapp<br>

[INFO] Reload Mechanic: manual<br>

[INFO] Classes = G:\OpenSource\solo\Source\solo\target\classes<br>

[INFO] Context path = /<br>

[INFO] Tmp directory = G:\OpenSource\solo\Source\solo\target\tmp<br>

[INFO] Web defaults = org/eclipse/jetty/webapp/webdefault.xml<br>

[INFO] Web overrides = none<br>

[INFO] web.xml file = file:/G:/OpenSource/solo/Source/solo/src/main/webapp/WEB-INF/web.xml<br>

[INFO] Webapp directory = G:\OpenSource\solo\Source\solo\src\main\webapp<br>

[INFO] jetty-8.1.14.v20131031<br>

[INFO] No Transaction manager found - if your webapp requires one, please configure one.<br>

<p>[ERROR]-[2015-10-06 10:29:45]-[org.b3log.latke.repository.jdbc.JdbcRepository:168]: Failed to initialize JDBC transaction<br>

```
java.sql.SQLException: An attempt by a client to checkout a Connection has timed out.<br>
at com.mchange.v2.sql.SqlUtils.toSQLException(SqlUtils.java:106)<br>
at com.mchange.v2.sql.SqlUtils.toSQLException(SqlUtils.java:65)<br>
at com.mchange.v2.c3p0.impl.C3P0PooledConnectionPool.checkoutPooledConnection(C3P0PooledConnectionPool.java:527)<br>
at com.mchange.v2.c3p0.impl.AbstractPoolBackedDataSource.getConnection(AbstractPoolBackedDataSource.java:128)<br>
at org.b3log.latke.repository.jdbc.util.Connections.getConnection(Connections.java:228)<br>
at org.b3log.latke.repository.jdbc.JdbcTransaction.(JdbcTransaction.java:51)<br>
at org.b3log.latke.repository.jdbc.JdbcRepository.beginTransaction(JdbcRepository.java:820)<br>
at org.b3log.latke.repository.AbstractRepository.beginTransaction(AbstractRepository.java:205)<br>
at org.b3log.solo.SoloServletListener.contextInitialized(SoloServletListener.java:122)<br>
at org.eclipse.jetty.server.handler.ContextHandler.callContextInitialized(ContextHandler.java:72)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.callContextInitialized(ServletContextHandler.java:424)<br>
at org.eclipse.jetty.server.handler.ContextHandler.startContext(ContextHandler.java:774)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.startContext(ServletContextHandler.java:249)<br>
at org.eclipse.jetty.webapp.WebAppContext.startContext(WebAppContext.java:1242)<br>
at org.eclipse.jetty.server.handler.ContextHandler.doStart(ContextHandler.java:717)<br>
at org.eclipse.jetty.webapp.WebAppContext.doStart(WebAppContext.java:494)<br>
at org.mortbay.jetty.plugin.JettyWebAppContext.doStart(JettyWebAppContext.java:298)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.eclipse.jetty.server.handler.HandlerCollection.doStart(HandlerCollection.java:229)<br>
at org.eclipse.jetty.server.handler.ContextHandlerCollection.doStart(ContextHandlerCollection.java:172)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.eclipse.jetty.server.handler.HandlerCollection.doStart(HandlerCollection.java:229)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.eclipse.jetty.server.handler.HandlerWrapper.doStart(HandlerWrapper.java:95)<br>
at org.eclipse.jetty.server.Server.doStart(Server.java:282)<br>
at org.mortbay.jetty.plugin.JettyServer.doStart(JettyServer.java:65)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.mortbay.jetty.plugin.AbstractJettyMojo.startJetty(AbstractJettyMojo.java:520)<br>
at org.mortbay.jetty.plugin.AbstractJettyMojo.execute(AbstractJettyMojo.java:365)<br>
at org.mortbay.jetty.plugin.JettyRunMojo.execute(JettyRunMojo.java:523)<br>
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:134)<br>
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)<br>
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)<br>
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)<br>
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)<br>
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)<br>
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)<br>
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:128)<br>
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:307)<br>
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:193)<br>
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:106)<br>
```

```
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:862)<br>
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:286)<br>
at org.apache.maven.cli.MavenCli.main(MavenCli.java:197)<br>
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)<br>
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43
<br>
at java.lang.reflect.Method.invoke(Method.java:606)<br>
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)<br>

at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)<br>
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)<
r>
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)<br>
Caused by: com.mchange.v2.resourcepool.TimeoutException: A client timed out while waiting
o acquire a resource from <a href="https://ld246.com/forward?goto=mailto%3Acom.mchan
e.v2.resourcepool.BasicResourcePool%4010b3697" target="_blank" rel="nofollow ugc">com
mchange.v2.resourcepool.BasicResourcePool@10b3697</a> -- timeout at awaitAvailable()<b
>
at com.mchange.v2.resourcepool.BasicResourcePool.awaitAvailable(BasicResourcePool.java:1
17)<br>
at com.mchange.v2.resourcepool.BasicResourcePool.prelimCheckoutResource(BasicResource
ool.java:557)<br>
at com.mchange.v2.resourcepool.BasicResourcePool.checkoutResource(BasicResourcePool.ja
a:477)<br>
at com.mchange.v2.c3p0.impl.C3P0PooledConnectionPool.checkoutPooledConnection(C3P0P
oledConnectionPool.java:525)<br>
... 49 more<br>
[WARNING] Failed startup of context o.m.j.p.JettyWebAppContext{/file:/G:/OpenSource/solo
Source/solo/src/main/webapp/},file:/G:/OpenSource/solo/Source/solo/src/main/webapp/<br>

java.lang.IllegalStateException: Failed to initialize JDBC transaction<br>
at org.b3log.latke.repository.jdbc.JdbcRepository.beginTransaction(JdbcRepository.java:824)<
r>
at org.b3log.latke.repository.AbstractRepository.beginTransaction(AbstractRepository.java:205
<br>
at org.b3log.solo.SoloServletListener.contextInitialized(SoloServletListener.java:122)<br>
at org.eclipse.jetty.server.handler.ContextHandler.callContextInitialized(ContextHandler.java:7
2)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.callContextInitialized(ServletContextHandler.
ava:424)<br>
at org.eclipse.jetty.server.handler.ContextHandler.startContext(ContextHandler.java:774)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.startContext(ServletContextHandler.java:249
<br>
at org.eclipse.jetty.webapp.WebAppContext.startContext(WebAppContext.java:1242)<br>
at org.eclipse.jetty.server.handler.ContextHandler.doStart(ContextHandler.java:717)<br>
at org.eclipse.jetty.webapp.WebAppContext.doStart(WebAppContext.java:494)<br>
at org.mortbay.jetty.plugin.JettyWebAppContext.doStart(JettyWebAppContext.java:298)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.eclipse.jetty.server.handler.HandlerCollection.doStart(HandlerCollection.java:229)<br>
at org.eclipse.jetty.server.handler.ContextHandlerCollection.doStart(ContextHandlerCollection.
ava:172)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.eclipse.jetty.server.handler.HandlerCollection.doStart(HandlerCollection.java:229)<br>
```

```
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.eclipse.jetty.server.handler.HandlerWrapper.doStart(HandlerWrapper.java:95)<br>
at org.eclipse.jetty.server.Server.doStart(Server.java:282)<br>
at org.mortbay.jetty.plugin.JettyServer.doStart(JettyServer.java:65)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.mortbay.jetty.plugin.AbstractJettyMojo.startJetty(AbstractJettyMojo.java:520)<br>
at org.mortbay.jetty.plugin.AbstractJettyMojo.execute(AbstractJettyMojo.java:365)<br>
at org.mortbay.jetty.plugin.JettyRunMojo.execute(JettyRunMojo.java:523)<br>
at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:134)<br>
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:208)<br>
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)<br>
at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)<br>
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)<br>
at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)<br>
at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)<br>
at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:128)<br>
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:307)<br>
at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:193)<br>
at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:106)<br>
at org.apache.maven.cli.MavenCli.execute(MavenCli.java:862)<br>
at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:286)<br>
at org.apache.maven.cli.MavenCli.main(MavenCli.java:197)<br>
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)<br>
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>
at java.lang.reflect.Method.invoke(Method.java:606)<br>
at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)<br>
at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)<br>
at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)<br>
at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)<br>
[WARNING] !RequestLog<br>
[INFO] Started SocketConnector@0.0.0.0:8080<br>
[INFO] Started Jetty Server<br>
[INFO] Console reloading is ENABLED. Hit ENTER on the console to restart the context.</p>
<p>[INFO] restarting o.m.j.p.JettyWebAppContext{/file:/G:/OpenSource/solo/Source/solo/src/main/webapp/},file:/G:/OpenSource/solo/Source/solo/src/main/webapp/<br>
[INFO] javax.el.BeanELResolver purged<br>
[INFO] stopped o.m.j.p.JettyWebAppContext{/file:/G:/OpenSource/solo/Source/solo/src/main/webapp/},file:/G:/OpenSource/solo/Source/solo/src/main/webapp/<br>
[INFO] Webapp source directory = G:\OpenSource\solo\Source\solo\src\main\webapp<br>
[INFO] Reload Mechanic: manual<br>
[INFO] Classes = G:\OpenSource\solo\Source\solo\target\classes<br>
[INFO] Context path = /<br>
[INFO] Tmp directory = G:\OpenSource\solo\Source\solo\target\tmp<br>
[INFO] Web defaults = org/eclipse/jetty/webapp/webdefault.xml<br>
[INFO] Web overrides = none<br>
[INFO] web.xml file = file:/G:/OpenSource/solo/Source/solo/src/main/webapp/WEB-INF/web.
```

```
ml<br>
[INFO] Webapp directory = G:\OpenSource\solo\Source\solo\src\main\webapp<br>
[INFO] No Transaction manager found - if your webapp requires one, please configure one.<br>
[ERROR]-[2015-10-06 10:30:02]-[org.b3log.latke.repository.jdbc.JdbcRepository:168]: Failed to initialize JDBC transaction<br>
java.sql.SQLException: An attempt by a client to checkout a Connection has timed out.<br>
at com.mchange.v2.sql.SqlUtils.toSQLException(SqlUtils.java:106)<br>
at com.mchange.v2.sql.SqlUtils.toSQLException(SqlUtils.java:65)<br>
at com.mchange.v2.c3p0.impl.C3P0PooledConnectionPool.checkoutPooledConnection(C3P0PooledConnectionPool.java:527)<br>
at com.mchange.v2.c3p0.impl.AbstractPoolBackedDataSource.getConnection(AbstractPoolBackedDataSource.java:128)<br>
at org.b3log.latke.repository.jdbc.util.Connections.getConnection(Connections.java:228)<br>
at org.b3log.latke.repository.jdbc.JdbcTransaction.(JdbcTransaction.java:51)<br>
at org.b3log.latke.repository.jdbc.JdbcRepository.beginTransaction(JdbcRepository.java:820)<br>
at org.b3log.latke.repository.AbstractRepository.beginTransaction(AbstractRepository.java:205)<br>
at org.b3log.solo.SoloServletListener.contextInitialized(SoloServletListener.java:122)<br>
at org.eclipse.jetty.server.handler.ContextHandler.callContextInitialized(ContextHandler.java:72)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.callContextInitialized(ServletContextHandler.java:424)<br>
at org.eclipse.jetty.server.handler.ContextHandler.startContext(ContextHandler.java:774)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.startContext(ServletContextHandler.java:249)<br>
at org.eclipse.jetty.webapp.WebAppContext.startContext(WebAppContext.java:1242)<br>
at org.eclipse.jetty.server.handler.ContextHandler.doStart(ContextHandler.java:717)<br>
at org.eclipse.jetty.webapp.WebAppContext.doStart(WebAppContext.java:494)<br>
at org.mortbay.jetty.plugin.JettyWebAppContext.doStart(JettyWebAppContext.java:298)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.mortbay.jetty.plugin.JettyRunMojo.restartWebApp(JettyRunMojo.java:435)<br>
at org.mortbay.jetty.plugin.ConsoleScanner.restartWebApp(ConsoleScanner.java:109)<br>
at org.mortbay.jetty.plugin.ConsoleScanner.checkSystemInput(ConsoleScanner.java:72)<br>
at org.mortbay.jetty.plugin.ConsoleScanner.run(ConsoleScanner.java:42)<br>
Caused by: com.mchange.v2.resourcepool.TimeoutException: A client timed out while waiting to acquire a resource from <a href="https://ld246.com/forward?goto=mailto%3Acom.mchange.v2.resourcepool.BasicResourcePool%401f8c78e" target="_blank" rel="nofollow ugc">com.mchange.v2.resourcepool.BasicResourcePool@1f8c78e</a> -- timeout at awaitAvailable()<br>
at com.mchange.v2.resourcepool.BasicResourcePool.awaitAvailable(BasicResourcePool.java:117)<br>
at com.mchange.v2.resourcepool.BasicResourcePool.prelimCheckoutResource(BasicResourcePool.java:557)<br>
at com.mchange.v2.resourcepool.BasicResourcePool.checkoutResource(BasicResourcePool.java:477)<br>
at com.mchange.v2.c3p0.impl.C3P0PooledConnectionPool.checkoutPooledConnection(C3P0PooledConnectionPool.java:525)<br>
... 19 more<br>
[WARNING] Failed startup of context o.m.j.p.JettyWebAppContext{/file:/G:/OpenSource/solo/Source/solo/src/main/webapp/},file:/G:/OpenSource/solo/Source/solo/src/main/webapp/<br>
java.lang.IllegalStateException: Failed to initialize JDBC transaction<br>
at org.b3log.latke.repository.jdbc.JdbcRepository.beginTransaction(JdbcRepository.java:824)<
```

```
r>
at org.b3log.latke.repository.AbstractRepository.beginTransaction(AbstractRepository.java:205
<br>
at org.b3log.solo.SoloServletListener.contextInitialized(SoloServletListener.java:122)<br>
at org.eclipse.jetty.server.handler.ContextHandler.callContextInitialized(ContextHandler.java:7
2)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.callContextInitialized(ServletContextHandler.
ava:424)<br>
at org.eclipse.jetty.server.handler.ContextHandler.startContext(ContextHandler.java:774)<br>
at org.eclipse.jetty.servlet.ServletContextHandler.startContext(ServletContextHandler.java:249
<br>
at org.eclipse.jetty.webapp.WebAppContext.startContext(WebAppContext.java:1242)<br>
at org.eclipse.jetty.server.handler.ContextHandler.doStart(ContextHandler.java:717)<br>
at org.eclipse.jetty.webapp.WebAppContext.doStart(WebAppContext.java:494)<br>
at org.mortbay.jetty.plugin.JettyWebAppContext.doStart(JettyWebAppContext.java:298)<br>
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:64)<br>
at org.mortbay.jetty.plugin.JettyRunMojo.restartWebApp(JettyRunMojo.java:435)<br>
at org.mortbay.jetty.plugin.ConsoleScanner.restartWebApp(ConsoleScanner.java:109)<br>
at org.mortbay.jetty.plugin.ConsoleScanner.checkSystemInput(ConsoleScanner.java:72)<br>
at org.mortbay.jetty.plugin.ConsoleScanner.run(ConsoleScanner.java:42)<br>
[INFO] Restart completed at Tue Oct 06 10:30:02 CST 2015</p>
```