

部署Symphony的时候报以下错误！

作者: [relyn](#)

原文链接: <https://ld246.com/article/1471009729435>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

MySQL中要预先建表吗?

```
[ERROR]-[2016-08-12 21:39:33]-[com.alibaba.druid.pool.DruidDataSource:643]: init datasource error, url: jdbc:mysql://localhost:3306/b3log_symphony?useUnicode=yes&characterEncoding utf8
java.sql.SQLException: Unknown system variable 'language'
    at com.mysql.jdbc.SQLError.createSQLException(SQLError.java:998)
    at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:3847)
    at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:3783)
    at com.mysql.jdbc.MysqlIO.sendCommand(MysqlIO.java:2447)
    at com.mysql.jdbc.MysqlIO.sqlQueryDirect(MysqlIO.java:2594)
    at com.mysql.jdbc.ConnectionImpl.execSQL(ConnectionImpl.java:2541)
    at com.mysql.jdbc.ConnectionImpl.execSQL(ConnectionImpl.java:2499)
    at com.mysql.jdbc.StatementImpl.executeQuery(StatementImpl.java:1432)
    at com.mysql.jdbc.ConnectionImpl.loadServerVariables(ConnectionImpl.java:3870)
    at com.mysql.jdbc.ConnectionImpl.initializePropsFromServer(ConnectionImpl.java:3284)
    at com.mysql.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:2293)
    at com.mysql.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:2079)
    at com.mysql.jdbc.ConnectionImpl.<init>(ConnectionImpl.java:794)
    at com.mysql.jdbc.JDBC4Connection.<init>(JDBC4Connection.java:44)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
    at com.mysql.jdbc.Util.handleNewInstance(Util.java:400)
    at com.mysql.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:399)
    at com.mysql.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:325)
    at com.alibaba.druid.pool.DruidAbstractDataSource.createPhysicalConnection(DruidAbstractDataSource.java:1386)
    at com.alibaba.druid.pool.DruidAbstractDataSource.createPhysicalConnection(DruidAbstractDataSource.java:1442)
    at com.alibaba.druid.pool.DruidDataSource.init(DruidDataSource.java:632)
    at com.alibaba.druid.pool.DruidDataSource.getConnection(DruidDataSource.java:934)
    at com.alibaba.druid.pool.DruidDataSource.getConnection(DruidDataSource.java:930)
    at org.b3log.latke.repository.jdbc.util.Connections.getConnection(Connections.java:190)
    at org.b3log.latke.repository.jdbc.JdbcRepository.getConnection(JdbcRepository.java:877)
    at org.b3log.latke.repository.jdbc.JdbcRepository.get(JdbcRepository.java:456)
    at org.b3log.latke.repository.AbstractRepository.get(AbstractRepository.java:163)
    at org.b3log.symphony.repository.UserRepository_$$javassist_77._d9get(UserRepository_$$javassist_77.java)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:10)
    at org.b3log.symphony.repository.UserRepository_$$javassist_77.get(UserRepository_$$javassist_77.java)
    at org.b3log.symphony.repository.UserRepository.getAdmins(UserRepository.java:145)
    at org.b3log.symphony.repository.UserRepository_$$javassist_77._d10getAdmins(UserRepository_$$javassist_77.java)
```

```

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:10
)
at org.b3log.symphony.repository.UserRepository_$$javassist_77.getAdmins(UserReposito
y_$$javassist_77.java)
at org.b3log.symphony.service.UserService.getAdmins(UserService.java:274)
at org.b3log.symphony.service.UserService_$$javassist_114._d3getAdmins(UserQuer
Service_$$javassist_114.java)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:10
)
at org.b3log.symphony.service.UserService_$$javassist_114.getAdmins(UserQuerySe
vice_$$javassist_114.java)
at org.b3log.symphony.SymphonyServletListener.initDB(SymphonyServletListener.java:258)
at org.b3log.symphony.SymphonyServletListener.contextInitialized(SymphonyServletListen
r.java:114)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4729)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5167)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:725)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:701)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:945)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1768)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)

```

```

[ERROR]-[2016-08-12 21:39:33]-[com.alibaba.druid.pool.DruidDataSource:643]: init datasource error, url: jdbc:mysql://localhost:3306/b3log_symphony?useUnicode=yes&charac
ava.sql.SQLException Unknown system variable 'language'
at com.mysql.jdbc.SQLError.createSQLException(SQLError.java:998)
at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:3847)
at com.mysql.jdbc.MysqlIO.checkErrorPacket(MysqlIO.java:3783)
at com.mysql.jdbc.MysqlIO.sendCommand(MysqlIO.java:2447)
at com.mysql.jdbc.MysqlIO.sqlQueryDirect(MysqlIO.java:2594)
at com.mysql.jdbc.ConnectionImpl.execSQL(ConnectionImpl.java:2541)
at com.mysql.jdbc.ConnectionImpl.execSQL(ConnectionImpl.java:2499)
at com.mysql.jdbc.StatementImpl.executeQuery(StatementImpl.java:1432)
at com.mysql.jdbc.ConnectionImpl.loadServerVariables(ConnectionImpl.java:3870)
at com.mysql.jdbc.ConnectionImpl.initializePropsFromServer(ConnectionImpl.java:3284)
at com.mysql.jdbc.ConnectionImpl.connectOneTryOnly(ConnectionImpl.java:2293)
at com.mysql.jdbc.ConnectionImpl.createNewIO(ConnectionImpl.java:2079)
at com.mysql.jdbc.ConnectionImpl.<init>(ConnectionImpl.java:794)
at com.mysql.jdbc.JDBC4Connection.<init>(JDBC4Connection.java:44)
at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
at com.mysql.jdbc.Util.handleNewInstance(Util.java:408)
at com.mysql.jdbc.ConnectionImpl.getInstance(ConnectionImpl.java:399)
at com.mysql.jdbc.NonRegisteringDriver.connect(NonRegisteringDriver.java:325)
at com.alibaba.druid.pool.DruidAbstractDataSource.createPhysicalConnection(DruidAbstractDataSource.java:1386)
at com.alibaba.druid.pool.DruidAbstractDataSource.createPhysicalConnection(DruidAbstractDataSource.java:1442)
at com.alibaba.druid.pool.DruidDataSource.init(DruidDataSource.java:632)
at com.alibaba.druid.pool.DruidDataSource.getConnection(DruidDataSource.java:934)
at com.alibaba.druid.pool.DruidDataSource.getConnection(DruidDataSource.java:938)

```

[ERROR]-[2016-08-12 21:39:33]-[org.b3log.symphony.service.UserService:276]: Gets ad
ins failed
org.b3log.latke.repository.RepositoryException: java.lang.NullPointerException

```
at org.b3log.latke.repository.jdbc.JdbcRepository.get(JdbcRepository.java:485)
at org.b3log.latke.repository.AbstractRepository.get(AbstractRepository.java:163)
at org.b3log.symphony.repository.UserRepository_$$javassist_77._d9get(UserRepository_$$javassist_77.java)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:10)
)
at org.b3log.symphony.repository.UserRepository_$$javassist_77.get(UserRepository_$$javassist_77.java)
at org.b3log.symphony.repository.UserRepository.getAdmins(UserRepository.java:145)
at org.b3log.symphony.repository.UserRepository_$$javassist_77._d10getAdmins(UserRepository_$$javassist_77.java)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:10)
)
at org.b3log.symphony.repository.UserRepository_$$javassist_77.getAdmins(UserRepository_$$javassist_77.java)
at org.b3log.symphony.service.UserService.getAdmins(UserService.java:274)
at org.b3log.symphony.service.UserService_$$javassist_114._d3getAdmins(UserService_$$javassist_114.java)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:10)
)
at org.b3log.symphony.service.UserService_$$javassist_114.getAdmins(UserService_$$javassist_114.java)
at org.b3log.symphony.SymphonyServletListener.initDB(SymphonyServletListener.java:258)
at org.b3log.symphony.SymphonyServletListener.contextInitialized(SymphonyServletListener.java:114)
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4729)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5167)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:725)
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:701)
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:945)
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1768)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

```
[ERROR]-[2016-08-12 21:39:33]-[org.b3log.symphony.service.UserService:276]: Gets admins failed  
org.b3log.latke.repository.RepositoryException: java.lang.NullPointerException  
at org.b3log.latke.repository.jdbc.JdbcRepository.get(JdbcRepository.java:485)  
at org.b3log.latke.repository.AbstractRepository.get(AbstractRepository.java:163)  
at org.b3log.symphony.repository.UserRepository$_$$_javassist_77._d9get(UserRepository$_$$_javassist_77.java)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:498)  
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:101)  
at org.b3log.symphony.repository.UserRepository$_$$_javassist_77.get(UserRepository$_$$_javassist_77.java)  
at org.b3log.symphony.repository.UserRepository.getAdmins(UserRepository.java:145)  
at org.b3log.symphony.repository.UserRepository$_$$_javassist_77._d10getAdmins(UserRepository$_$$_javassist_77.java)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:498)  
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:101)  
at org.b3log.symphony.repository.UserRepository$_$$_javassist_77.getAdmins(UserRepository$_$$_javassist_77.java)  
at org.b3log.symphony.service.UserService.getAdmins(UserService.java:274)  
at org.b3log.symphony.service.UserService$_$$_javassist_114._d3getAdmins(UserService$_$$_javassist_114.java)  
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  
at java.lang.reflect.Method.invoke(Method.java:498)  
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:101)  
at org.b3log.symphony.service.UserService$_$$_javassist_114.getAdmins(UserService$_$$_javassist_114.java)  
at org.b3log.symphony.SymphonyServletListener.initDB(SymphonyServletListener.java:258)  
at org.b3log.symphony.SymphonyServletListener.contextInitialized(SymphonyServletListener.java:114)  
at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4729)  
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5167)  
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)  
at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:725)  
at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:701)  
at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)  
at org.apache.catalina.startup.HostConfig.deployWAR(HostConfig.java:945)  
at org.apache.catalina.startup.HostConfig$DeployWar.run(HostConfig.java:1768)  
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
```