



链滴

# 如何让 iTerm2 可以使用 sz 下载文件 &amp; p; rz 上传文件

作者: [Vanessa](#)

原文链接: <https://ld246.com/article/1474695653003>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

# 背景

在开心的使用 iTerm 时，发现要用到 rz & sz 时，它并不能像 xShell 那样原生支持。问了公司另外一个用 iTerm 的同事，他在忙，让我百度一下。顿时好尴尬呀。我用的是 Google，本来自己肯定可以定，但是就是想问问。就好比“今天几号呀？现在几点了？”，自己很快就可以知道的事情，也会忍住问问别人，这可以算是和没有情感的 ET（好多电影都这么演的）的区别么？

# 解决方案

1. 治标先治本，首先必须有 rzsz 呀

brew install lrzsz

2. 脑残的按顺序运行以下命令

cd /usr/local/bin

sudo wget https://raw.githubusercontent.com/mmastrac/iterm2-zmodem/master/iterm2-send-zmodem.sh


sudo wget https://raw.githubusercontent.com/mmastrac/iterm2-zmodem/master/iterm2-recv-zmodem.sh

sudo chmod 777 /usr/local/bin/iterm2-\*

3. 我的 Mac 居然没有 wget ... 好喜欢现在的各种包管理工具

brew install wget

4. 打 iTerm2，如图所示，点击 Profiles → Edit Profiles...→Advanced→Edit



5. 按照以下配置进行，效果图如下：

Regular Expression  
ameters

rz waiting to receive.\*\B01  
0  
l/bin/iterm2-send-zmodem.sh

Action

Run Silent Coprocess

Pa

/usr/loc

`\*\B0000000000000000`  
`usr/local/bin/iterm2-recv-zmodem.sh`

Run Silent Coprocess

Triggers			
Regular Expression	Action	Parameters	Instant
rz waiting to receive.\*\B0100	Run Silent Coprocess...	↕ /usr/local/bin/iterm2-send-	<input checked="" type="checkbox"/>
\*\B0000000000000000	Run Silent Coprocess...	↕ /usr/local/bin/iterm2-recv-	<input checked="" type="checkbox"/>

最后你就可以开心的体验 rz & sz 吧