



链滴

Latke 应用部署报错

作者: [liukenn](#)

原文链接: <https://ld246.com/article/1489587066920>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

```
<p>[jump@api-gw-blog001 jetty]$ tail -700 2017_03_15.stderrout.log.140708660<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
```



```
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
```



```
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
```



```
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.
ava:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270
<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
```



```
br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.java:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.java:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.java:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.java:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
at org.b3log.latke.ioc.context.AbstractContext.getReference(AbstractContext.java:105)<br>
at org.b3log.latke.ioc.context.AbstractContext.get(AbstractContext.java:87)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getReference(LatkeBeanManagerImpl.java:216)<br>
at org.b3log.latke.ioc.LatkeBeanManagerImpl.getInjectableReference(LatkeBeanManagerImpl.java:239)<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveCurrentclassFieldDependencies(BeanImpl.java:270<br>
at org.b3log.latke.ioc.bean.BeanImpl.resolveDependencies(BeanImpl.java:213)<br>
at org.b3log.latke.ioc.bean.BeanImpl.create(BeanImpl.java:541)<br>
2017-03-15 22:04:07.906:INFO:oejdp.ScanningAppProvider:Deployment monitor /usr/share/java/etc/contexts at interval 1<br>
2017-03-15 22:04:07.944:INFO:oejs.AbstractConnector:Started SelectChannelConnector@0.0.0:8080<br>
[DEBUG]-[2017-03-15 22:04:16]-[org.b3log.latke.cron.Cron:102]: Executing scheduled task....<br>
[DEBUG]-[2017-03-15 22:04:16]-[org.b3log.latke.cron.Cron:102]: Executing scheduled task....<br>
[DEBUG]-[2017-03-15 22:04:17]-[org.b3log.latke.urlfetch.local.LocalURLFetchService:72]: Fetch
async, request=[org.b3log.latke.urlfetch.HTTPRequest@200e985a[<br>
url=<a href="https://ld246.com/forward?goto=http%3A%2F%2Fhome.gateway.pre.2dfire.net%2Fapi-gw-blog%2Fconsole%2Fstat%2FonlineVisitorRefresh" target="_blank" rel="nofollow">http://home.gateway.pre.2dfire.net/api-gw-blog/console/stat/onlineVisitorRefresh</a><br>
payload=<br>
requestMethod=GET<br>
headers=[]<br>
```

```
]]<br>
[DEBUG]-[2017-03-15 22:04:17]-[org.b3log.latke.urlfetch.local.LocalURLFetchService:72]: Fetch
async, request=[org.b3log.latke.urlfetch.HTTPRequest@56c45bfd[<br>
url=<a href="https://ld246.com/forward?goto=http%3A%2F%2Fhome.gateway.pre.2dfire.ne
%2Fapi-gw-blog%2Fblog%2Fsymphony%2Fuser" target="_blank" rel="nofollow ugc">http://
ome.gateway.pre.2dfire.net/api-gw-blog/blog/symphony/user</a><br>
payload=<br>
requestMethod=GET<br>
headers=[]<br>
]]<br>
[DEBUG]-[2017-03-15 22:04:17]-[org.b3log.latke.cron.Cron:113]: Executed scheduled task[url
<a href="https://ld246.com/forward?goto=http%3A%2F%2Fhome.gateway.pre.2dfire.net%2F
pi-gw-blog%2Fconsole%2Fstat%2FonlineVisitorRefresh" target="_blank" rel="nofollow ugc"
http://home.gateway.pre.2dfire.net/api-gw-blog/console/stat/onlineVisitorRefresh</a>]<br>
[DEBUG]-[2017-03-15 22:04:17]-[org.b3log.latke.cron.Cron:113]: Executed scheduled task[url
<a href="https://ld246.com/forward?goto=http%3A%2F%2Fhome.gateway.pre.2dfire.net%2F
pi-gw-blog%2Fblog%2Fsymphony%2Fuser" target="_blank" rel="nofollow ugc">http://home
gateway.pre.2dfire.net/api-gw-blog/blog/symphony/user</a>]<br>
2017-03-15 22:07:01.820:INFO:oejs.Server:Graceful shutdown SelectChannelConnector@0.0.0.
:8080<br>
2017-03-15 22:07:01.821:INFO:oejs.Server:Graceful shutdown o.e.j.w.WebAppContext{/api-gw
blog,file:/opt/app/jetty/api-gw-blog/},/opt/app/jetty/api-gw-blog<br>
[INFO ]-[2017-03-15 22:07:02]-[org.b3log.latke.servlet.AbstractServletListener:101]: Destroying
the context....<br>
[INFO ]-[2017-03-15 22:07:02]-[com.alibaba.druid.pool.DruidDataSource:1385]: {dataSource-1}
closed<br>
[INFO ]-[2017-03-15 22:07:02]-[org.b3log.latke.repository.jdbc.util.Connections:221]: Closed [
ruid] database connection pool<br>
[DEBUG]-[2017-03-15 22:07:02]-[org.b3log.latke.ioc.Lifecycle:126]: Latke IoC container ended
br>
[TRACE]-[2017-03-15 22:07:02]-[org.b3log.latke.Latkes:761]: Deregistered JDBC driver [com.al
baba.druid.proxy.DruidDriver@4718cbff]<br>
[TRACE]-[2017-03-15 22:07:02]-[org.b3log.latke.Latkes:761]: Deregistered JDBC driver [com.al
baba.druid.mock.MockDriver@667bd06]<br>
[TRACE]-[2017-03-15 22:07:02]-[org.b3log.latke.Latkes:761]: Deregistered JDBC driver [org.h2
Driver@794dd398]<br>
[TRACE]-[2017-03-15 22:07:02]-[org.b3log.latke.Latkes:761]: Deregistered JDBC driver [org.ap
che.derby.jdbc.AutoloadedDriver@f864707]<br>
[TRACE]-[2017-03-15 22:07:02]-[org.b3log.latke.Latkes:761]: Deregistered JDBC driver [com.m
sql.jdbc.Driver@5b65381c]<br>
[INFO ]-[2017-03-15 22:07:02]-[org.b3log.solo.SoloServletListener:164]: Destroyed the contex
<br>
[DEBUG]-[2017-03-15 22:07:02]-[org.eclipse.jetty.servlet.listener.ELContextCleaner:64]: javax.el
BeanELResolver purged<br>
2017-03-15 22:07:02.855:INFO:oejsh.ContextHandler:stopped o.e.j.w.WebAppContext{/api-gw
blog,file:/opt/app/jetty/api-gw-blog/},/opt/app/jetty/api-gw-blog</p>
```