



链滴

# laravel 使用队列

作者: [spkinger](#)

原文链接: <https://ld246.com/article/1493309135738>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

## 1.使用supervisor保持队列运行

### 安装supervisor

## 2.增加监控任务

因supervisor配置中

```
[include]
files = /usr/local/etc/supervisor/conf.d/*.conf
```

保存到 /usr/local/etc/supervisor/conf.d/laravel-worker.conf

```
[program:laravel-worker]
process_name=%(program_name)s_%(process_num)02d
command=php /home/forgel/app.com/artisan queue:work redis --time=8 --sleep=3 --tries=
autostart=true
autorestart=true
user=forge
numprocs=8
redirect_stderr=true
stdout_logfile=/home/forge/app.com/worker.log
```

### 例子2

```
[program:laravel-worker]
command=php /Users/spkinger/Desktop/gj/app/gj_app/artisan queue:work redis --queue=v
ucher-worker --sleep=3 --tries=2 --timeout=8
autostart=true
autorestart=true
user=spkinger
numprocs=1
redirect_stderr=true
stdout_logfile=/Users/spkinger/laravel/worker.log
```

## 3.启动

启动supervisor

```
supervisord -c /usr/local/etc/supervisord.conf
```

加载任务

```
sudo supervisorctl reread
```

```
sudo supervisorctl update
```

```
sudo supervisorctl start laravel-worker:*
```

## 4.修改

修改配置，重启生效

```
sudo supervisorctl update
```

修改任务代码，重启生效

```
sudo supervisorctl restart laravel-worker:*
```

5.当supervisorctl报错

```
error: <class 'socket.error'>, [Errno 101] Network is unreachable: file: /usr/lib64/python2.7/
ocket.py line: 571
```

使用如下方式运行

```
supervisorctl -c /usr/local/etc/supervisord.conf reread
supervisorctl -c /usr/local/etc/supervisord.conf update
supervisorctl -c /usr/local/etc/supervisord.conf start laravel-worker:*
```