



链滴

ubuntu 16.04 下的 Mysql 密码重置

作者: [onionch](#)

原文链接: <https://ld246.com/article/1500796577263>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<p>1.编辑文件 /etc/mysql/mysql.conf.d/mysqld.cnf 在[mysqld]段下加入一行 "skip-grant-table"

```
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight-cl">[mysqld]
</span></span><span class="highlight-line"><span class="highlight-cl">#
</span></span><span class="highlight-line"><span class="highlight-cl"># * Basic Settings
</span></span><span class="highlight-line"><span class="highlight-cl">#
</span></span><span class="highlight-line"><span class="highlight-cl">user          = mys
|
</span></span><span class="highlight-line"><span class="highlight-cl">pid-file       = /var
run/mysqld/mysqld.pid
</span></span><span class="highlight-line"><span class="highlight-cl">socket        = /va
/run/mysqld/mysqld.sock
</span></span><span class="highlight-line"><span class="highlight-cl">port          = 330

</span></span><span class="highlight-line"><span class="highlight-cl">basedir       = /us

</span></span><span class="highlight-line"><span class="highlight-cl">datadir       = /va
/lib/mysql
</span></span><span class="highlight-line"><span class="highlight-cl">tmpdir        = /t
p
</span></span><span class="highlight-line"><span class="highlight-cl">lc-messages-dir =
/usr/share/mysql
</span></span><span class="highlight-line"><span class="highlight-cl">skip-external-lock
ng
</span></span><span class="highlight-line"><span class="highlight-cl">skip-grant-tables
</span></span></code></pre>
```

<p>2.重启 mysql</p>

```
<blockquote>
<p>sudo service mysql restart</p>
</blockquote>
```

<p>3.用空密码进入 mysql 管理命令行。 </p>

```
<blockquote>
<p>mysql</p>
</blockquote>
```

<p>4.mysql 命令行操作</p>

```
<blockquote>
<p>mysql> use mysql;<br>
mysql> update mysql.user set authentication_string=password('123qwe') where user='root
and Host = 'localhost';<br>
update user set plugin="mysql_native_password";<br>
flush privileges;<br>
quit;</p>
</blockquote>
```

<p>5.回到/etc/mysql/mysql.conf.d/mysqld.cnf, 删除或者注释掉"skip-grant-tables";

6.重启 mysql</p>

```
<blockquote>
<p>sudo service mysql restart</p>
</blockquote>
```

<p>7.使用新密码登录,密码修改成功</p>

```
<blockquote>
<p>mysql -u root -p new_pass</p>
</blockquote>
```