



链滴

s3sh3 环境配置

作者: [linyiheng](#)

原文链接: <https://ld246.com/article/1503242751086>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

spring 3.2.2 + spring mvc +hibernate 3.3.2.GA架构

pom.xml架构依赖

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/
MLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v
_0_0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>cn.linyiheng</groupId>
<artifactId>Win10_Demo2</artifactId>
<packaging>war</packaging>
<version>0.0.1-SNAPSHOT</version>
<name>Win10_Demo2</name>
<url>http://maven.apache.org</url>

<dependencyManagement>
<dependencies>

</dependencies>
</dependencyManagement>

<dependencies>
<!-- Spring Framework -->
<dependency>
<groupId>org.springframework</groupId>
<artifactId>spring-core</artifactId>
<version>3.2.2.RELEASE</version>
</dependency>
<dependency>
<groupId>org.springframework</groupId>
<artifactId>spring-context</artifactId>
<version>3.2.2.RELEASE</version>
</dependency>
<dependency>
<groupId>org.springframework</groupId>
<artifactId>spring-orm</artifactId>
<version>3.2.2.RELEASE</version>
</dependency>
<dependency>
<groupId>org.springframework</groupId>
<artifactId>spring-tx</artifactId>
<version>3.2.2.RELEASE</version>
</dependency>
<dependency>
<groupId>org.springframework</groupId>
<artifactId>spring-jdbc</artifactId>
<version>3.2.2.RELEASE</version>
</dependency>
</dependencies>
```

```
<dependency>
  <groupId>org.springframework</groupId>
  <artifactId>spring-aspects</artifactId>
  <version>3.2.2.RELEASE</version>
</dependency>
<dependency>
  <groupId>org.springframework</groupId>
  <artifactId>spring-web</artifactId>
  <version>3.2.2.RELEASE</version>
</dependency>
<dependency>
  <groupId>org.springframework</groupId>
  <artifactId>spring-webmvc</artifactId>
  <version>3.2.2.RELEASE</version>
</dependency>
<!-- Web -->
<dependency>
  <groupId>javax.servlet.jsp</groupId>
  <artifactId>jsp-api</artifactId>
  <version>${jsp.version}</version>
  <scope>provided</scope>
  <exclusions>
    <exclusion>
      <artifactId>servlet-api</artifactId>
      <groupId>javax.servlet</groupId>
    </exclusion>
  </exclusions>
</dependency>
<dependency>
  <groupId>javax.servlet</groupId>
  <artifactId>javax.servlet-api</artifactId>
  <version>${servlet.version}</version>
  <scope>provided</scope>
</dependency>
<dependency>
  <groupId>javax.servlet</groupId>
  <artifactId>jstl</artifactId>
  <version>${jstl.version}</version>
</dependency>
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <version>3.8.1</version>
  <scope>test</scope>
</dependency>
<!-- dependency>
  <groupId>org.hibernate</groupId>
  <artifactId>hibernate-core</artifactId>
  <version>3.3.2.GA</version>
</dependency-->

</dependencies>

<properties>
```

```

<!-- Spring Framework -->
<spring.version>3.2.2.RELEASE</spring.version>

<!-- Web -->
<jsp.version>2.2</jsp.version>
<jstl.version>1.2</jstl.version>
<servlet.version>3.0.1</servlet.version>
</properties>
<build>
  <finalName>Win10_Demo2</finalName>
</build>
</project>

```

web.xml

```

<!DOCTYPE web-app PUBLIC "-//Sun Microsystems, Inc.//DTD Web Application 2.3//EN" "http
//java.sun.com/dtd/web-app_2_3.dtd" >

<web-app>
  <display-name>Windows MDM</display-name>
  <!-- Context Configuration locations for Spring XML files -->
  <context-param>
    <param-name>contextConfigLocation</param-name>
    <param-value>
      classpath:applicationContext.xml
    </param-value>
  </context-param>
  <filter>
    <filter-name>encodingFilter</filter-name>
    <filter-class>org.springframework.web.filter.CharacterEncodingFilter</filter-class>
    <init-param>
      <param-name>encoding</param-name>
      <param-value>UTF-8</param-value>
    </init-param>
    <init-param>
      <param-name>forceEncoding</param-name>
      <param-value>true</param-value>
    </init-param>
  </filter>

  <filter-mapping>
    <filter-name>encodingFilter</filter-name>
    <url-pattern>/*</url-pattern>
  </filter-mapping>

  <!-- 启动Web容器时，自动装配ApplicationContext的配置信息。 -->
  <listener>
    <listener-class>org.springframework.web.context.ContextLoaderListener</listener-class>
  </listener>
  <!-- 负责处理由 JavaBeans Introspector的使用而引起的缓冲泄露 -->
  <listener>
    <listener-class>org.springframework.web.util.IntrospectorCleanupListener</listener-class>
  </listener>

```

```

<!-- 使Spring支持request与session的scope,如:<bean id="loginAction" class="com.foo.LoginAction" scope="request"/> -->
<listener>
  <listener-class>org.springframework.web.context.request.RequestContextListener</listener-class>
</listener>

<servlet>
  <servlet-name>dispatcher</servlet-name>
  <servlet-class>org.springframework.web.servlet.DispatcherServlet</servlet-class>
  <init-param>
    <param-name>contextConfigLocation</param-name>
    <param-value>classpath:dispatcher-servlet.xml</param-value>
  </init-param>
  <load-on-startup>1</load-on-startup>
</servlet>
<servlet-mapping>
  <servlet-name>dispatcher</servlet-name>
  <url-pattern>*.do</url-pattern>
</servlet-mapping>
</web-app>

```

applicationContext.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:context="http://www.springframework.org/schema/context"
  xsi:schemaLocation="http://www.springframework.org/schema/beans http://www.springframework.org/schema/beans/spring-beans-3.2.xsd
  http://www.springframework.org/schema/context http://www.springframework.org/schema/context/spring-context-3.2.xsd">

  <bean id="winMDMCommand" class="com.ideal.mdm.command.WinMDMCommand">
    <property name="name" value="DeviceLock"></property>
    <property name="command" value="lock device"></property>
    <property name="commandUUID" value="1"></property>
  </bean>

</beans>

```

dispatcher-servlet.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<beans xmlns="http://www.springframework.org/schema/beans"
  xmlns:p="http://www.springframework.org/schema/p"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:aop="http://www.springframework.org/schema/aop"
  xmlns:mvc="http://www.springframework.org/schema/mvc"
  xmlns:context="http://www.springframework.org/schema/context"
  xsi:schemaLocation="http://www.springframework.org/schema/mvc http://www.springframework.org/schema/mvc/spring-mvc-3.2.xsd
  http://www.springframework.org/schema/beans http://www.springframework.org/schema/

```

eans/spring-beans-3.2.xsd

http://www.springframework.org/schema/aop http://www.springframework.org/schema/aop/spring-aop-3.2.xsd

http://www.springframework.org/schema/context http://www.springframework.org/schema/context/spring-context-3.2.xsd">

<mvc:annotation-driven/>

<context:component-scan base-package="cn.sh.ideal.webapp.controller" />

<bean id="messageSource" class="org.springframework.context.support.ResourceBundleMessageSource">

<property name="basename" value="ApplicationResources"/>

<property name="useCodeAsDefaultMessage" value="true"/>

</bean>

<bean class="org.springframework.web.servlet.view.ContentNegotiatingViewResolver">

<property name="contentNegotiationManager">

<bean class="org.springframework.web.accept.ContentNegotiationManagerFactoryBean

>

<property name="mediaTypes">

<props>

<prop key="html">text/html</prop>

<prop key="json">application/json</prop>

</props>

</property>

</bean>

</property>

<property name="viewResolvers">

<list>

<bean class="org.springframework.web.servlet.view.BeanNameViewResolver"/>

<bean class="org.springframework.web.servlet.view.InternalResourceViewResolver">

<property name="viewClass" value="org.springframework.web.servlet.view.JstlView

/>

<property name="prefix" value="/WEB-INF/pages/" />

<property name="suffix" value=".jsp" />

</bean>

</list>

</property>

</bean>

</beans>