

angular 官网教程英雄编辑器 (Tour of Heroes) 错误, ERROR Error: The selector '"my-app"' did not match any elements

作者: [Julius](#)

原文链接: <https://ld246.com/article/1504491530534>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

[英雄编辑器\(Tour of Heroes\)](https://ld246.com/forward?goto=https%3A%2F%2Fangular.io%2Ftutorial%2Ftoh-pt5)

错误详情:

```
AppComponent_Host.html:1 ERROR Error: The selector "my-app" did not match any elements
    at DefaultDomRenderer2.webpackJsonp.../././platform-browser/@angular/platform-browser.es5.js.DefaultDomRenderer2.selectRootElement (platform-browser.es5.js:2791)
    at DebugRenderer2.webpackJsonp.../././core/@angular/core.es5.js.DebugRenderer2.selectRootElement (core.es5.js:13650)
    at createElement (core.es5.js:9178)
    at createViewNodes (core.es5.js:12163)
    at createRootView (core.es5.js:12092)
    at callWithDebugContext (core.es5.js:13475)
    at Object.debugCreateRootView [as createRootView] (core.es5.js:12792)
    at ComponentFactory_.webpackJsonp.../././core/@angular/core.es5.js.ComponentFactory_.create (core.es5.js:864)
    at ComponentFactoryBoundToModule.webpackJsonp.../././core/@angular/core.es5.js.ComponentFactoryBoundToModule.create (core.es5.js:3333)
    at ApplicationRef_.webpackJsonp.../././core/@angular/core.es5.js.ApplicationRef_.bootstrap (core.es5.js:4768)
    at View_AppComponent_Host_0 @ AppComponent_Host.html:1
    at AppComponent_Host.html:1 ERROR CONTEXT DebugContext_
    at View_AppComponent_Host_0 @ AppComponent_Host.html:1
    at polyfills.bundle.js:206 Unhandled Promise rejection: The selector "my-app" did not match any elements ; Zone: &#x201c; ; Task: Promise.then ; Value: Error: The selector "my-app" did not match any elements
    at DefaultDomRenderer2.webpackJsonp.../././platform-browser/@angular/platform-browser.es5.js.DefaultDomRenderer2.selectRootElement (platform-browser.es5.js:2791)
    at DebugRenderer2.webpackJsonp.../././core/@angular/core.es5.js.DebugRenderer2.selectRootElement (core.es5.js:13650)
    at createElement (core.es5.js:9178)
    at createViewNodes (core.es5.js:12163)
    at createRootView (core.es5.js:12092)
    at callWithDeb
```

```
gContext (core.es5.js:13475)
</span></span><span class="highlight-line"><span class="highlight-cl"> at Object.debu
CreateRootView [as createRootView] (core.es5.js:12792)
</span></span><span class="highlight-line"><span class="highlight-cl"> at ComponentF
ctory_webpackJsonp.../.../core/@angular/core.es5.js.ComponentFactory_
.create (core.es5.js:
864)
</span></span><span class="highlight-line"><span class="highlight-cl"> at ComponentF
ctoryBoundToModule.webpackJsonp.../.../core/@angular/core.es5.js.ComponentFactoryBou
dToModule.create (core.es5.js:3333)
</span></span><span class="highlight-line"><span class="highlight-cl"> at ApplicationR
f_webpackJsonp.../.../core/@angular/core.es5.js.ApplicationRef_
.bootstrap (core.es5.js:4768)
Error: The selector "my-app" did not match any elements
</span></span><span class="highlight-line"><span class="highlight-cl"> at DefaultDom
enderer2.webpackJsonp.../.../platform-browser/@angular/platform-browser.es5.js.DefaultD
mRenderer2.selectRootElement (http://localhost:4200/vendor.bundle.js:68217:19)
</span></span><span class="highlight-line"><span class="highlight-cl"> at DebugRende
rer2.webpackJsonp.../.../core/@angular/core.es5.js.DebugRenderer2.selectRootElement (http:
//localhost:4200/vendor.bundle.js:57846:49)
</span></span><span class="highlight-line"><span class="highlight-cl"> at createElemen
t (http://localhost:4200/vendor.bundle.js:53374:23)
</span></span><span class="highlight-line"><span class="highlight-cl"> at createViewN
odes (http://localhost:4200/vendor.bundle.js:56359:44)
</span></span><span class="highlight-line"><span class="highlight-cl"> at createRootVi
w (http://localhost:4200/vendor.bundle.js:56288:5)
</span></span><span class="highlight-line"><span class="highlight-cl"> at callWithDeb
gContext (http://localhost:4200/vendor.bundle.js:57671:42)
</span></span><span class="highlight-line"><span class="highlight-cl"> at Object.debu
CreateRootView [as createRootView] (http://localhost:4200/vendor.bundle.js:56988:12)
</span></span><span class="highlight-line"><span class="highlight-cl"> at ComponentF
ctory_webpackJsonp.../.../core/@angular/core.es5.js.ComponentFactory_
.create (http://local
ost:4200/vendor.bundle.js:54060:46)
</span></span><span class="highlight-line"><span class="highlight-cl"> at ComponentF
ctoryBoundToModule.webpackJsonp.../.../core/@angular/core.es5.js.ComponentFactoryBou
dToModule.create (http://localhost:4200/vendor.bundle.js:47529:29)
</span></span><span class="highlight-line"><span class="highlight-cl"> at ApplicationR
f_webpackJsonp.../.../core/@angular/core.es5.js.ApplicationRef_
.bootstrap (http://localhost:
200/vendor.bundle.js:48964:57)
</span></span></code></pre>
```

<p>无论是自己写的项目还是网的源码都会报这个错误。

最后根据测试与对比，发现要把根组件的 @Component 中的 selector 自定义标签改为</p>

```
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight
cl">selector: 'app-root',
</span></span></code></pre>
```

<p>教程源码里是</p>

```
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight
cl">selector: 'my-app',
</span></span></code></pre>
```

<p>1.推测是 angular 通过根组件的 selector: 'app-root'匹配元素，修改后无法匹配。

但不清楚为什么官网的源码没有问题</p>

<p>2.selector 的前缀由.angular-cli.json 的 prefix 属性设置，但即使这里修改成'my'后，依然会报。只能再改回'app-root'</p>

<p>3.终于知道原因的，因为再 index.html 中引用的'app-root'没有改成'my-app' >_<</p>