



链滴

求助，symphony 运行报错.....

作者: [undefinedUser](#)

原文链接: <https://ld246.com/article/1511835765289>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<p>从 github 上下载 symphony 后，maven install 提示 successFul 。

配了本地 mysql 其他配置文件没改，看 github 上貌似没啥步骤了。。

用 tomcat9 跑了下，

提示如下错误</p>

```
<p>十一月 28, 2017 10:07:57 上午 org.apache.tomcat.util.digester.SetPropertiesRule begin <br>  
>  
警告: [SetPropertiesRule]{Server/Service/Engine/Host/Context} Setting property 'source' to 'or  
.eclipse.jst.jee.server:symphony' did not find a matching property.<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Server version: Apache Tomcat/9.0.1<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Server built: Sep 27 2017 17:31:52 UTC<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Server number: 9.0.1.0<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: OS Name: Windows 10<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: OS Version: 10.0<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Architecture: amd64<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Java Home: C:\Program Files\Java\jdk1.8.0_144\jre<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: JVM Version: 1.8.0_144-b01<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: JVM Vendor: Oracle Corporation<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: CATALINA_BASE: C:\Users\11641\workspace.metadata.plugins\org.eclipse.wst.server  
.core\tmp0<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: CATALINA_HOME: C:\Users\11641\Desktop\download\apache-tomcat-9.0.1\apach  
-tomcat-9.0.1<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Command line argument: -Dcatalina.base=C:\Users\11641\workspace.metadata.plugins  
org.eclipse.wst.server.core\tmp0<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Command line argument: -Dcatalina.home=C:\Users\11641\Desktop\download\apache  
tomcat-9.0.1\apache-tomcat-9.0.1<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Command line argument: -Dwtp.deploy=C:\Users\11641\workspace.metadata.plugins\o  
g.eclipse.wst.server.core\tmp0\wtpwebapps<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Command line argument: -Djava.endorsed.dirs=C:\Users\11641\Desktop\download\ap  
che-tomcat-9.0.1\apache-tomcat-9.0.1\endorsed<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.startup.VersionLoggerListener log <br>  
信息: Command line argument: -Dfile.encoding=UTF-8<br>  
十一月 28, 2017 10:07:57 上午 org.apache.catalina.core.AprLifecycleListener lifecycleEvent <br>  
信息: The APR based Apache Tomcat Native library which allows optimal performance in prod  
ction environments was not found on the java.library.path: [C:\Program Files\Java\jdk1.8.0_14  
\bin;C:\WINDOWS\Sun\Java\bin;C:\WINDOWS\system32;C:\WINDOWS;C:/Program Files/Java/  
re1.8.0_144/bin/server;C:/Program Files/Java/jre1.8.0_144/bin;C:/Program Files/Java/jre1.8.0_1  
4/lib/amd64;C:\ProgramData\Oracle\Java\javapath;C:\Program Files (x86)\Intel\iCLS Client;C:  
rogram Files\Intel\iCLS Client;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wb  
m;C:\Windows\System32\WindowsPowerShell\v1.0;C:\Program Files (x86)\Intel\Intel(R) Mana
```

ement Engine Components\DAL;C:\Program Files\Intel\Intel(R) Management Engine Components\DAL;C:\Program Files (x86)\Intel\Intel(R) Management Engine Components\IPT;C:\Program Files\Intel\Intel(R) Management Engine Components\IPT;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\Java\jdk1.8.0_144\bin;C:\Program Files\Java\jdk1.8.0_144\jre\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0;C:\Users\11641\Desktop\java_source\apache-maven-3.5.0-bin\apache-maven-3.5.0\bin;C:\Program Files\TortoiseSVN\bin;C:\Python27;C:\Python27\Scripts;C:\Users\11641\AppData\Local\Microsoft\WindowsApps;;C:\Users\11641\Desktop;.

十一月 28, 2017 10:07:58 上午 org.apache.coyote.AbstractProtocol init

信息: Initializing ProtocolHandler ["http-nio-8080"]

十一月 28, 2017 10:07:58 上午 org.apache.tomcat.util.net.NioSelectorPool getSharedSelector

信息: Using a shared selector for servlet write/read

十一月 28, 2017 10:07:58 上午 org.apache.coyote.AbstractProtocol init

信息: Initializing ProtocolHandler ["ajp-nio-8009"]

十一月 28, 2017 10:07:58 上午 org.apache.tomcat.util.net.NioSelectorPool getSharedSelector

信息: Using a shared selector for servlet write/read

十一月 28, 2017 10:07:58 上午 org.apache.catalina.startup.Catalina load

信息: Initialization processed in 2659 ms

十一月 28, 2017 10:07:58 上午 org.apache.catalina.core.StandardService startInternal

信息: Starting service [Catalina]

十一月 28, 2017 10:07:58 上午 org.apache.catalina.core.StandardEngine startInternal

信息: Starting Servlet Engine: Apache Tomcat/9.0.1

十一月 28, 2017 10:08:10 上午 org.apache.jasper.servlet.TldScanner scanJars

信息: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.

十一月 28, 2017 10:08:12 上午 org.apache.catalina.core.StandardContext listenerStart

*严重: Exception sending context initialized event to listener instance of class [org.b3log.symphony.SymphonyServletListener]

java.lang.ExceptionInInitializerError

at org.b3log.symphony.service.AudioMgmtService.(AudioMgmtService.java:59)

at sun.misc.Unsafe.ensureClassInitialized(Native Method)

at sun.reflect.UnsafeFieldAccessorFactory.newFieldAccessor(UnsafeFieldAccessorFactory.java:3)

at sun.reflect.ReflectionFactory.newFieldAccessor(ReflectionFactory.java:156)

at java.lang.reflect.Field.acquireFieldAccessor(Field.java:1088)

at java.lang.reflect.Field.getFieldAccessor(Field.java:1069)

at java.lang.reflect.Field.set(Field.java:764)

at javassist.util.proxy.ProxyFactory.setField(ProxyFactory.java:526)

at javassist.util.proxy.ProxyFactory.createClass3(ProxyFactory.java:509)

at javassist.util.proxy.ProxyFactory.createClass2(ProxyFactory.java:493)

at javassist.util.proxy.ProxyFactory.createClass1(ProxyFactory.java:429)

at javassist.util.proxy.ProxyFactory.createClass(ProxyFactory.java:400)

at org.b3log.latke.ioc.bean.BeanImpl.(BeanImpl.java:156)

at org.b3log.latke.ioc.config.impl.ConfiguratorImpl.createBean(ConfiguratorImpl.java:191)

at org.b3log.latke.ioc.config.impl.ConfiguratorImpl.createBeans(ConfiguratorImpl.java:216)

>
at org.b3log.latke.ioc.Lifecycle.startApplication(Lifecycle.java:93)

at org.b3log.latke.servlet.AbstractServletListener.contextInitialized(AbstractServletListener.java

89)

at org.b3log.symphony.SymphonyServletListener.contextInitialized(SymphonyServletListener.java:89)

at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4643)

at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5105)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1425)

at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1415)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75)
br>
at java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:134)

at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:941)

at org.apache.catalina.core.StandardHost.startInternal(StandardHost.java:839)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1425)

at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1415)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75)
br>
at java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:134)

at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:941)

at org.apache.catalina.core.StandardEngine.startInternal(StandardEngine.java:258)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.StandardService.startInternal(StandardService.java:422)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.StandardServer.startInternal(StandardServer.java:770)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.startup.Catalina.start(Catalina.java:671)

at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.lang.reflect.Method.invoke(Method.java:498)

at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:355)

at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:495)

Caused by: java.util.MissingResourceException: Can't find resource for bundle java.util.PropertyResourceBundle, key whitelist.tags

at java.util.ResourceBundle.getObject(ResourceBundle.java:450)

at java.util.ResourceBundle.getString(ResourceBundle.java:407)

at org.b3log.symphony.util.Symphonys.(Symphonys.java:108)

... 48 more</p>
<p>十一月 28, 2017 10:08:12 上午 org.apache.catalina.core.StandardContext startInternal

严重: One or more listeners failed to start. Full details will be found in the appropriate container log file

十一月 28, 2017 10:08:12 上午 org.apache.catalina.core.StandardContext startInternal

严重: Context [/symphony] startup failed due to previous errors

十一月 28, 2017 10:08:13 上午 org.apache.catalina.core.StandardContext listenerStop

严重: Exception sending context destroyed event to listener instance of class [org.b3log.symphony.SymphonyServletListener]

java.lang.NoClassDefFoundError: Could not initialize class org.b3log.symphony.util.Symphony

at org.b3log.symphony.SymphonyServletListener.contextDestroyed(SymphonyServletListener.java:152)


```
at org.apache.catalina.core.StandardContext.listenerStop(StandardContext.java:4690)<br>
at org.apache.catalina.core.StandardContext.stopInternal(StandardContext.java:5327)<br>
at org.apache.catalina.util.LifecycleBase.stop(LifecycleBase.java:257)<br>
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:187)<br>
at org.apache.catalina.core.ContainerBase$StartChild.call(ContainerBase.java:1425)<br>
at org.apache.catalina.core.ContainerBase$StartChild.call(ContainerBase.java:1415)<br>
at java.util.concurrent.FutureTask.run(FutureTask.java:266)<br>
at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75)
br>
at java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:134)<br>
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:941)<br>
at org.apache.catalina.core.StandardHost.startInternal(StandardHost.java:839)<br>
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)<br>
at org.apache.catalina.core.ContainerBase$StartChild.call(ContainerBase.java:1425)<br>
at org.apache.catalina.core.ContainerBase$StartChild.call(ContainerBase.java:1415)<br>
at java.util.concurrent.FutureTask.run(FutureTask.java:266)<br>
at org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75)
br>
at java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:134)<br>
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:941)<br>
at org.apache.catalina.core.StandardEngine.startInternal(StandardEngine.java:258)<br>
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)<br>
at org.apache.catalina.core.StandardService.startInternal(StandardService.java:422)<br>
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)<br>
at org.apache.catalina.core.StandardServer.startInternal(StandardServer.java:770)<br>
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)<br>
at org.apache.catalina.startup.Catalina.start(Catalina.java:671)<br>
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
<br>
at java.lang.reflect.Method.invoke(Method.java:498)<br>
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:355)<br>
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:495)*</p>
<p>十一月 28, 2017 10:08:15 上午 org.apache.catalina.loader.WebappClassLoaderBase clearRe
ferencesThreads<br>
警告: The web application [symphony] appears to have started a thread named [Abandoned c
nnection cleanup thread] but has failed to stop it. This is very likely to create a memory leak. S
ack trace of thread:<br>
java.lang.Object.wait(Native Method)<br>
java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)<br>
com.mysql.jdbc.AbandonedConnectionCleanupThread.run(AbandonedConnectionCleanupThr
ad.java:64)<br>
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)<br>
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)<br>
java.lang.Thread.run(Thread.java:748)<br>
十一月 28, 2017 10:08:15 上午 org.apache.catalina.loader.WebappClassLoaderBase checkThrea
LocalMapForLeaks<br>
严重: The web application [symphony] created a ThreadLocal with key of type [java.lang.Threa
Local] (value [java.lang.ThreadLocal@147efd9]) and a value of type [org.b3log.latke.util.Stopw
tchs.Stopwatch] (value [[100]%, [-1511834891471]ms [Context Initialized]<br>
]) but failed to remove it when the web application was stopped. Threads are going to be ren
wed over time to try and avoid a probable memory leak.<br>
十一月 28, 2017 10:08:15 上午 org.apache.coyote.AbstractProtocol start<br>
```

信息: Starting ProtocolHandler ["http-nio-8080"]

十一月 28, 2017 10:08:15 上午 org.apache.coyote.AbstractProtocol start

信息: Starting ProtocolHandler ["ajp-nio-8009"]

十一月 28, 2017 10:08:15 上午 org.apache.catalina.startup.Catalina start

信息: Server startup in 16801 ms

十一月 28, 2017 10:08:18 上午 org.apache.catalina.loader.WebappClassLoaderBase checkState
orResourceLoading

信息: Illegal access: this web application instance has been stopped already. Could not load [].
The following stack trace is thrown for debugging purposes as well as to attempt to terminate
the thread which caused the illegal access.

java.lang.IllegalStateException: Illegal access: this web application instance has been stopped
lready. Could not load []. The following stack trace is thrown for debugging purposes as well
s to attempt to terminate the thread which caused the illegal access.

at org.apache.catalina.loader.WebappClassLoaderBase.checkStateForResourceLoading(Weba
pClassLoaderBase.java:1295)

at org.apache.catalina.loader.WebappClassLoaderBase.getResource(WebappClassLoaderBase.
ava:972)

at com.mysql.jdbc.AbandonedConnectionCleanupThread.checkContextClassLoaders(Abando
edConnectionCleanupThread.java:90)

at com.mysql.jdbc.AbandonedConnectionCleanupThread.run(AbandonedConnectionCleanup
hread.java:63)

at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)</p>
<p>第一个错误</p>