



链滴

# 对 sym 100 压测，后台已经各种抛出错误，无法运转了

作者: [mobdev](#)

原文链接: <https://ld246.com/article/1515178069321>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

```
[ERROR]-[2018-01-06 02:40:50]-[org.b3log.latke.servlet.renderer.freemarker.AbstractFreeMarkerRenderer:138]: FreeMarker renders error
FreeMarker template error:
The following has evaluated to null or missing:
==> article [in template "article.ftl" at line 7, column 25]
```

```
----
Tip: If the failing expression is known to be legally refer to something that's sometimes null or
missing, either specify a default value like myOptionalVar!myDefault, or use <#if myOptional
ar??>when-present<#else>when-missing</#if>. (These only cover the last step of the express
on; to cover the whole expression, use parenthesis: (myOptionalVar.foo)!myDefault, (myOptio
alVar.foo)??
----
```

```
----
FTL stack trace ("~" means nesting-related):
```

```
    - Failed at: ${article.articleTitleEmojiUnicode} [in template "article.ftl" at line 7, column 23

    - Reached through: @head title="${article.articleTitleEm... [in template "article.ftl" at line
7, column 9]
----
```

```
Java stack trace (for programmers):
----
```

```
freemarker.core.InvalidReferenceException: [... Exception message was already printed; see it
bove ...]
    at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java
131)
    at freemarker.core.UnexpectedTypeException.newDescriptionBuilder(UnexpectedTypeExc
ption.java:77)
    at freemarker.core.UnexpectedTypeException.<init>(UnexpectedTypeException.java:40)
    at freemarker.core.NonHashException.<init>(NonHashException.java:46)
    at freemarker.core.Dot._eval(Dot.java:45)
    at freemarker.core.Expression.eval(Expression.java:78)
    at freemarker.core.Expression.evalAndCoerceToString(Expression.java:82)
    at freemarker.core.DollarVariable.accept(DollarVariable.java:41)
    at freemarker.core.Environment.visit(Environment.java:324)
    at freemarker.core.MixedContent.accept(MixedContent.java:54)
    at freemarker.core.Environment.visit(Environment.java:324)
    at freemarker.core.Environment.renderElementToString(Environment.java:2196)
    at freemarker.core.StringLiteral.evalAndCoerceToString(StringLiteral.java:96)
    at freemarker.core.StringLiteral._eval(StringLiteral.java:73)
    at freemarker.core.Expression.eval(Expression.java:78)
    at freemarker.core.Environment.setMacroContextLocalsFromArguments(Environment.java
739)
    at freemarker.core.Environment.invoke(Environment.java:689)
    at freemarker.core.UnifiedCall.accept(UnifiedCall.java:84)
    at freemarker.core.Environment.visit(Environment.java:324)
    at freemarker.core.MixedContent.accept(MixedContent.java:54)
    at freemarker.core.Environment.visit(Environment.java:324)
    at freemarker.core.Environment.process(Environment.java:302)
    at freemarker.template.Template.process(Template.java:325)
    at org.b3log.latke.servlet.renderer.freemarker.AbstractFreeMarkerRenderer.genHTML(Ab
```

```

tractFreeMarkerRenderer.java:162)
    at org.b3log.symphony.processor.SkinRenderer.genHTML(SkinRenderer.java:155)
    at org.b3log.latke.servlet.renderer.freemarker.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:133)
    at org.b3log.latke.servlet.DispatcherServlet.result(DispatcherServlet.java:111)
    at org.b3log.latke.servlet.DispatcherServlet.service(DispatcherServlet.java:89)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:741)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:231)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166)

    at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166)

    at org.b3log.latke.servlet.filter.EncodingFilter.doFilter(EncodingFilter.java:71)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166)

    at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:9)
    at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:96)
    at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:50)
    at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:140)
    at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:81)
    at org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:651)
    at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:87)
    at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
    at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:501)
    at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:66)
    at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:754)
    at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:137)
    at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)
    at java.lang.Thread.run(Thread.java:745)
[ERROR]-[2018-01-06 02:40:50]-[org.b3log.latke.repository.jdbc.JdbcRepository:847]: Gets connection failed
com.alibaba.druid.pool.GetConnectionTimeoutException: wait millis 5000, active 50, maxActive 50
    at com.alibaba.druid.pool.DruidDataSource.getConnectionInternal(DruidDataSource.java:1267)
    at com.alibaba.druid.pool.DruidDataSource.getConnectionDirect(DruidDataSource.java:186)
    at com.alibaba.druid.pool.DruidDataSource.getConnection(DruidDataSource.java:1066)
    at com.alibaba.druid.pool.DruidDataSource.getConnection(DruidDataSource.java:1056)

```

```

at org.b3log.latke.repository.jdbc.util.Connections.getConnection(Connections.java:192)
at org.b3log.latke.repository.jdbc.JdbcRepository.getConnection(JdbcRepository.java:843)

at org.b3log.latke.repository.jdbc.JdbcRepository.get(JdbcRepository.java:401)
at org.b3log.latke.repository.AbstractRepository.get(AbstractRepository.java:135)
at org.b3log.symphony.repository.RoleRepository_$$jvst50e_11._d8get(RoleRepository_
$ _jvst50e_11.java)
at sun.reflect.GeneratedMethodAccessor108.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
at org.b3log.symphony.repository.RoleRepository_$$jvst50e_11.get(RoleRepository_$$j
st50e_11.java)
at org.b3log.symphony.service.RoleQueryService.getRole(RoleQueryService.java:141)
at org.b3log.symphony.service.RoleQueryService_$$jvst50e_c._d7getRole(RoleQueryServ
ce_$$jvst50e_c.java)
at sun.reflect.GeneratedMethodAccessor107.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
at org.b3log.symphony.service.RoleQueryService_$$jvst50e_c.getRole(RoleQueryService
$$jvst50e_c.java)
at org.b3log.symphony.processor.advice.PermissionGrant.doAdvice(PermissionGrant.java
81)
at org.b3log.symphony.processor.advice.PermissionGrant_$$jvst50e_8d._d1doAdvice(Pe
missionGrant_$$jvst50e_8d.java)
at sun.reflect.GeneratedMethodAccessor119.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
at org.b3log.symphony.processor.advice.PermissionGrant_$$jvst50e_8d.doAdvice(Permi
sionGrant_$$jvst50e_8d.java)
at org.b3log.latke.servlet.handler.AdviceHandler.handle(AdviceHandler.java:119)
at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
at org.b3log.latke.servlet.handler.ArgsHandler.handle(ArgsHandler.java:60)
at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
at org.b3log.latke.servlet.handler.RequestDispatchHandler.handle(RequestDispatchHand
er.java:92)
at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
at org.b3log.latke.servlet.handler.RequestPrepareHandler.handle(RequestPrepareHandler.
ava:45)
at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
at org.b3log.latke.servlet.handler.StaticResourceHandler.handle(StaticResourceHandler.ja
a:119)
at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
at org.b3log.latke.servlet.DispatcherServlet.service(DispatcherServlet.java:84)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:741)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.

```

```

ava:231)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166)
        at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166)
        at org.b3log.latke.servlet.filter.EncodingFilter.doFilter(EncodingFilter.java:71)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166)
        at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:1
9)
    at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:96)
    at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:50
)
    at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:140)
    at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:81)
    at org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.jav
:651)
    at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:87)
    at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
    at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:501)
    at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:66)
    at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java
754)
    at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:137
)
    at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61
    at java.lang.Thread.run(Thread.java:745)
[ERROR]-[2018-01-06 02:40:50]-[org.b3log.latke.repository.jdbc.JdbcRepository:412]: get:null
java.lang.NullPointerException
[ERROR]-[2018-01-06 02:40:50]-[org.b3log.symphony.service.RoleQueryService:149]: Gets role
failed
org.b3log.latke.repository.RepositoryException: java.lang.NullPointerException
    at org.b3log.latke.repository.jdbc.JdbcRepository.get(JdbcRepository.java:413)
    at org.b3log.latke.repository.AbstractRepository.get(AbstractRepository.java:135)
    at org.b3log.symphony.repository.RoleRepository_$$jvst50e_11_d8get(RoleRepository_
$ _jvst50e_11.java)
    at sun.reflect.GeneratedMethodAccessor108.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
    at org.b3log.symphony.repository.RoleRepository_$$jvst50e_11.get(RoleRepository_$$j
st50e_11.java)
    at org.b3log.symphony.service.RoleQueryService.getRole(RoleQueryService.java:141)

```

```

    at org.b3log.symphony.service.RoleQueryService_$$jvst50e_c_d7getRole(RoleQueryServ
ce_$$jvst50e_c.java)
    at sun.reflect.GeneratedMethodAccessor107.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
    at org.b3log.symphony.service.RoleQueryService_$$jvst50e_c.getRole(RoleQueryService
$$jvst50e_c.java)
    at org.b3log.symphony.processor.advice.PermissionGrant.doAdvice(PermissionGrant.java
81)
    at org.b3log.symphony.processor.advice.PermissionGrant_$$jvst50e_8d_d1doAdvice(Pe
missionGrant_$$jvst50e_8d.java)
    at sun.reflect.GeneratedMethodAccessor119.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
    at org.b3log.symphony.processor.advice.PermissionGrant_$$jvst50e_8d.doAdvice(Permi
sionGrant_$$jvst50e_8d.java)
    at org.b3log.latke.servlet.handler.AdviceHandler.handle(AdviceHandler.java:119)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.ArgsHandler.handle(ArgsHandler.java:60)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.RequestDispatchHandler.handle(RequestDispatchHand
er.java:92)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.RequestPrepareHandler.handle(RequestPrepareHandler.
ava:45)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.StaticResourceHandler.handle(StaticResourceHandler.ja
a:119)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.DispatcherServlet.service(DispatcherServlet.java:84)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:741)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:231)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

    at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

    at org.b3log.latke.servlet.filter.EncodingFilter.doFilter(EncodingFilter.java:71)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

    at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:1
9)
    at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:96)

```



```

    at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:50
)
    at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:140)
    at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:81)
    at org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.jav
:651)
    at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:87)
    at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
    at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:501)
    at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:66)
    at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java
754)
    at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:137
)
    at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61
    at java.lang.Thread.run(Thread.java:745)
Caused by: java.lang.NullPointerException
[ERROR]-[2018-01-06 02:40:50]-[org.b3log.latke.servlet.HttpControl:104]: Request [
    method=GET,
    URL=http://www.3xmq.com:8080/article/1515141092284,
    contentType=null,
    characterEncoding=UTF-8,
    local=[
        addr=172.17.99.240,
        port=8080,
        name=3xmq],
    remote=[
        addr=39.106.78.43,
        port=35882,
        host=39.106.78.43],
    headers=[
        connection=upgrade
        host=www.3xmq.com:8080
        user-agent=Apache-HttpClient/4.5.3 (Java/1.8.0_121)
    ]
] processing failed
java.lang.NullPointerException
    at org.b3log.symphony.processor.advice.PermissionGrant.doAdvice(PermissionGrant.java
84)
    at org.b3log.symphony.processor.advice.PermissionGrant_$$jvst50e_8d._d1doAdvice(Pe
missionGrant_$$jvst50e_8d.java)
    at sun.reflect.GeneratedMethodAccessor119.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.ja
a:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.b3log.latke.ioc.bean.JavassistMethodHandler.invoke(JavassistMethodHandler.java:
06)
    at org.b3log.symphony.processor.advice.PermissionGrant_$$jvst50e_8d.doAdvice(Permi
sionGrant_$$jvst50e_8d.java)
    at org.b3log.latke.servlet.handler.AdviceHandler.handle(AdviceHandler.java:119)

```

```

    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.ArgsHandler.handle(ArgsHandler.java:60)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.RequestDispatchHandler.handle(RequestDispatchHand
er.java:92)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.RequestPrepareHandler.handle(RequestPrepareHandler.
ava:45)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.handler.StaticResourceHandler.handle(StaticResourceHandler.ja
a:119)
    at org.b3log.latke.servlet.HttpControl.nextHandler(HttpControl.java:99)
    at org.b3log.latke.servlet.DispatcherServlet.service(DispatcherServlet.java:84)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:741)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:231)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

    at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

    at org.b3log.latke.servlet.filter.EncodingFilter.doFilter(EncodingFilter.java:71)
    at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
    at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

    at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:1
9)
    at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:96)
    at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:50
)
    at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:140)
    at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:81)
    at org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.jav
:651)
    at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:87)
    at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
    at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:501)
    at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:66)
    at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java
754)
    at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:137
)
    at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61

    at java.lang.Thread.run(Thread.java:745)
[ERROR]-[2018-01-06 02:40:50]-[org.b3log.latke.servlet.renderer.freemarker.AbstractFreeMark
rRenderer:138]: FreeMarker renders error
FreeMarker template error:

```



The following has evaluated to null or missing:  
==> article [in template "article.ftl" at line 7, column 25]

----

Tip: If the failing expression is known to be legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar??>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)??`)

----

----

FTL stack trace ("~" means nesting-related):

- Failed at: `${article.articleTitleEmojiUnicode}` [in template "article.ftl" at line 7, column 23]

- Reached through: `@head title="${article.articleTitleEmojiUnicode}"` [in template "article.ftl" at line 7, column 9]

----

Java stack trace (for programmers):

----

`freemarker.core.InvalidReferenceException: [... Exception message was already printed; see it above ...]`

at `freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:131)`

at `freemarker.core.UnexpectedTypeException.newDescriptionBuilder(UnexpectedTypeException.java:77)`

at `freemarker.core.UnexpectedTypeException.<init>(UnexpectedTypeException.java:40)`

at `freemarker.core.NonHashException.<init>(NonHashException.java:46)`

at `freemarker.core.Dot._eval(Dot.java:45)`

at `freemarker.core.Expression.eval(Expression.java:78)`

at `freemarker.core.Expression.evalAndCoerceToString(Expression.java:82)`

at `freemarker.core.DollarVariable.accept(DollarVariable.java:41)`

at `freemarker.core.Environment.visit(Environment.java:324)`

at `freemarker.core.MixedContent.accept(MixedContent.java:54)`

at `freemarker.core.Environment.visit(Environment.java:324)`

at `freemarker.core.Environment.renderElementToString(Environment.java:2196)`

at `freemarker.core.StringLiteral.evalAndCoerceToString(StringLiteral.java:96)`

at `freemarker.core.StringLiteral._eval(StringLiteral.java:73)`

at `freemarker.core.Expression.eval(Expression.java:78)`

at `freemarker.core.Environment.setMacroContextLocalsFromArguments(Environment.java:739)`

at `freemarker.core.Environment.invoke(Environment.java:689)`

at `freemarker.core.UnifiedCall.accept(UnifiedCall.java:84)`

at `freemarker.core.Environment.visit(Environment.java:324)`

at `freemarker.core.MixedContent.accept(MixedContent.java:54)`

at `freemarker.core.Environment.visit(Environment.java:324)`

at `freemarker.core.Environment.process(Environment.java:302)`

at `freemarker.template.Template.process(Template.java:325)`

at `org.b3log.latke.servlet.renderer.freemarker.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarkerRenderer.java:162)`

at `org.b3log.symphony.processor.SkinRenderer.genHTML(SkinRenderer.java:155)`

at `org.b3log.latke.servlet.renderer.freemarker.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:133)`

```

at org.b3log.latke.servlet.DispatcherServlet.result(DispatcherServlet.java:111)
at org.b3log.latke.servlet.DispatcherServlet.service(DispatcherServlet.java:89)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:741)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:231)
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

at org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

at org.b3log.latke.servlet.filter.EncodingFilter.doFilter(EncodingFilter.java:71)
at org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.
ava:193)
at org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:166

at org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:1
9)
at org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:96)
at org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:50
)
at org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:140)
at org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:81)
at org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.jav
:651)
at org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:87)
at org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
at org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:501)
at org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:66)
at org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java
754)
at org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:137
)
at org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61

at java.lang.Thread.run(Thread.java:745)

```

## mysql慢查询

```

# Time: 2018-01-05T18:44:02.436437Z
# User@Host: root[root] @ [39.106.78.43] Id: 99
# Query_time: 6.401251 Lock_time: 0.000069 Rows_sent: 10 Rows_examined: 10
SET timestamp=1515177842;
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoubl
<=0.13575782778368972 and articleStatus=0) limit 0,10;
# Time: 2018-01-05T18:44:15.246272Z
# User@Host: root[root] @ [39.106.78.43] Id: 88
# Query_time: 13.830847 Lock_time: 0.000155 Rows_sent: 10 Rows_examined: 10
SET timestamp=1515177855;
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoubl

```

```
<=0.16891545026924093 and articleStatus=0) limit 0,10;  
# Time: 2018-01-05T18:44:44.958681Z  
# User@Host: root[root] @ [39.106.78.43] Id: 69  
# Query_time: 12.792900 Lock_time: 0.000097 Rows_sent: 10 Rows_examined: 10  
SET timestamp=1515177884;  
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoub  
<=0.18897769303593281 and articleStatus=0) limit 0,10;  
# Time: 2018-01-05T18:44:45.332415Z  
# User@Host: root[root] @ [39.106.78.43] Id: 109  
# Query_time: 14.992689 Lock_time: 0.000054 Rows_sent: 10 Rows_examined: 10  
SET timestamp=1515177885;  
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoub  
<=0.19932722235331668 and articleStatus=0) limit 0,10;  
# Time: 2018-01-05T18:44:46.543399Z  
# User@Host: root[root] @ [39.106.78.43] Id: 92  
# Query_time: 14.546881 Lock_time: 0.000124 Rows_sent: 10 Rows_examined: 10  
SET timestamp=1515177886;  
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoub  
<=0.21861146510702367 and articleStatus=0) limit 0,10;  
# Time: 2018-01-05T18:44:54.518877Z  
# User@Host: root[root] @ [39.106.78.43] Id: 85  
# Query_time: 60.059722 Lock_time: 0.000073 Rows_sent: 10 Rows_examined: 10  
SET timestamp=1515177894;  
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoub  
<=0.060243983404944634 and articleStatus=0) limit 0,10;  
# Time: 2018-01-05T18:44:58.642866Z  
# User@Host: root[root] @ [39.106.78.43] Id: 63  
# Query_time: 6.031573 Lock_time: 0.000077 Rows_sent: 10 Rows_examined: 10  
SET timestamp=1515177898;  
select * from symphony_article where (articleRandomDouble>=0.0 and articleRandomDoub  
<=0.08719545215588231 and articleStatus=0) limit 0,10;
```