



链滴


# Sym 运行报错: Error configuring application listener of class org.b3log.symphony.SymphonyServletListener

作者: [javakam](#)

原文链接: <https://ld246.com/article/1517725473332>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)



二月 04, 2018 2:19:11 下午 org.apache.catalina.startup.HostConfig deployDescriptor  
警告: A docBase C:\fastwork\apache-tomcat-8.0.28\webapps\symphony inside the host appBase has been specified, and will be ignored

二月 04, 2018 2:19:11 下午 org.apache.catalina.startup.SetContextPropertiesRule begin  
警告: [SetContextPropertiesRule]{Context} Setting property 'source' to 'org.eclipse.jst.jee.server.symphony' did not find a matching property.

二月 04, 2018 2:19:17 下午 org.apache.jasper.servlet.TldScanner scanJars  
信息: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for his logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.

二月 04, 2018 2:19:17 下午 org.apache.catalina.core.StandardContext listenerStart  
严重: Error configuring application listener of class org.b3log.symphony.SymphonyServletListener  
java.lang.ClassNotFoundException: org.b3log.symphony.SymphonyServletListener  
    at org.apache.catalina.loader.WebappClassLoaderBase.loadClass(WebappClassLoaderBase.java:1333)  
    at org.apache.catalina.loader.WebappClassLoaderBase.loadClass(WebappClassLoaderBase.java:1167)  
    at org.apache.catalina.core.DefaultInstanceManager.loadClass(DefaultInstanceManager.java:520)  
    at org.apache.catalina.core.DefaultInstanceManager.loadClassMaybePrivileged(DefaultInstanceManager.java:501)  
    at org.apache.catalina.core.DefaultInstanceManager.newInstance(DefaultInstanceManager.java:120)  
    at org.apache.catalina.core.StandardContext.listenerStart(StandardContext.java:4660)  
    at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:5181)  
    at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:150)  
    at org.apache.catalina.core.ContainerBase.addChildInternal(ContainerBase.java:725)  
    at org.apache.catalina.core.ContainerBase.addChild(ContainerBase.java:701)  
    at org.apache.catalina.core.StandardHost.addChild(StandardHost.java:717)  
    at org.apache.catalina.startup.HostConfig.deployDescriptor(HostConfig.java:586)  
    at org.apache.catalina.startup.HostConfig\$DeployDescriptor.run(HostConfig.java:1780)  
    at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
    at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  
    at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  
    at java.lang.Thread.run(Thread.java:748)

二月 04, 2018 2:19:17 下午 org.apache.catalina.core.StandardContext listenerStart  
严重: Skipped installing application listeners due to previous error(s)

二月 04, 2018 2:19:17 下午 org.apache.catalina.core.StandardContext startInternal  
严重: One or more listeners failed to start. Full details will be found in the appropriate container log file

二月 04, 2018 2:19:17 下午 org.apache.catalina.util.SessionIdGeneratorBase createSecureRandom  
信息: Creation of SecureRandom instance for session ID generation using [SHA1PRNG] took [301] milliseconds.

二月 04, 2018 2:19:17 下午 org.apache.catalina.core.StandardContext startInternal  
严重: Context [/symphony] startup failed due to previous errors

二月 04, 2018 2:19:17 下午 org.apache.catalina.startup.HostConfig deployDescriptor  
信息: Deployment of configuration descriptor C:\fastwork\apache-tomcat-8.0.28\conf\Catalina\localhost\symphony.xml has finished in 6,287 ms

二月 04, 2018 2:19:17 下午 org.apache.catalina.startup.HostConfig deployDirectory  
信息: Deploying web application directory C:\fastwork\apache-tomcat-8.0.28\webapps\docs

```
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```