

社区自动签到服务

作者: [xjtushilei](#)

原文链接: <https://ld246.com/article/1527409780708>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

黑客派自动签到

服务不会保存密码，不用担心密码泄露，每天8点多登录签到，同时领取昨日的丰厚奖励！最后记录点点日志，让你能够查看过去发生过什么。

如何启动

1. 准备

- JDK 1.8环境
- 你的用户名和密码
- clone 代码到本地 `git clone https://github.com/xjtushilei/quartz-4-hacpai.git`

2. 编译打包

在代码根目录下

- windows 环境下: `gradlew.bat build`
- linux 环境下: `./gradlew build`

不想自己编译代码的，可以下载编译好的jar包 [前去下载jar](#)

3. 运行

运行编译好的jar包（./build/libs/目录下，相对路径取决于你的pwd），同时附上你的用户名密码

- 非后台运行 `java -jar sign-0.0.1.jar --userName=你的用户名 --userPassword=你的密码`
- linux下的后台运行 `nohup java -jar sign-0.0.1.jar --userName=你的用户名 --userPassword=你的密码 &`

端口占用的或者想换其他端口启动的，可以加上参数`--server.port=你想要的端口`

看到日志表示运行成功，注意查看日志有报错代码。

```
.
  _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
(O) _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
W _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
' _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/ _/
=====|_|=====|_|/=///_/
:: Spring Boot ::      (v2.0.2.RELEASE)
...
...
...
...
...
2018-05-27 00:43:58.607 INFO 25372 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer
: Tomcat started on port(s): 8089 (http) with context path "
```

2018-05-27 00:43:58.611 INFO 25372 --- [main] c.xjtushilei.quartz4hacpai.Application : Started Application in 5.008 seconds (JVM running for 5.463)

如何查看签到日志

提供了h2数据库的web访问接口。

浏览器访问<http://localhost:8089/h2>, JDBC URL:<jdbc:h2:~/hacpai>



The screenshot shows the H2 database web interface. At the top, there is a language dropdown menu set to '中文 (简体)' and navigation links for '配置', '工具', and '帮助'. The main form is titled '登录' (Login). It contains the following fields and controls:

- '保存的连接设置:' (Saved connection settings): A dropdown menu showing 'Generic H2 (Embedded)'.
- '连接设置名称:' (Connection settings name): A text input field containing 'Generic H2 (Embedded)', with '保存' (Save) and '删除' (Delete) buttons next to it.
- '驱动类:' (Driver class): A text input field containing 'org.h2.Driver'.
- 'JDBC URL:': A text input field containing 'jdbc:h2:~/hacpai'.
- '用户名:' (Username): A text input field containing 'sa'.
- '密码:' (Password): A text input field containing two asterisks '••'.
- At the bottom, there are two buttons: '连接' (Connect) and '测试连接' (Test connection).

即可查看日志, [用户名/密码:sa/sa](#)

执行 Run Selected 自动完成 清除 SQL 语句:

```
SELECT time, type FROM LOG
```

SELECT time, type FROM LOG;

TIME	TYPE
2018-05-27 00:15:46.963	登录成功
2018-05-27 00:15:47.202	签到或领取失败
2018-05-27 00:15:47.342	签到或领取失败
2018-05-27 00:17:30.19	登录成功
2018-05-27 00:17:30.653	签到或领取成功
2018-05-27 00:17:30.89	签到或领取成功
2018-05-27 00:27:58.909	登录成功
2018-05-27 00:27:59.377	签到或领取成功
2018-05-27 00:27:59.633	签到或领取成功
2018-05-27 00:28:08.654	登录成功
2018-05-27 00:28:08.952	签到或领取成功
2018-05-27 00:28:09.239	签到或领取成功
2018-05-27 00:28:18.649	登录成功
2018-05-27 00:28:18.937	签到或领取成功
2018-05-27 00:28:19.226	签到或领取成功
2018-05-27 00:28:28.674	登录成功
2018-05-27 00:28:28.968	签到或领取成功
2018-05-27 00:28:29.253	签到或领取成功
2018-05-27 00:28:38.671	登录成功
2018-05-27 00:28:38.969	签到或领取成功
2018-05-27 00:28:39.255	签到或领取成功

(21 行, 4 ms)

其他

- 感谢D大让我们自动签到
- 大哥们用python自己写个脚本吧, java写这个小功能一大推代码, 好麻烦