



链滴

免费的 mongodb 服务 521M 存储


作者: [alanfans](#)

原文链接: <https://ld246.com/article/1528080615541>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<https://cloud.mongodb.com>, 一看这域名就是正规军。



不需要信用卡

Get started free

No credit card required

Email Address

First Name Last Name

Password

- ✓ 8 characters minimum
- ✓ One number
- ✓ One letter
- ✓ One special character

注册成功

 mongoDB Cloud

Welcome to MongoDB Atlas!

Hi alan,

Thanks for signing up for MongoDB Atlas, our fully managed database-as-a-service.

What do you get with MongoDB Atlas?



Rest assured your data is safe with continuous



Anticipate spikes with automated alerting that tells



Deploy multi-region clusters on AWS Google



Monitor your deployment using native integrations

配置服务，只有亚马逊暂时有四个免费节点，谷歌有三个免费节点，我选的加坡走起，




Create a **free tier cluster** by selecting a region with **FREE TIER AVAILABLE** and choosing the **M0** cluster tier below.

★ recommended region 


NORTH AMERICA / SOUTH AMERICA

 South Carolina (us-east1) ★

 N. Virginia (us-east4) ★


 Iowa (us-central1) ★

FREE TIER AVAILABLE

 Oregon (us-west1) ★


 Sao Paulo (southamerica-east1) ★

EUROPE / MIDDLE EAST / AFRICA

 Belgium (europe-west1) ★

FREE TIER AVAILABLE

 London (europe-west2) ★

 Frankfurt (europe-west3) ★


AUSTRALIA

 Sydney (australia-southeast1) ★

ASIA PACIFIC

 Taiwan (asia-east1) ★

 Tokyo (asia-northeast1) ★

 Singapore (asia-southeast1) ★

FREE TIER AVAILABLE

 Mumbai (asia-south1) ★

Connect to alanfans

1 Check the IP Whitelist

You will only be able to connect to your cluster from the following list of IP addresses

0.0.0.0/0 (includes your current IP address)

● Active

+ ADD ENTRY

ADD CURRENT IP ADDRESS

2 Choose a connection method:

新建用户

ALANCODE > PROJECT 0

Clusters

Build a New Cluster

Overview

Security

MongoDB Users

IP Whitelist

Peering

Enterprise Security

+ ADD NEW USER

User Name	Authentication Method	MongoDB Roles	Actions
alanfans	SCRAM	atlasAdmin@admin	EDIT DELETE

连接

Studio 3T for MongoDB - TRIAL LICENSE

File Edit Database Collection Index Document GridFS View Help

Connect Collection IntelliShell SQL Aggregate Map-Reduce Export Import Users Roles Schema Compare Feedback

Search Open Connections (Ctrl+F) ... Welcome

cloudmongodb [replica set]

- Replica Set Members
 - admin
 - Collections (0)
 - Views (0)
 - GridFS Buckets (0)
 - System (0)
- local

Recent Connections

> cloudmongodb (alanfans@3 servers)

[Connect...](#)

What's new

Older Newer

SQL Joins support now available in Studio 3T

New to Studio 3T? Head over to our [Knowledge Base](#) and get up to speed.

Using **SQL Query**, data can now be joined via a:

- Cross (full) Join
- Inner Join
- Left Outer Join

```
alice Studio 3T ReplicaSet (alice) (replica set) demo-shop
3T SQL Tutorial
1 SELECT Orders._id, Customers.name
2 FROM Orders
3 INNER JOIN Customers ON Orders.customerID = Customers._id
```

Blog Posts

- What's New in Studio extensions, ES6 sup...
- A Practical Introducti...
- How to Prepare Data Collection
- How to Create a Mor...
- MongoDB, A Databa...
- How to Investigate M...
- A Couple of MongoD...
- How to Connect to C...
- MongoDB Schema D...
- MongoDB Dropped #...

[View Online](#)

最近新发现可以建好多project,然后每个project都可以建一个mongodb

CONTEXT

alancode

ALANCODE

New Project

ORGANIZATION

Projects

Activity Feed

Users

Teams

Settings

Docs

Find a project...

Project Name	Clusters	Users	Alerts	Actions
Project 0	1 Cluster	1 User / 0 Teams	0 Alerts	...
alan	1 Cluster	1 User / 0 Teams	0 Alerts	...
test	1 Cluster	1 User / 0 Teams	0 Alerts	...