



链滴

maven 手工部署 jar 包到私服

作者: [someone31950](#)

原文链接: <https://ld246.com/article/1535882861603>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

一上传jar包到本地仓库 路径不能有空格

```
E:\git云端\m2\lib>mvn install:install-file -Dfile=E:\git云端\m2\lib\jtoaster-1.0.5.jar -DgroupId=jtoaster -DartifactId=jtoaster -Dversion=1.0.5 -Dpackaging=jar
```

```
[INFO] Scanning for projects...
```

```
[INFO]
```

```
[INFO] -----
```

```
[INFO] Building Maven Stub Project (No POM) 1
```

```
[INFO] -----
```

```
[INFO]
```

```
[INFO] --- maven-install-plugin:2.4:install-file (default-cli) @ standalone-pom ---
```

```
[INFO] Installing E:\git云端\m2\lib\jtoaster-1.0.5.jar to E:\git云端\m2\repository\jtoaster\jtoaster\1.0.5\jtoaster-1.0.5.jar
```

```
[INFO] Installing C:\Users\PANZHE~1\AppData\Local\Temp\mvninstall2146170152869073505\pom to E:\git云端\m2\repository\jtoaster\jtoaster\1.0.5\jtoaster-1.0.5.pom
```

```
[INFO] -----
```

```
[INFO] BUILD SUCCESS
```

```
[INFO] -----
```

```
[INFO] Total time: 2.406 s
```

```
[INFO] Finished at: 2016-08-31T21:16:45+08:00
```

```
[INFO] Final Memory: 10M/232M
```

```
[INFO] -----
```

```
E:\git云端\m2\lib>
```

在maven工程根目录的pom.xml加添加依赖如下，就可自动下载该jar

```
jtoaster
```

```
jtoaster
```

```
1.0.5
```

-- DgroupId和DartifactId构成了该jar包在pom.xml的坐标， 对应依赖的DgroupId和DartifactId

-- Dfile表示需要上传的jar包的绝对路径

-- Dpackaging 为安装文件的种类

二、上传jar包到私服

```
mvn deploy:deploy-file -DgroupId=org.apache.thrift -DartifactId=libthrift -Dversion=1.12 -Dpackaging=jar -Dfile=D:\thrift-0.9.2.jar -Durl=http://ip:port/nexus/content/repositories/thirdparty/ -DrepositoryId=thirdparty
```

- groupId和artifactId构成了该jar包在pom.xml的坐标，对应依赖的groupId和artifactId
- Dfile表示需要上传的jar包的绝对路径
- Durl私服上仓库的url精确地址(打开nexus左侧repositories菜单，可以看到该路径)
- DrepositoryId服务器的表示id，在nexus的configuration可以看到