



链滴

同步撤单文件到和包的脚本

作者: [chenlb](#)

原文链接: <https://ld246.com/article/1542879418767>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

```

#####撤单的对帐文件#####

export_file_name_path="/home/dspt/huibuy_order/JXXYDBGJ000R${export_yyyymm_dates}01.DAT"

export_file_name="JXXYDBGJ000R${export_yyyymm_dates}001.DAT"

sqlplus -S ucr_shop/dspt2015@huibuy<

set trimspool on;

set term off;

set feedback off;

set head off;

set linesize 1000;

set pagesize 0;

spool tmp_record_hb.txt

select count(1) from HE_BAO_LOAN HBL
INNER JOIN ECPS_ORDER EO ON EO.ORDER_ID = HBL.ORDERID AND EO.ORDER_STATUS = '2'
INNER JOIN ECPS_ORDER_RETURN EOR ON EOR.ORDER_ID = EO.ORDER_ID
INNER JOIN ECPS_ORDER EO1 ON EOR.ORDER_RETURN_ID = EO1.ORDER_ID AND EO1.ORDER_STATUS = '2'

    where to_char(eo1.finish_time,'yyyymmdd') =to_char(sysdate-1,'yyyymmdd')

    group by to_char(eo1.finish_time,'yyyymmdd');

spool off;

exit;

!

sql="SELECT to_char(eo1.finish_time,'yyyymmdd')||' '||count(mplOrdNo)||' '||sum(loanAmt) FROM HE_BAO_LOAN HBL INNER JOIN ECPS_ORDER EO ON EO.ORDER_ID = HBL.ORDERID AND EO.ORDER_STATUS = '2' INNER JOIN ECPS_ORDER_RETURN EOR ON EOR.ORDER_ID = EO.ORDER_ID INNER JOIN ECPS_ORDER EO1 ON EOR.ORDER_RETURN_ID = EO1.ORDER_ID AND EO1.ORDER_STATUS = '2' where to_char(eo1.finish_time,'yyyymmdd') =to_char(sysdate-1,'yyyymmdd') group by to_char(eo1.finish_time,'yyyymmdd')";

record_numcount_tmp1=cat tmp_record_hb.txt

if [ "$record_numcount_tmp1" = "" ]

then

```

```

    sql="select to_char(sysdate-1,'yyyyMMdd')||'0'||'0' from dual"
fi
echo $sql
sqlplus -S ucr_shop/dspt2015@huibuy<
set trimspool on
set term off
set feedback off
set head off
set linesize 1000
set pagesize 0
spool ${export_file_name_path}
${sql}
union all

SELECT distinct epclD||'0'||mbINo||'0'||packId||'0'||mplOrdNo||'0'||argMonth||'0'||loanAmt||'0'||pmg
o||'0'||bossOrdNo||'0'||modelId||'0'
modelNm||'0'||oprId||'0'||channelid||'0'||channelname||'0'||epclD||'0'||citId||'0'||revoketime||'0'||chr(13)

    FROM HE_BAO_LOAN HBL
INNER JOIN ECPS_ORDER EO ON EO.ORDER_ID = HBL.ORDERID AND EO.ORDER_STATUS = '2'
INNER JOIN ECPS_ORDER_RETURN EOR ON EOR.ORDER_ID = EO.ORDER_ID
INNER JOIN ECPS_ORDER EO1 ON EOR.ORDER_RETURN_ID = EO1.ORDER_ID AND EO1.ORDE
_STATUS = '2'

    where to_char(eo1.finish_time,'yyyymmdd') =to_char(sysdate-1,'yyyyMMdd')
union all
select '@END@' from dual;
exit;
!
echo "start ftp 211.138.236.196"
sftp -oport=8422 jxcpch@211.138.236.196<

```

```
cd /recv
```

```
lcd /home/dspt/huibuy_order/
```

```
put "${export_file_name}"
```

```
bye
```

```
!
```