

# HTTPS 部署 pipe 登录页面部分资源 URL 为 localhost


作者: [LOG1085119](#)

原文链接: <https://ld246.com/article/1544655827874>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

如图所示



以下是管理的 Nginx 配置

```
server
{
    listen 80;
    server_name mydomain.com;
    rewrite ^(.*)$ https://$host$1 permanent;
}
server
{
    listen 443 ssl http2;
    server_name mydomain.com;

    add_header Strict-Transport-Security "max-age=31536000; includeSubDomains" always;

    ssl_certificate /etc/nginx/ssl/mydomain.crt;
    ssl_certificate_key /etc/nginx/ssl/mydomain.key;
    ssl_session_cache shared:SSL:10m;
    ssl_session_timeout 10m;
    charset utf-8;

    location / {
        add_header Content-Security-Policy upgrade-insecure-requests;
        add_header Access-Control-Allow-Origin *;
        add_header Access-Control-Allow-Methods 'GET, POST, OPTIONS';
        add_header Access-Control-Allow-Headers 'DNT,X-Mx-ReqToken,Keep-Alive,User-Agent,-Requested-With,If-Modified-Since,Cache-Control,Content-Type,Authorization';
        proxy_pass http://pipe$request_uri;
        proxy_set_header Host $host:$server_port;
        proxy_set_header X-Real-IP $remote_addr;
        client_max_body_size 10m;
    }
}
```

```
location = /halt.html {  
    root /var/www/pipe/theme;  
}  
  
access_log /var/log/panel/access.log;  
error_log /var/log/panel/error.log;  
  
}
```

pipe.json中也将 **Server** 改为 "https://mydomain.com",

请问这个问题该怎么解决?