

bnd1 Mac 版本, 不能打开

作者: [ff031068](#)

原文链接: <https://ld246.com/article/1545884665171>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

第一次可以, 后面下载东西一半后关掉, 再次打开就不能打开了

```
chenzefengdeMac:~ feng$ /Users/feng/Downloads/bnd ; exit;
2018-12-27 12:22:12.085 bnd[1234:45246] *** Assertion failure in +[NSUndoManager _endTo
LevelGroupings], /BuildRoot/Library/Caches/com.apple.xbs/Sources/Foundation/Foundation-
561/Foundation/Misc.subproj/NSUndoManager.m:361
2018-12-27 12:22:12.086 bnd[1234:45246] *** Terminating app due to uncaught exception 'N
InternalInconsistencyException', reason: '+[NSUndoManager(NSInternal) _endTopLevelGroup
ngs] is only safe to invoke on the main thread.'
*** First throw call stack:
(
  0 CoreFoundation          0x00007fff3054becd __exceptionPreprocess + 256
  1 libobjc.A.dylib         0x00007fff5c607720 objc_exception_throw + 48
  2 CoreFoundation          0x00007fff30566b2a +[NSException raise:format:argumen
s:] + 98
  3 Foundation              0x00007fff3290ae0d -[NSAssertionHandler handleFailureIn
ethod:object:file:lineNumber:description:] + 194
  4 Foundation              0x00007fff3283b249 +[NSUndoManager(NSPrivate) _endTo
LevelGroupings] + 469
  5 AppKit                  0x00007fff2d9de24e -[NSApplication run] + 932
  6 bnd                     0x00000000043fba1b uiMain + 43
  7 bnd                     0x0000000004056dd0 runtime.asmcgocall + 112
)
libc++abi.dylib: terminating with uncaught exception of type NSException
SIGABRT: abort
PC=0x7fff5d81523e m=3 sigcode=0
signal arrived during cgo execution

goroutine 58 [syscall, locked to thread]:
runtime.cgocall(0x43deb20, 0xc42059e780, 0xc4204da0d8)
  /usr/local/go/src/runtime/cgocall.go:128 +0x64 fp=0xc42059e750 sp=0xc42059e718 pc=0
4004544
github.com/b3log/bnd/vendor/github.com/andlabs/ui._Cfunc_uiMain()
  _cgo_gotypes.go:1784 +0x41 fp=0xc42059e780 sp=0xc42059e750 pc=0x40fb8f1
github.com/b3log/bnd/vendor/github.com/andlabs/ui.start(0xc4204f0660, 0x4543988)
  /Users/Vanessa/Work/Code/GoGoGo/src/github.com/b3log/bnd/vendor/github.com/andl
bs/ui/main.go:56 +0x10e fp=0xc42059e7d0 sp=0xc42059e780 pc=0x4100d2e
runtime.goexit()
  /usr/local/go/src/runtime/asm_amd64.s:2361 +0x1 fp=0xc42059e7d8 sp=0xc42059e7d0 p
=0x40580e1
created by github.com/b3log/bnd/vendor/github.com/andlabs/ui.Main
  /Users/Vanessa/Work/Code/GoGoGo/src/github.com/b3log/bnd/vendor/github.com/andl
bs/ui/main.go:36 +0x66

goroutine 1 [chan receive]:
github.com/b3log/bnd/vendor/github.com/andlabs/ui.Main(0x4543988, 0xc42006c000, 0xc0)
  /Users/Vanessa/Work/Code/GoGoGo/src/github.com/b3log/bnd/vendor/github.com/andl
bs/ui/main.go:37 +0x86
main.main()
  /Users/Vanessa/Work/Code/GoGoGo/src/github.com/b3log/bnd/main.go:84 +0x65

goroutine 8 [syscall]:
os/signal.signal_recv(0x0)
  /usr/local/go/src/runtime/sigqueue.go:139 +0xa7
```

```
os/signal.loop()
  /usr/local/go/src/os/signal/signal_unix.go:22 +0x22
created by os/signal.init.0
  /usr/local/go/src/os/signal/signal_unix.go:28 +0x41

goroutine 27 [IO wait]:
internal/poll.runtime_pollWait(0x4e54fa8, 0x72, 0xc42004f9a8)
  /usr/local/go/src/runtime/netpoll.go:173 +0x57
internal/poll.(*pollDesc).wait(0xc420135698, 0x72, 0xfffffffffff00, 0x457b720, 0x47e7110)
  /usr/local/go/src/internal/poll/fd_poll_runtime.go:85 +0x9b
internal/poll.(*pollDesc).waitRead(0xc420135698, 0xc420460000, 0x1000, 0x1000)
  /usr/local/go/src/internal/poll/fd_poll_runtime.go:90 +0x3d
internal/poll.(*FD).Read(0xc420135680, 0xc420460000, 0x1000, 0x1000, 0x0, 0x0, 0x0)
  /usr/local/go/src/internal/poll/fd_unix.go:157 +0x1dc
net.(*netFD).Read(0xc420135680, 0xc420460000, 0x1000, 0x1000, 0x40541c0, 0xc420000180,
x4)
  /usr/local/go/src/net/fd_unix.go:202 +0x4f
net.(*conn).Read(0xc42000e980, 0xc420460000, 0x1000, 0x1000, 0x0, 0x0, 0x0)
  /usr/local/go/src/net/net.go:176 +0x6a
net/http.(*persistConn).Read(0xc420021c20, 0xc420460000, 0x1000, 0x1000, 0xc42004fb98, 0
4006635, 0xc4204f0060)
  /usr/local/go/src/net/http/transport.go:1453 +0x136
bufio.(*Reader).fill(0xc4201e4780)
  /usr/local/go/src/bufio/bufio.go:100 +0x11e
bufio.(*Reader).Peek(0xc4201e4780, 0x1, 0x0, 0x0, 0x1, 0xc420086540, 0x0)
  /usr/local/go/src/bufio/bufio.go:132 +0x3a
net/http.(*persistConn).readLoop(0xc420021c20)
  /usr/local/go/src/net/http/transport.go:1601 +0x185
created by net/http.(*Transport).dialConn
  /usr/local/go/src/net/http/transport.go:1237 +0x95a

goroutine 28 [select]:
net/http.(*persistConn).writeLoop(0xc420021c20)
  /usr/local/go/src/net/http/transport.go:1822 +0x14b
created by net/http.(*Transport).dialConn
  /usr/local/go/src/net/http/transport.go:1238 +0x97f

goroutine 56 [IO wait]:
internal/poll.runtime_pollWait(0x4e54e08, 0x72, 0xc42004c9a8)
  /usr/local/go/src/runtime/netpoll.go:173 +0x57
internal/poll.(*pollDesc).wait(0xc420536098, 0x72, 0xfffffffffff00, 0x457b720, 0x47e7110)
  /usr/local/go/src/internal/poll/fd_poll_runtime.go:85 +0x9b
internal/poll.(*pollDesc).waitRead(0xc420536098, 0xc4204c0000, 0x1000, 0x1000)
  /usr/local/go/src/internal/poll/fd_poll_runtime.go:90 +0x3d
internal/poll.(*FD).Read(0xc420536080, 0xc4204c0000, 0x1000, 0x1000, 0x0, 0x0, 0x0)
  /usr/local/go/src/internal/poll/fd_unix.go:157 +0x1dc
net.(*netFD).Read(0xc420536080, 0xc4204c0000, 0x1000, 0x1000, 0x40541c0, 0xc420000180,
x4)
  /usr/local/go/src/net/fd_unix.go:202 +0x4f
net.(*conn).Read(0xc420556068, 0xc4204c0000, 0x1000, 0x1000, 0x0, 0x0, 0x0)
  /usr/local/go/src/net/net.go:176 +0x6a
net/http.(*persistConn).Read(0xc420142360, 0xc4204c0000, 0x1000, 0x1000, 0xc42004cb98, 0
4006635, 0xc420584060)
  /usr/local/go/src/net/http/transport.go:1453 +0x136
```

```
bufio.(*Reader).fill(0xc42007ac00)
  /usr/local/go/src/bufio/bufio.go:100 +0x11e
bufio.(*Reader).Peek(0xc42007ac00, 0x1, 0x0, 0x0, 0x1, 0xc4204f05a0, 0x0)
  /usr/local/go/src/bufio/bufio.go:132 +0x3a
net/http.(*persistConn).readLoop(0xc420142360)
  /usr/local/go/src/net/http/transport.go:1601 +0x185
created by net/http.(*Transport).dialConn
  /usr/local/go/src/net/http/transport.go:1237 +0x95a
```

```
goroutine 57 [select]:
net/http.(*persistConn).writeLoop(0xc420142360)
  /usr/local/go/src/net/http/transport.go:1822 +0x14b
created by net/http.(*Transport).dialConn
  /usr/local/go/src/net/http/transport.go:1238 +0x97f
```

```
rax  0x0
rbx  0x7000004ea000
rcx  0x7000004e84d8
rdx  0x0
rdi  0x2903
rsi  0x6
rbp  0x7000004e8510
rsp  0x7000004e84d8
r8   0x7000004e8398
r9   0x7000004e8570
r10  0x0
r11  0x206
r12  0x2903
r13  0x3000000008
r14  0x6
r15  0x2d
rip  0x7fff5d81523e
rflags 0x206
cs   0x7
fs   0x0
gs   0x0
logout
Saving session...
...copying shared history...
...saving history...truncating history files...
...completed.
```

[进程已完成]