

# Ansible 之 playbook

作者: [skyking116](#)

原文链接: <https://ld246.com/article/1546147471594>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

## PlayBook:

```
---
- hosts: cluster
  tasks:
    - name: script
      script: /deeplogsd/inspect_host.sh
    - name: find_remote_host_chk_result
      find:
        paths: /deeplogsd/onenode/
        age: -10m
        age_stamp: ctime
        patterns: 'dailyport*'
      register: logfile_name
    - name: fetch_remote_host_chk_result
      fetch:
        src: "{{ item.path }}"
        flat: yes
        dest: /deeplogsd/allnode/
        with_items: "{{ logfile_name.files }}"
    - name: clean_old_chk_result
      command: find /deeplogsd/allnode/ -mmin +15 -name dailyport* -exec rm -rf {} \;
      run_once: yes
    - name: assemble
      assemble:
        src: /deeplogsd/allnode/
        dest: /deeplogsd/report/DailyReport-Kcluster.txt
        remote_src: no
      run_once: yes
      - name: Sending mail
      mail:
        host: smtp.163.com
        port: 25
        username: xxxxxxxx@163.com
        password: xxxxxx
        from: xxxxxxxx@163.com
        to: xxxxxx@qq.com, xxxxxxxx@qq.com
        subject: 邮件主题
        attach: /deeplogsd/report/DailyReport-Kcluster.txt
        body: 邮件正文
      run_once: yes
```

## 模块含义:

- hosts: /etc/ansible/hosts中 hosts/groups
- script: 在远程主机上执行/deeplogsd/inspect\_host.sh
- find: 查看远程主机/deeplogsd/onenode//目录中10分钟以前的文件
- fetch: 从远程主机上拷贝文件到/deeplogsd/allnode/目录中
- command: 查找/deeplogsd/allnode/目录中15分钟以前的文件并删除
- assemble: 将/deeplogsd/allnode/目录中的文件合并到/deeplogsd/report/DailyReport-Kcluster.txt文件中

- mail: 通过smtp服务器发送结果出去