



链滴

centos 安装 docker 以及 docker-compose

作者: [wangwenbo](#)

原文链接: <https://ld246.com/article/1546844981351>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

卸载旧版本

Docker 的早期版本称为 **docker** 或 **docker-engine**。如果安装了这些版本，请卸载它们及关联的依资源。

```
sudo yum remove docker \
    docker-common \
    docker-selinux \
    docker-engine
```

安装所需的软件包。

```
sudo yum install -y yum-utils device-mapper-persistent-data lvm2
```

使用下列命令设置 **stable** 镜像仓库，您始终需要使用 **stable** 镜像仓库。即使您还需要通过 **edge** 或 **testing** 镜像仓库安装构建也是如此。

```
sudo yum-config-manager \
    --add-repo \
    https://download.docker.com/linux/centos/docker-ce.repo
```

更新 **yum** 软件包索引。

```
sudo yum makecache fast
```

安装最新版本的 Docker CE，或者转至下一步以安装特定版本。

```
sudo yum install docker-ce
```

Start Docker.

```
sudo systemctl start docker
```

验证是否正确安装了 **docker**，方法是运行 **hello-world** 镜像。

```
sudo docker run hello-world
```

Run this command to download the latest version of Docker Compose:

```
sudo curl -L "https://github.com/docker/compose/releases/download/1.23.2/docker-compose-$(uname -s)-$(uname -m)" -o /usr/local/bin/docker-compose
```

Apply executable permissions to the binary:

```
sudo chmod +x /usr/local/bin/docker-compose
```

```
###Test the installation.
```

```
docker-compose --version  
docker-compose version 1.23.2, build 1110ad01
```