链滴

bnd2 编译成功

作者：LG27
原文链接：https://ld246.com/article/1553666878314
来源网站：链滴
许可协议：署名-相同方式共享 4.0 国际 (CC BY-SA 4.0)

环境配置好后，golang一直下载不了github的依赖，后来在下载的工程中找到了所需的github工程依赖并成功生成了bnd2.exe，具体的exe在electron的dist中

这是缺少依赖的截图



```
npm
E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>echo Building Kernel
Building Kernel

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOOS=windows

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOARCH=amd64

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>go build -v -o bnd2.exe -ldflags "-s -w -H=windowsgui"
main.go:11:2: cannot find package "github.com/b31og/bnd2/command" in any of:
        C:\Go\src\github.com\b31og\bnd2\command (from $GOROOT)
        C:\Users\Administrator\go\src\github.com\b31og\bnd2\command (from $GOPATH)
main.go:12:2: cannot find package "github.com/b31og/bnd2/log" in any of:
        C:\Go\src\github.com\b31og\bnd2\log (from $GOROOT)
        C:\Users\Administrator\go\src\github.com\b31og\bnd2\log (from $GOPATH)
main.go:13:2: cannot find package "github.com/b31og/bnd2/util" in any of:
        C:\Go\src\github.com\b31og\bnd2\util (from $GOROOT)
        C:\Users\Administrator\go\src\github.com\b31og\bnd2\util (from $GOPATH)
main.go:14:2: cannot find package "github.com/gin-gonic/gin" in any of:
        C:\Go\src\github.com\gin-gonic\gin (from $GOROOT)
        C:\Users\Administrator\go\src\github.com\gin-gonic\gin (from $GOPATH)
main.go:15:2: cannot find package "gopkg.in/olahol/melody.v1" in any of:
        C:\Go\src\gopkg.in\olahol\melody.v1 (from $GOROOT)
        C:\Users\Administrator\go\src\gopkg.in\olahol\melody.v1 (from $GOPATH)

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOOS=darwin

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOARCH=amd64
```

这是编译成功的截图

原文链接：bnd2 编译成功

```
E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>echo Building Kernel
Building Kernel

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOOS=windows

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOARCH=amd64

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>go build -v -o bnd2.exe -ldflags "-s -w -H=windowsgui"

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOOS=darwin

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>set GOARCH=amd64

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>go build -v -o electron/bnd2 -ldflags "-s -w"


E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>echo Building UI
Building UI

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2>cd electron

E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2\electron>npm install   && npm run dist
npm WARN ajv-keywords@3.2.0 requires a peer of ajv@^6.0.0 but none is installed. You must install peer dependencies yourself.

up to date in 2.162s

> bnd2-electron@2.0.0 dist E:\baidu-netdisk-downloaderx-master\baidu-netdisk-downloaderx-master\bnd2\electron
> cross-env ELECTRON_MIRROR=http://npm.taobao.org/mirrors/electron/ electron-builder

  • electron-builder version=20.28.1
  • loaded configuration file=package.json ("build" field)
  • writing effective config file=dist\builder-effective-config.yaml
  • no native production dependencies
  • packaging       platform=win32 arch=x64 electron=2.0.8 appOutDir=dist\win-unpacked
  • building        target=nsis file=dist\BND2 Setup 2.0.0.exe archs=x64 oneClick=true
```

这是完成的截图




```
C:\>go version
go version go1.12.1 windows/amd64

C:\>npm -v
6.4.1
```

原文链接：bnd2 编译成功

Windows 版本

Windows 10 专业版

© 2018 Microsoft Corporation。保留所有权利。

Windows 10

系统

处理器:	Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz 3.00 GHz
已安装的内存(RAM):	16.0 GB (15.7 GB 可用)
系统类型:	64 位操作系统，基于 x64 的处理器
笔和触控:	没有可用于此显示器的笔或触控输入

本地磁盘 (E:) › baidu-netdisk-downloaderx-master › baidu-netdisk-downloaderx-master › bnd2 › electron › dist

名称	修改日期	类型	大小
.icon-ico	2019/3/27 10:43	文件夹	
win-unpacked	2019/3/27 13:54	文件夹	
BND2 Setup 2.0.0.exe	2019/3/27 13:54	应用程序	42,731 KB
BND2 Setup 2.0.0.exe.blockmap	2019/3/27 13:54	BLOCKMAP 文件	45 KB
builder-effective-config.yaml	2019/3/27 13:54	YAML 文件	1 KB
latest.yml	2019/3/27 13:54	YML 文件	1 KB

但是运行出现

BND2 v2.0.0

加载中，请稍后

Error

A JavaScript error occurred in the main process

```
Uncaught Exception:
Error: EEXIST: file already exists, mkdir 'C:\Users\Administrator\.bnd2'
    at fs.mkdirSync (fs.js:885:18)
    at Object.fs.mkdirSync (ELECTRON_ASAR.js:702:16)
    at netRequest
(C:\Users\Administrator\AppData\Local\Programs\bnd2-electron\resources\ap...:16)
    at IncomingMessage.response.on
(C:\Users\Administrator\AppData\Local\Programs\bnd2-electron\resources\app....:7)
    at emitOne (events.js:116:13)
    at IncomingMessage.emit (events.js:211:7)
    at addChunk (_stream_readable.js:263:12)
    at readableAddChunk (_stream_readable.js:250:11)
    at IncomingMessage.Readable.push (_stream_readable.js:208:10)
    at IncomingMessage._pushInternalData
(C:\Users\Administrator\AppData\Local\Programs\bnd2-electron\resources\ele...:30)
```

确定

原文链接：bnd2 编译成功