



链滴

CSS 动画 - 按钮边框动画

作者: [Vanessa](#)

原文链接: <https://ld246.com/article/1565100963387>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

2019-08-06

描述

当鼠标移上时，创建一个边框的动画。

HTML

```
<div class="button-border"><button class="button">Submit</button></div>
```

CSS

```
.button {  
  background-color: #c47135;  
  border: none;  
  color: #ffffff;  
  outline: none;  
  padding: 12px 40px 10px;  
  position: relative;  
}  
.button:before,  
.button:after {  
  border: 0 solid transparent;  
  transition: all 0.25s;  
  content: "";  
  height: 24px;  
  position: absolute;  
  width: 24px;  
}  
.button:before {  
  border-top: 2px solid #c47135;  
  left: 0px;  
  top: -5px;  
}  
.button:after {  
  border-bottom: 2px solid #c47135;  
  bottom: -5px;  
  right: 0px;  
}  
.button:hover {  
  background-color: #c47135;  
}  
.button:hover:before,  
.button:hover:after {  
  height: 100%;  
  width: 100%;  
}
```

Demo

```
<iframe height="141" style="width: 100%;" scrolling="no" title="Button border animation" sr
```

```
= "//codepen.io/vanessa219/embed/JgpPrb/?height=141&theme-id=dark&default-tab=result" frameborder="no" allowtransparency="true" allowfullscreen="true">
  See the Pen <a href='https://codepen.io/vanessa219/pen/JgpPrb/'>Button border animatio
</a> by Vanessa
  (<a href='https://codepen.io/vanessa219'>@vanessa219</a>) on <a href='https://codepen.
o'>CodePen</a>.
</iframe>
```

说明

当鼠标移上时，使用 `:before` 和 `:after` 伪元素做为边框以实现动画效果。

浏览器支持

支持率：100%

返回总目录

[每天 30 秒系列之 CSS](#)