



链滴

# Button-hover 04

作者: [ajycc20](#)

原文链接: <https://ld246.com/article/1566565177828>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

## HTML

```
<div class="container">  
  <button class="btn">Button</button>  
</div>
```

## CSS

```
body {  
  margin: 0;  
  padding: 0;  
  background: #34495e;  
  font-family: sans-serif;  
}  
.container {  
  position: absolute;  
  top: 50%;  
  left: 50%;  
  transform: translate(-50%, -50%);  
}  
.btn {  
  text-transform: uppercase;  
  text-decoration: none;  
  letter-spacing: 2px;  
  font-size: 24px;  
  color: #ecf0f1;  
  padding: 20px 44px;  
  outline: none;  
  border: none;  
  border-radius: 40px;  
  text-align: center;  
  box-sizing: border-box;  
  box-shadow: 0 2px 5px rgba(0, 0, 0, .3);  
  background: linear-gradient(90deg, #95a5a6, #2ecc71, #f1c40f, #d35400, #95a5a6);  
  background-size: 200%;  
}  
.btn:hover {  
  animation: gradient 4s linear infinite;  
}  
@keyframes gradient {  
  0% {  
    background-position-x: 0;  
  }  
  100% {  
    background-position-x: 200%;  
  }  
}  
.btn::before {  
  content: "";  
  position: absolute;  
  top: 50%;  
  left: 50%;  
  transform: translate(-50%, -50%);  
  width: 130px;
```

```
height: 40px;
padding: 20px 44px;
border-radius: 40px;
z-index: -1;
background: linear-gradient(90deg, #95a5a6, #2ecc71, #f1c40f, #d35400, #95a5a6);
background-size: 200%;
opacity: 0;
transition: .5s;
}
.btn:hover::before {
  filter: blur(20px);
  opacity: 1;
  animation: gradient 4s linear infinite;
}
```

## Demo

```
<iframe height="265" style="width: 100%;" scrolling="no" title="Button 04" src="//codepen.i
/ajycc20/embed/PoYWaYB/?height=265&theme-id=0&default-tab=result" frameborder="no
allowtransparency="true" allowfullscreen="true">
  See the Pen <a href='https://codepen.io/ajycc20/pen/PoYWaYB/'>Button 04</a> by ajycc2
  (<a href='https://codepen.io/ajycc20'>@ajycc20</a>) on <a href='https://codepen.io'>Cod
  Pen</a>.
</iframe>
```

## Description

**background-size: 200%:** 尺寸放大，方便动画渐变

这两个我一般都是用一起，清除原有的边框轮廓

```
outline: none;
border: none;
```

**filter: blur(20px):** 加上高斯模糊，因为背景虚化是用::before定位到的，所以这里使用模糊使得背景然一些