



链滴

Alfred 修改内置 Terminal 为 iTerm2

作者: [shirenuang](#)


原文链接: <https://ld246.com/article/1567998289912>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

Alfred是Mac中一个非常强大的工具，我们如何修改Terminal为iTerm2。

使用如下脚本



-- This is v0.6 of the custom script for AlfredApp for iTerm 2.9+
-- Please see <https://github.com/stuartcryan/custom-iterm-applescripts-for-alfred/>
-- for the latest changes.

-- Please note, if you store the iTerm binary in any other location than the Applications Folder
-- please ensure you update the two locations below (in the format of : rather than / for folder
dividers)
-- this gets around issues with AppleScript not handling things well if you have two iTerm bin
aries on your system... which can happen :D

```
on alfred_script(q)
  if application "iTerm2" is running or application "iTerm" is running then
    run script "
      on run {q}
        tell application \":Applications:iTerm.app\"
          activate
          try
            select first window
            set onlywindow to true
          on error
            create window with default profile
            select first window
            set onlywindow to true
          end try
          tell the first window
```

```
        if onlywindow is false then
            create tab with default profile
        end if
        tell current session to write text q
    end tell
end tell
end run
" with parameters {q}
else
run script "
on run {q}
    tell application \":Applications:iTerm.app\"
        activate
        try
            select first window
        on error
            create window with default profile
            select first window
        end try
        tell the first window
            tell current session to write text q
        end tell
    end tell
end run
" with parameters {q}
end if
end alfred_script
```