



链滴

symphony 启动报端口占用

作者: [laotu5i0](#)

原文链接: <https://ld246.com/article/1569222379650>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

大家好朋友们! 我正在搭建symphony系统

我latke.properties的配置修改如下

```
# Browser visit protocol
serverScheme=http
# Browser visit domain name
serverHost=localhost
# Browser visit port, 80 as usual, THIS IS NOT SERVER LISTEN PORT!
serverPort=8082
```

通过: java -cp "WEB-INF/lib/*:WEB-INF/classes" org.b3log.symphony.Starter, 启动, 还是报:

```
[ERROR]-[2019-09-23 14:59:04]-[org.b3log.symphony.Starter:195]: Server start failed
java.io.IOException: Failed to bind to 0.0.0.0/0.0.0.0:8080
at org.eclipse.jetty.server.ServerConnector.openAcceptChannel(ServerConnector.java:346)
at org.eclipse.jetty.server.ServerConnector.open(ServerConnector.java:308)
at org.eclipse.jetty.server.AbstractNetworkConnector.doStart(AbstractNetworkConnector.java:0)
at org.eclipse.jetty.server.ServerConnector.doStart(ServerConnector.java:236)
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:68)
at org.eclipse.jetty.server.Server.doStart(Server.java:394)
at org.eclipse.jetty.util.component.AbstractLifeCycle.start(AbstractLifeCycle.java:68)
at org.b3log.symphony.Starter.main(Starter.java:193)
Caused by: java.net.BindException: Address already in use
at sun.nio.ch.Net.bind0(Native Method)
at sun.nio.ch.Net.bind(Net.java:433)
at sun.nio.ch.Net.bind(Net.java:425)
at sun.nio.ch.ServerSocketChannellImpl.bind(ServerSocketChannellImpl.java:223)
at sun.nio.ch.ServerSocketAdaptor.bind(ServerSocketAdaptor.java:74)
at org.eclipse.jetty.server.ServerConnector.openAcceptChannel(ServerConnector.java:342)
... 7 more
```

请问, 我要去哪里修改端口呢?