

用 Docker 更新 solo 完后，不能登录后台了，求大佬帮忙！！

作者：[wky181](#)

原文链接：<https://ld246.com/article/1574342004456>

来源网站：[链滴](#)

许可协议：[署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<p>用 Docker 更新部署 solo 后，现在后台进不去了，点击 github 登录就报 500</p>

<p></p>

<p>下面是报错日志</p>

```
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight-cl">Caused by: jodd.http.HttpException: Can't connect to: https://hacpai.com/oauth/solo/client2; &lt;--- java.net.ConnectException: Connection refused (Connection refused)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
HttpRequest.open(HttpRequest.java:777)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
HttpRequest.open(HttpRequest.java:759)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
HttpRequest._send(HttpRequest.java:887)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
HttpRequest.send(HttpRequest.java:853)
</span></span><span class="highlight-line"><span class="highlight-cl">      at org.b3log.
olo.processor.OAuthProcessor.redirectAuth(OAuthProcessor.java:117)
</span></span><span class="highlight-line"><span class="highlight-cl">      at org.b3log.
olo.processor.OAuthProcessor_$$jvst542_d_d.redirectAuth(OAuthProcessor_$$jvst542_d.java)
</span></span><span class="highlight-line"><span class="highlight-cl">      at sun.reflect
NativeMethodAccessorImpl.invoke0(Native Method)
</span></span><span class="highlight-line"><span class="highlight-cl">      at sun.reflect
NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
</span></span><span class="highlight-line"><span class="highlight-cl">      at sun.reflect
DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.lang.r
flect.Method.invoke(Method.java:498)
</span></span><span class="highlight-line"><span class="highlight-cl">      at org.b3log.
atke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:116)
</span></span><span class="highlight-line"><span class="highlight-cl">      at org.b3log.
olo.processor.OAuthProcessor_$$jvst542_d.redirectAuth(OAuthProcessor_$$jvst542_d.java)
</span></span><span class="highlight-line"><span class="highlight-cl">      ... 55 more
</span></span><span class="highlight-line"><span class="highlight-cl">Caused by: java.ne
.ConnectException: Connection refused (Connection refused)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.net.Pla
nSocketImpl.socketConnect(Native Method)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.net.A
bstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:350)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.net.A
bstractPlainSocketImpl.connectToAddress(AbstractPlainSocketImpl.java:206)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.net.A
bstractPlainSocketImpl.connect(AbstractPlainSocketImpl.java:188)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.net.So
cksSocketImpl.connect(SocksSocketImpl.java:392)
</span></span><span class="highlight-line"><span class="highlight-cl">      at java.net.So
cket.connect(Socket.java:589)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
ockets.connect(Sockets.java:55)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
et.SocketHttpConnectionProvider.createSSLSocket(SocketHttpConnectionProvider.java:182)
</span></span><span class="highlight-line"><span class="highlight-cl">      at jodd.http.
et.SocketHttpConnectionProvider.createHttpConnection(SocketHttpConnectionProvider.java:
```

9)

`</span></span><span class="highlight-line"><span class="highlight-cl">` at jodd.http.
`ttpRequest.open(HttpRequest.java:775)`

`</span></span><span class="highlight-line"><span class="highlight-cl">` ... 66 more

`</span></span><span class="highlight-line"><span class="highlight-cl">`

`</span></span></code></pre>`

`<p>服务器执行 <code>curl https://hacpai.com/oauth/solo/client2</code><br>`

`报错 curl: (7) Failed to connect to hacpai.com port 443: Connection refused. </p>`