



链滴

草稿箱报 500 错误！ 我写了 2 小时的博客啊！

作者： [Archer1A](#)

原文链接： <https://ld246.com/article/1578711097948>

来源网站： [链滴](#)

许可协议： [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

写了2小时的博客，点了下保存草稿箱 然后就没了T-T 有人遇见过这问题吗，草稿箱能看到那篇文章但是点进去就是500

```
[ERROR]-[2020-01-11 10:48:56]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:17]: Renders template [error/404.ftl] failed [Request [method=GET,URI=/articles/2020/01/10/1578670203670.html,content-type=null,remote-addr=/220.184.165.233:56719,headers=[Host=www.growingdev.com:8080Connection=keep-aliveUpgrade-Insecure-Requests=1User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/79.0.3945.117 Safari/537.36Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng/*;q=0.8,application/signed-exchange;v=b3;q=0.9Referer=http://www.growingdev.com:8080/admin-index.doAccept-Encoding=gzip, deflateAccept-Language=zh-CN,zh;q=0.9,en;q=0.8Cookie=visited=%5B%22%2F%22%5D; mobile-skin=Casper; skin=Casper; LATKE_SESSION_ID=YmaCft1IcnIU3pGi; solo=c605efd83b1803f51fb63c8d00526a6adc82ffc6c8640527aab8e1215dcc3f43bd5dbbc70781817feeb0bce1ace0cd29a4b9bdca58862523bf9c809dfe5e368content-length=0]]]
java.lang.NullPointerException
    at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarkerRenderer.java:130)
    at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86)
    at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:101)
    at org.b3log.latke.http.Response.sendError(Response.java:136)
    at org.b3log.latke.http.RequestContext.sendError(RequestContext.java:289)
    at org.b3log.solo.processor.PermalinkHandler.handle(PermalinkHandler.java:113)
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:550)
    at org.b3log.solo.processor.InitCheckHandler.handle(InitCheckHandler.java:65)
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:550)
    at org.b3log.solo.processor.SkinHandler.handle(SkinHandler.java:64)
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:550)
    at org.b3log.latke.http.handler.StaticResourceHandler.handle(StaticResourceHandler.java:40)
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:550)
    at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96)
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:83)
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:37)
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:374)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:360)
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:352)
```

```
    at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:9
)
    at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51)
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInbound
andler.java:99)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:374)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:360)
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHa
dlerContext.java:352)
    at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessage
ecoder.java:102)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:374)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:360)
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHa
dlerContext.java:352)
    at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.
fireChannelRead(CombinedChannelDuplexHandler.java:438)
    at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDeco
der.java:326)
    at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.j
va:300)
    at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDup
lexHandler.java:253)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:374)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:360)
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHa
dlerContext.java:352)
    at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPi
eline.java:1422)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:374)
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChanne
HandlerContext.java:360)
    at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:
31)
    at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteCh
annel.java:163)
    at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:700)
    at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:
35)
    at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:552)
    at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:514)
    at io.netty.util.concurrent.SingleThreadEventExecutor$6.run(SingleThreadEventExecu
tor.java:1050)
    at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74)
    at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30
)
    at java.lang.Thread.run(Thread.java:748)
```