





□ □

The screenshot displays the XConf configuration center interface. On the left is a dark sidebar with the XCONF logo and the text 'XConf 配置中心'. Below the logo are two menu items: '我的应用' (My Applications) and 'XConf 项目' (XConf Projects). The main content area is titled '集群' (Cluster) and shows a list of configurations. The first configuration is 'prd' (production) with a status of '生产环境集群' and a timestamp of '2020-01-14 16:16'. It has buttons for '删除' (Delete) and '新建集群' (New Cluster). Below it is a 'namespace' configuration with a button for '新建namespace配置' (New namespace configuration). The third configuration is 'db' (database) with a status of 'json' and a timestamp of '2020-01-14 16:16'. It has buttons for '历史版本' (History Version) and '删除' (Delete). The 'db' configuration is expanded to show a '数据库配置' (Database Configuration) section with a text area containing the following JSON:

```
{
  "mysql": {
    "name": "xx",
    "password": "xx",
    "DBname": "xx",
    "addr": "127.0.0.1:3306"
  }
}
```

There is a '保存' (Save) button at the bottom right of the text area. Below the 'db' configuration are three more configurations: 'nginx' (status: 'conf', timestamp: '2020-01-14 16:17', status: '当前未发布'), 'test' (status: 'toml', timestamp: '2020-01-20 10:47', status: '当前未发布'), and '1' (status: 'json', timestamp: '2020-01-23 16:08', status: '当前未发布'). Each of these three configurations has a right-pointing arrow button.

- 我的应用
- XConf 项目

XConf / prd / db

输入tag搜索

Tag	创建时间	类型	操作
> aa-rollback-2020/01/23/08:11:23	2020-01-23 16:11	rollback	
> t	2020-01-17 11:35	release	回滚
> aa	2020-01-17 11:34	release	回滚
> v1.0-rollback-2020/01/16/15:04:18	2020-01-16 23:04	rollback	
> 1-rollback-2020/01/16/15:04:11	2020-01-16 23:04	rollback	
> 1	2020-01-16 13:02	release	回滚
▼ v1.0	2020-01-14 16:34	release	回滚

```
value
{
  "mysql": {
    "name": "xx",
    "password": "xx",
    "DBname": "xx",
    "addr":
    "127.0.0.1:3306"
  }
}
```

备注 init