



链滴

更新 solo-v3.9.0 后，页面显示异常

作者: [acuilab](#)

原文链接: <https://ld246.com/article/1582784732554>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<p>服务器抛异常: </p>

```
<pre> <code class="highlight-chroma">[root@VM_0_12_centos solo]# Java -cp "lib/*:" org.b
log.solo.Server
[INFO ]-[2020-02-27 14:18:32]-[org.b3log.solo.Server:216]: Solo is booting [ver=3.9.0, os=Linu
, isDocker=false, inJar=false, luteAvailable=false, pid=17405, runtimeDatabase=MYSQL, runti
eMode=PRODUCTION, jdbc.username=root, jdbc.URL=jdbc:mysql://localhost:3306/solo?use
nicode=yes&characterEncoding=UTF-8&useSSL=false&serverTimezone=UTC]
[INFO ]-[2020-02-27 14:18:33]-[org.b3log.solo.util.Skins:78]: Loaded template from directory [
root/solo-v3.9.0/solo/]
[INFO ]-[2020-02-27 14:18:33]-[org.b3log.solo.Server:261]: Solo is running
[ERROR]-[2020-02-27 14:18:40]-[org.b3log.latke.http.renderer.StaticFileRenderer:76]: Renders
tatic file failed
java.io.FileNotFoundException: File '/root/solo-v3.9.0/solo/js/lib/jquery/jquery.min.js' does not
exist
at org.apache.commons.io.FileUtils.openInputStream(FileUtils.java:297) ~[commons-io-2.6.jar:
.6]
at org.apache.commons.io.FileUtils.readFileToByteArray(FileUtils.java:1851) ~[commons-io-2.6
jar:2.6]
at org.b3log.latke.http.renderer.StaticFileRenderer.render(StaticFileRenderer.java:65) [latke-co
e-3.2.8.jar:?]
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.8.ja
:~]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.8.ja
:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandl
r.java:99) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
erContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [la
ke-core-3.2.8.jar:~]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke-c
re-3.2.8.jar:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandl
r.java:99) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
erContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDeco
der.java:102) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
erContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
```

```
at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:321) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:95) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:251) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:919) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.java:163) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:650) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:99) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at java.lang.Thread.run(Thread.java:748) [?:1.8.0_201]
[ERROR]-[2020-02-27 14:18:41]-[org.b3log.latke.http.renderer.StaticFileRenderer:76]: Renders tatic file failed
java.io.FileNotFoundException: File '/root/solo-v3.9.0/solo/skins/yilia/js/yilia.min.js' does not exist
at org.apache.commons.io.FileUtils.openInputStream(FileUtils.java:297) ~[commons-io-2.6.jar:2.6]
at org.apache.commons.io.FileUtils.readFileToByteArray(FileUtils.java:1851) ~[commons-io-2.6.jar:2.6]
at org.b3log.latke.http.renderer.StaticFileRenderer.render(StaticFileRenderer.java:65) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.8.jar:?]
```

```
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.8.jar:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [latke-core-3.2.8.jar:~]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke-core-3.2.8.jar:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:102) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:321) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:95) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:251) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:919) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.
```

```
ava:163) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:650) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:99) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at java.lang.Thread.run(Thread.java:748) [?:1.8.0_201]
[ERROR]-[2020-02-27 14:18:42]-[org.b3log.latke.http.renderer.StaticFileRenderer:76]: Renders tatic file failed
java.io.FileNotFoundException: File '/root/solo-v3.9.0/solo/skins/yilia/js/yilia.min.js' does not exist
at org.apache.commons.io.FileUtils.openInputStream(FileUtils.java:297) ~[commons-io-2.6.jar:2.6]
at org.apache.commons.io.FileUtils.readFileToByteArray(FileUtils.java:1851) ~[commons-io-2.6.jar:2.6]
at org.b3log.latke.http.renderer.StaticFileRenderer.render(StaticFileRenderer.java:65) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.8.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [latke-core-3.2.8.jar:?]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke-core-3.2.8.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:102) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
```

```
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandler
ontext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fire
channelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.45.Final.jar:4.1.45
Final]
at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.ja
a:321) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:
95) [netty-codec-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexH
andler.java:251) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandler
ontext.java:355) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline
java:1410) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:377) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHand
erContext.java:363) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:919)
netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.
ava:163) [netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-trans
port-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:650)
netty-transport-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-tran
port-4.1.45.Final.jar:4.1.45.Final]
at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.45.Final.
ar:4.1.45.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:9
9) [netty-common-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-commo
-4.1.45.Final.jar:4.1.45.Final]
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [net
y-common-4.1.45.Final.jar:4.1.45.Final]
at java.lang.Thread.run(Thread.java:748) [?:1.8.0_201]
</code> </pre>
<p>你们没有遇到过么? </p>
```