



链滴

博客音乐插件，为你的博客增添乐趣

作者: [SherlockOuO](#)

原文链接: <https://ld246.com/article/1583245365874>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)



No.1 单曲播放

可点击试玩

```
<iframe frameborder="no" border="0" marginwidth="0" marginheight="0" width=100% height=86 src="https://music.163.com/outchain/player?type=2&id=27571483&auto=0&height=6"></iframe>
```

```
<iframe frameborder="no" border="0" marginwidth="0" marginheight="0" width=100% height=86 src="https://music.163.com/outchain/player?type=2&id=27571483&auto=1&height=6"></iframe>
```

auto:1 自动播放 0 反之

id: 歌曲 id

No.2 列表播放

```
<iframe frameborder="0" border="1"
    marginwidth="0" marginheight="0"
    width="100%" height="200"
    src="//music.163.com/outchain/player?type=0&id=4870830656&auto=0&height=80
>
</iframe>
```

Code

```
<iframe frameborder="0" border="1"
    marginwidth="0" marginheight="0"
```

```
width="100%" height="200"
src="//music.163.com/outchain/player?type=0&id=4870830656&auto=1&height=80
>
</iframe>
```

auto:0表示关, 1表示开
id: 表示你歌单(网易云)的id



No.3 更加人性化的列表播放

说实话我觉得第二个更好用一些

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Title</title>
  <link href="https://cdn.bootcss.com/aplayer/1.10.1/APlayer.min.css" rel="stylesheet">
  <script src="https://cdn.bootcss.com/aplayer/1.10.1/APlayer.min.js"></script>
  <script src="https://cdn.bootcss.com/jquery/3.4.1/jquery.min.js"></script>
</head>
<body>
<div id="aplayer"></div>
</body>
<script type="text/javascript">
  $.getJSON("https://api.heycmm.cn/List/4870830656",function(data){
    const ap = new APlayer({
      container: document.getElementById('aplayer'),
      mini: false,
      autoplay: false,
      theme: '#FADFA3',
      loop: 'all',
      lrcType: 3,
      preload: 'auto',
      volume: 0.7,
      mutex: true,
      listFolded: true,
      audio: data
    });
  });
</script>
</html>
```

autoplay: 自动播放
mini: 最小化, 只有暂停和播放好像
list: 后面那段数字就是你的歌单id

如下图这样



No.4 MetingJs 由大佬 [geektomya](#) 推荐

这个挺不错，界面和上一个差不多，但是比上一个的音源多些

```
<!-- require APlayer -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/autoplay/dist/APlayer.min.css">
<script src="https://cdn.jsdelivr.net/npm/autoplay/dist/APlayer.min.js"></script>
<!-- require MetingJS -->
<script src="https://cdn.jsdelivr.net/npm/meting@2/dist/Meting.min.js"></script>

<meting-js
  server="netease"
  type="playlist"
  id="60198">
</meting-js>
```


Option

option	default	description
id	require	song id / playlist id /
album id / search keyword		
server	require	music platform:
netease, tencent, kugou, xiami, baidu		
type	require	song, playlist, alb
m, search, artist		
auto	options	music link, suppo
t: netease, tencent, xiami		
fixed	false	enable fixed mode
mini	false	enable mini mode
autoplay	false	audio autoplay
theme	#2980b9	main color
loop	all	player loop play, values
'all', 'one', 'none'		

order es: 'list', 'random'	list	player play order, val
preload adata', 'auto'	auto	values: 'none', 'm
volume ce that player will remember user setting, default volume will not work after user set volume hemselves	0.7	default volume, not
mutex iple player at the same time, pause other players when this player start play	true	prevent to play mul
lrc-type	0	lyric type
list-folded r list should folded at first	false	indicate wheth
list-max-height height	340px	list max
storage-name rage key that store player setting	metingjs	localSt

[官方文档](#)

截图



展示: [我的博客](#)