



链滴

# solo docker 更新最新版之后，博客无法再访问

作者: [coolld](#)

原文链接: <https://ld246.com/article/1583327342484>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

如题，下面是出错日志，请问该怎么解决呢，万分感谢 ☺  
ray

```
[ERROR]-[2020-03-04 20:59:51]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:18]: Renders template [index.ftl] failed [Request [method=GET,URI=/,contentType=null,remoteAddr=/116.148.16.72:27910,headers=[Host=www.coolldd.topConnection=keep-aliveUpgrade-Insecure-Requests=1User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.122 Safari/537.36 Edg/80.0.361.62Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng */*;q=0.8,application/signed-exchange;v=b3;q=0.9Accept-Encoding=gzip, deflateAccept-Language=zh-CN,zh;q=0.9,en-GB;q=0.8,en;q=0.7,en-US;q=0.6Cookie=solo-nexmoe; visited=%5B%22%2F%22%2C%22%2Farticles%2F2019%2F1%2F31%2F1577771360985.html%22%2C%22%2Farticles%2F2020%2F01%2F04%2F157811115801.html%22%2C%22%2Farticles%2F2020%2F01%2F05%2F1578226502321.html%22%5D; LTKE_SESSION_ID=KdjCHGJ0N7ck4ugicontent-length=0]
]]
freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> statistic.statisticPublishedBlogCommentCount [in template "skins/solo-nexmoe/side.ftl" at line 32, column 15]
```

----  
Tip: It's the step after the last dot that caused this error, not those before it.  
----

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)?`?)  
----

----  
FTL stack trace ("~" means nesting-related):  
- Failed at: `${statistic.statisticPublishedBlogCom...}` [in template "skins/solo-nexmoe/side.ftl" at line 32, column 13]  
- Reached through: `#include "side.ftl"` [in template "skins/solo-nexmoe/index.ftl" at line 35, column 5]  
----

```
at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:14) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:479) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2.3.29.jar:2.3.29]
```

```

3.29.jar:2.3.29]
  at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:
00) ~[freemarker-2.3.29.jar:2.3.29]
  at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.29.jar:2.3.
9]
  at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
  at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
  at freemarker.core.Environment.include(Environment.java:2694) ~[freemarker-2.3.29.jar:2.3.
9]
  at freemarker.core.Include.accept(Include.java:171) ~[freemarker-2.3.29.jar:2.3.29]
  at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
  at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
  at freemarker.core.Environment.process(Environment.java:310) ~[freemarker-2.3.29.jar:2.3.
9]
  at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.29.jar:2.3.29]
  at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarke
Renderer.java:126) ~[latke-core-3.2.10.jar:?]
  at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86) ~[solo/:?]
  at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRe
derer.java:102) [latke-core-3.2.10.jar:?]
  at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.10.ja
:~]
  at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.10.jar:~]
  at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.
0.jar:~]
  at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.
0.jar:~]
  at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [
atke-core-3.2.10.jar:~]
  at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke
core-3.2.10.jar:~]
  at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDe
oder.java:102) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl

```

```
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:321) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:295) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:251) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.java:163) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:989) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
[ERROR]-[2020-03-04 20:59:58]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:18]: Renders template [index.ftl] failed [Request [
    method=GET,
    URI=/,
    contentType=null,
    remoteAddr=/116.148.16.72:27910,
    headers=[
        Host=www.coolldw.top
        Connection=keep-alive
        Upgrade-Insecure-Requests=1
        User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.122 Safari/537.36 Edg/80.0.361.62
        Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng
```

```
*/;q=0.8,application/signed-exchange;v=b3;q=0.9
Accept-Encoding=gzip, deflate
Accept-Language=zh-CN,zh;q=0.9,en-GB;q=0.8,en;q=0.7,en-US;q=0.6
Cookie=solo-nexmoe; visited=%5B%22%2F%22%2C%22%2Farticles%2F2019%2F1
%2F31%2F1577771360985.html%22%2C%22%2Farticles%2F2020%2F01%2F04%2F15781111
5801.html%22%2C%22%2Farticles%2F2020%2F01%2F05%2F1578226502321.html%22%5D; L
TKE_SESSION_ID=gKnophSwBz9uxtnD
content-length=0
]
```

```
]]
freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> statistic.statisticPublishedBlogCommentCount [in template "skins/solo-nexmoe/side.ftl"
at line 32, column 15]
```

Tip: It's the step after the last dot that caused this error, not those before it.

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)?`?)

FTL stack trace ("~" means nesting-related):

- Failed at: `${statistic.statisticPublishedBlogCom...}` [in template "skins/solo-nexmoe/side.ftl" at line 32, column 13]
- Reached through: `#include "side.ftl"` [in template "skins/solo-nexmoe/index.ftl" at line 35, column 5]

```
at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:1
4) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:479) ~[freemarker-
.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2
3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2
3.29.jar:2.3.29]
at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:
00) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.29.jar:2.3.
9]
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.include(Environment.java:2694) ~[freemarker-2.3.29.jar:2.3.
9]
at freemarker.core.Include.accept(Include.java:171) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.process(Environment.java:310) ~[freemarker-2.3.29.jar:2.3.
9]
at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.29.jar:2.3.29]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarke
```

```
Renderer.java:126) ~[latke-core-3.2.10.jar:?]
    at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86) ~[solo/:?]
    at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRe
derer.java:102) [latke-core-3.2.10.jar:?]
    at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.10.ja
r:?]
    at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.10.jar:?]
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.
0.jar:?]
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.
0.jar:?]
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [
atke-core-3.2.10.jar:?]
    at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke
core-3.2.10.jar:?]
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDe
oder.java:102) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fir
ChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.4
.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.
ava:321) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.jav
:295) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuple
Handler.java:251) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
```



```

    at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.java:163) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:989) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
[ERROR]-[2020-03-04 21:01:17]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:18]: Renders template [index.ftl] failed [Request [
  method=GET,
  URI=/,
  contentType=null,
  remoteAddr=/116.148.16.72:27910,
  headers=[
    Host=www.coolldw.top
    Connection=keep-alive
    Upgrade-Insecure-Requests=1
    User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.122 Safari/537.36 Edg/80.0.361.62
    Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng */*;q=0.8,application/signed-exchange;v=b3;q=0.9
    Accept-Encoding=gzip, deflate
    Accept-Language=zh-CN,zh;q=0.9,en-GB;q=0.8,en;q=0.7,en-US;q=0.6
    Cookie=solo=solo-nexmoe; visited=%5B%22%2F%22%2C%22%2Farticles%2F2019%2F1%2F31%2F1577771360985.html%22%2C%22%2Farticles%2F2020%2F01%2F04%2F157811115801.html%22%2C%22%2Farticles%2F2020%2F01%2F05%2F1578226502321.html%22%5D; LTKE_SESSION_ID=gKnophSwBz9uxtnD
    content-length=0
  ]
]]
freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> statistic.statisticPublishedBlogCommentCount [in template "skins/solo-nexmoe/side.ftl"
at line 32, column 15]

```

----

Tip: It's the step after the last dot that caused this error, not those before it.

----

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)?`?)

----

----

FTL stack trace ("~" means nesting-related):

- Failed at: `${statistic.statisticPublishedBlogCom...}` [in template "skins/solo-nexmoe/side.ftl" at line 32, column 13]

- Reached through: `#include "side.ftl"` [in template "skins/solo-nexmoe/index.ftl" at line 35, column 5]

----

```
    at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:14) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:479) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:00) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Environment.include(Environment.java:2694) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Include.accept(Include.java:171) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.core.Environment.process(Environment.java:310) ~[freemarker-2.3.29.jar:2.3.29]
    at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.29.jar:2.3.29]
    at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarkerRenderer.java:126) ~[latke-core-3.2.10.jar:3.2.10]
    at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86) ~[solo-1.0.jar:1.0]
    at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:102) [latke-core-3.2.10.jar:3.2.10]
    at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.10.jar:3.2.10]
    at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.10.jar:3.2.10]
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.10.jar:3.2.10]
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.10.jar:3.2.10]
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
```



```
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [
atke-core-3.2.10.jar:?]
    at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke
core-3.2.10.jar:?]
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDe
oder.java:102) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fir
ChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.4
.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.
ava:321) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.jav
:295) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuple
Handler.java:251) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipel
ne.java:1410) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91
) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChan
el.java:163) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-tr
nsport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65
) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-tr
nsport-4.1.46.Final.jar:4.1.46.Final]
```

```

    at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:989) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
[ERROR]-[2020-03-04 21:04:10]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:18]: Renders template [index.ftl] failed [Request [
  method=GET,
  URI=/,
  contentType=null,
  remoteAddr=/116.148.16.72:27910,
  headers=[
    Host=www.coolldw.top
    Connection=keep-alive
    Upgrade-Insecure-Requests=1
    User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.122 Safari/537.36 Edg/80.0.361.62
    Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng */*;q=0.8,application/signed-exchange;v=b3;q=0.9
    Accept-Encoding=gzip, deflate
    Accept-Language=zh-CN,zh;q=0.9,en-GB;q=0.8,en;q=0.7,en-US;q=0.6
    Cookie=solo=solo-nexmoe; visited=%5B%22%2F%22%2C%22%2Farticles%2F2019%2F1%2F31%2F1577771360985.html%22%2C%22%2Farticles%2F2020%2F01%2F04%2F157811115801.html%22%2C%22%2Farticles%2F2020%2F01%2F05%2F1578226502321.html%22%5D; LTK_SESSION_ID=gKnophSwBz9uxtnD
    content-length=0
  ]
]]
freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> statistic.statisticPublishedBlogCommentCount [in template "skins/solo-nexmoe/side.ftl" at line 32, column 15]

```

----

Tip: It's the step after the last dot that caused this error, not those before it.

----

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)?`?)

----

----

FTL stack trace ("~" means nesting-related):

```

- Failed at: ${statistic.statisticPublishedBlogCom... [in template "skins/solo-nexmoe/side.ftl" at line 32, column 13]
- Reached through: #include "side.ftl" [in template "skins/solo-nexmoe/index.ftl" at line 35, column 5]

```

----

```

    at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:1

```

4) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:479) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:00) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Environment.include(Environment.java:2694) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Include.accept(Include.java:171) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.core.Environment.process(Environment.java:310) ~[freemarker-2.3.29.jar:2.3.29]  
at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.29.jar:2.3.29]  
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarkerRenderer.java:126) ~[latke-core-3.2.10.jar:3.2.10]  
at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86) ~[solo-3.2.10.jar:3.2.10]  
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:102) [latke-core-3.2.10.jar:3.2.10]  
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.10.jar:3.2.10]  
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.10.jar:3.2.10]  
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.10.jar:3.2.10]  
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.10.jar:3.2.10]  
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [latke-core-3.2.10.jar:3.2.10]  
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke-core-3.2.10.jar:3.2.10]  
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]  
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:44) [netty-codec-4.1.46.Final.jar:4.1.46.Final]

```
oder.java:102) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fir
ChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.4
.Final]
  at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.
ava:321) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.jav
:295) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuple
Handler.java:251) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipel
ne.java:1410) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91
) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChan
el.java:163) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-tr
nsport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65
) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-tr
nsport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.46.Fi
al.jar:4.1.46.Final]
  at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java
989) [netty-common-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-com
on-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [
etty-common-4.1.46.Final.jar:4.1.46.Final]
  at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
[ERROR]-[2020-03-04 21:04:12]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:1
8]: Renders template [index.ftl] failed [Request [
  method=GET,
  URI=/,
  contentType=null,
  remoteAddr=/116.148.16.72:27910,
  headers=[
```

```
Host=www.coolldw.top
Connection=keep-alive
Cache-Control=max-age=0
Upgrade-Insecure-Requests=1
User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.122 Safari/537.36 Edg/80.0.361.62
Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng
*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
Accept-Encoding=gzip, deflate
Accept-Language=zh-CN,zh;q=0.9,en-GB;q=0.8,en;q=0.7,en-US;q=0.6
Cookie=solo=solo-nexmoe; visited=%5B%22%2F%22%2C%22%2Farticles%2F2019%2F1%2F31%2F1577771360985.html%22%2C%22%2Farticles%2F2020%2F01%2F04%2F157811115801.html%22%2C%22%2Farticles%2F2020%2F01%2F05%2F1578226502321.html%22%5D; L
TKE_SESSION_ID=gKnophSwBz9uxtnD
content-length=0
]
```

```
]]
freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> statistic.statisticPublishedBlogCommentCount [in template "skins/solo-nexmoe/side.ftl"
at line 32, column 15]
```

----  
Tip: It's the step after the last dot that caused this error, not those before it.  
----

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)?`?)  
----

----  
FTL stack trace ("~" means nesting-related):  
- Failed at: `${statistic.statisticPublishedBlogCom...` [in template "skins/solo-nexmoe/side.ftl" at line 32, column 13]  
- Reached through: `#include "side.ftl"` [in template "skins/solo-nexmoe/index.ftl" at line 35, column 5]  
----

```
at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:14) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:479) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:00) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.include(Environment.java:2694) ~[freemarker-2.3.29.jar:2.3.29]
```



```

at freemarker.core.Include.accept(Include.java:171) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.process(Environment.java:310) ~[freemarker-2.3.29.jar:2.3.29]
9]
at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.29.jar:2.3.29]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarkerRenderer.java:126) ~[latke-core-3.2.10.jar:?]
at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86) ~[solo/:?]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:102) [latke-core-3.2.10.jar:?]
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.10.jar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.10.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:84) [latke-core-3.2.10.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.10.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [latke-core-3.2.10.jar:?]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke-core-3.2.10.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:102) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:321) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:295) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.46.Final]

```



```
Handler.java:251) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipel
ne.java:1410) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91
) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChan
el.java:163) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-tr
nsport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65
) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-tr
nsport-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.46.Fi
al.jar:4.1.46.Final]
    at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java
989) [netty-common-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-com
on-4.1.46.Final.jar:4.1.46.Final]
    at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [
etty-common-4.1.46.Final.jar:4.1.46.Final]
    at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
```