



链滴

linux7.3 docker 搭建 solo 出错

作者: [bestxingkong](#)

原文链接: <https://ld246.com/article/1584614058367>

来源网站: 链滴

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)



该网页无法正常工作


20160916.xyz 目前无法处理此请求。

HTTP ERROR 500

重新加载

刚开始出现latke错误，我修改下nginx的配置文件好了，下来进入了刚开始的登陆账号页面，我点了下登陆账号,就出现了上面的该网页无法正常工作，然后我进/admin，出现了404错误，郁闷

404 Not Found!

 404 Not Found!

Please [start](#) or return to [Index](#).

Powered by [B3log 开源](#) • Solo 3.9.0

我贴上solo日志

原文链接: [linux7.3 docker 搭建 solo 出错](#)

```
[ERROR]-[2020-03-19 18:19:06]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:18]: Renders template [index.ftl] failed [Request [method=GET, URI=/, contentType=null, remoteAddr=111.19.51.28, headers=[Host=20160916.xyz X-Real-IP=111.19.51.28 Connection=close Cache-Control=max-age=0 Upgrade-Insecure-Requests=1 User-Agent=Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/80.0.3987.132 Safari/537.36 Sec-Fetch-Dest=document Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng */*;q=0.8,application/signed-exchange;v=b3;q=0.9 Sec-Fetch-Site=cross-site Sec-Fetch-Mode=navigate Sec-Fetch-User=?1 Accept-Encoding=gzip, deflate, br Accept-Language=zh-CN,zh;q=0.9 Cookie=skin=Pinghsu; LATKE_SESSION_ID=G10JCG3c0Z2LMohy; solo=c3275596cf820af20171b1ca1199d30d557a0b8e05a85ce5e1e519ab2a3ff0cf32cf2cea559b151cba973c65f67c45c5dc255c99496cc486ec47feb37ac15e content-length=0 ] ]]
```

freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> statistic.statisticPublishedBlogCommentCount [in template "skins/Pinghsu/footer.ftl" at line 65, column 15]

Tip: It's the step after the last dot that caused this error, not those before it.

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)??`)

FTL stack trace ("~" means nesting-related):

- Failed at: `${statistic.statisticPublishedBlogCom...}` [in template "skins/Pinghsu/footer.ftl" at line 65, column 13]
- Reached through: `#include "footer.ftl"` [in template "skins/Pinghsu/index.ftl" at line 37, column 1]

```
at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:14) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:479) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2
```

3.29.jar:2.3.29]
at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:00) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.29.jar:2.3.29]
9]
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.include(Environment.java:2694) ~[freemarker-2.3.29.jar:2.3.29]
9]
at freemarker.core.Include.accept(Include.java:171) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:331) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.visit(Environment.java:337) ~[freemarker-2.3.29.jar:2.3.29]
at freemarker.core.Environment.process(Environment.java:310) ~[freemarker-2.3.29.jar:2.3.29]
9]
at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.29.jar:2.3.29]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarkerRenderer.java:126) ~[latke-core-3.2.13.jar:~]
at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:86) ~[solo/:~]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRenderer.java:102) [latke-core-3.2.13.jar:~]
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:124) [latke-core-3.2.13.jar:~]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:96) [latke-core-3.2.13.jar:~]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:82) [latke-core-3.2.13.jar:~]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:38) [latke-core-3.2.13.jar:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:94) [latke-core-3.2.13.jar:~]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:51) [latke-core-3.2.13.jar:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:102) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]

```
rContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:321) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:295) [netty-codec-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:251) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:355) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:377) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:363) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.java:163) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:989) [netty-common-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.46.Final.jar:4.1.46.Final]
  at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [netty-common-4.1.46.Final.jar:4.1.46.Final]
  at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
```

求老哥们指点迷津