








## 一、搭建准备

## 二、开始搭建

□□







高级设置

卷

网络

端口设置

添加文件

添加文件夹

文件/文件夹	装载路径
share	/opt/s

高级设置

高级设置

卷

网络

端口设置

链接

环境

+

-

网络名称

bridge

☐ 使用与 Docker Host 相同的网络

应用

取消

## 高级设置



高级设置

卷

网络

端口设置

链接

环境



本地端口

容器端口

类型

8088

8080

TCP



应用

取消

高级设置

高级设置卷网络端口设置链接环境

+ -

可变	值
RUNTIME_DB	MYSQL
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbi...
LANG	C.UTF-8
JAVA_HOME	/usr/lib/jvm/java-1.8-openjdk
JAVA_VERSION	8u212
JAVA_ALPINE_VERSION	8.212.04-r0
TZ	Asia/Shanghai
git_commit	0dcaa73

执行命令

Entrypoint:java -cp lib/\*:. org.b3log.solo.Server

命令:

请输入命令。

应用

取消

### 三、外网访问



## 1.公网穿透



□

## 2.使用花生壳

## 3.群晖frp穿透

## ZeroTier内网穿透

□



Node Id  
8badf00d13  
Submit

Adds a node to this network before it joins.  
Can be used to undelete a member.

Settings Help

Members

Search (Address / Name)

Display Filter


☒ Authorized☐ Offline1☒ Not Authorized☐ Online1☐ Bridges☐ Hidden0

Sort By

☒ Address☐ Name

1-2 / 2

Auth?	Address	Name/Description	Managed IPs	Last Seen	Version	Physical IP
<input checked="" type="checkbox"/>	cbe5112e89 da:42:69:7d:6d:80	(short name) (description)	172.28.221.195 +	1h 30m	1.2.10	114.84.179.232
<input type="checkbox"/>	d53bed5370 da:5c:b7:81:10:79	(short name) (description)	+	ONLINE	-1.-1.-1	222.68.73.210





后记