



链滴

Solo | 优雅的使用 Solo 静态博客

作者: [fpdan](#)

原文链接: <https://ld246.com/article/1591016219708>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)



这篇文章只针对和我一样部署静态博客的小伙伴，提供一些想法和思路。

官方文档

文档

<https://hacpai.com/article/1579053576274>

Demo

<https://88250.github.io>

服务器

Solo 生成导出静态站点

Solo 可以支持在本地 **localhost** 上写作，然后用户自行部署 Pages 托管站点，这样就不用搭建服务运维了。Solo 静态部署同样支持**浏览量计数**和**社区评论互动**，让静态博客也能和动态博客一样充满生机。

Github Pages 可以参考这里：[使用GitPage搭建个人博客](#)

这边提供一个自用的小脚本，主要作用是将 **static-site** 中生成的静态文件拷贝到本地仓库，然后通过地仓库上传到 **github**，可以很快的实现部署。

```
#!/bin/bash
```

```
# 文件拷贝 修改成自己的目录
```

```
waitCopyFile = echo y | cp -R /Users/fxk/Documents/solo/static-site/* /Users/fxk/Documents  
GlacierBo.github.io/
```

```
echo "开始上传"
```

```
# 修改成自己的目录
```

```
cd /Users/fxk/Documents/GlacierBo.github.io
```

```
## 添加所有文件
```

```
git add --all
```

```
echo "请输入提交描述文字如果没有默认: 更新文章"
```

```
read describe
```

```
if [ ! -n "$describe" ]
```

```
then
```

```
describe="更新文章"
```

```
fi
```

```
echo $describe
```

```
## commit 代码
```

```
git commit -m $describe
```

```
## 拉取代码
```

```
git pull
```

```
## 提交代码
```

```
git push origin master
```

```
Last login: Sat May 30 07:12:14 on ttys001
+ ~ /Users/fxk/Desktop/develop.sh
/Users/fxk/Desktop/develop.sh: line 4: waitCopyFile: command not found
mv: rename /Users/fxk/Documents/solo/static-site/archives to /Users/fxk/Documents/GlacierBo.github.io/archives: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/articles to /Users/fxk/Documents/GlacierBo.github.io/articles: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/blog to /Users/fxk/Documents/GlacierBo.github.io/blog: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/images to /Users/fxk/Documents/GlacierBo.github.io/images: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/js to /Users/fxk/Documents/GlacierBo.github.io/js: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/p to /Users/fxk/Documents/GlacierBo.github.io/p: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/plugins to /Users/fxk/Documents/GlacierBo.github.io/plugins: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/skins to /Users/fxk/Documents/GlacierBo.github.io/skins: Directory not empty
mv: rename /Users/fxk/Documents/solo/static-site/tags to /Users/fxk/Documents/GlacierBo.github.io/tags: Directory not empty
开始上传
warning: CRLF will be replaced by LF in CHANGE_LOGS.md.
The file will have its original line endings in your working directory
warning: CRLF will be replaced by LF in robots.txt.
The file will have its original line endings in your working directory
warning: CRLF will be replaced by LF in sw.js.
The file will have its original line endings in your working directory
请输入提交描述文字如果没有默认: 更新文章

更新文章
[master 7dacdf8] 更新文章
 8 files changed, 54 insertions(+), 40 deletions(-)
Already up to date.
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 2.14 KiB | 2.14 MiB/s, done.
Total 10 (delta 9), reused 0 (delta 0)
remote: Resolving deltas: 100% (9/9), completed with 8 local objects.
To github.com:GlacierBo/GlacierBo.github.io.git
```

加速

D 大在文档中有提到加速的方法。我第一次看文档的时候没有看懂，还傻兮兮的跑过去问 D 大，然后给 D 大又给我指了指文档doge

[如何使用 jsDelivr CDN 来加速?](#)

原文链接: [Solo 生成的静态站点如何使用 jsdelivr cdn 加速?](#)

音乐

关于音乐的支持并不是很好，因为是静态页面，所以点击一个新的页面会有刷新。所以建议是新开一网页或者是页面去放音乐。

这边推荐个音乐播放器：

[Aplayer](#)

[Aplayer 中文文档](#)

另外提供一个小 Demo，欢迎有大胆想法的小伙伴尝试，doge 或者等我尝试完了再来补充。

```
<!-- 音乐播放器 -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/aplayer@1.10.1/dist/APlayer.min.css"
>
<script src="https://cdn.jsdelivr.net/npm/aplayer@1.10.1/dist/APlayer.min.js"> </script>
<div id="player1"></div>

<script type="text/javascript">
  async function showplaylist() {
    var ap = new APlayer({
      container: document.getElementById('player1'),
      mini: false,
      autoplay: false,
      theme: '#FADFA3',
      loop: 'all',
      order: 'random',
      preload: 'auto',
      volume: 0.7,
      fixed: true,
      mutex: true,
      listFolded: false,
      listMaxHeight: 90,
      lrcType: 3,
      audio: [
        {
          name: '山丘',
          artist: 'artist1',
          url: 'http://m7.music.126.net/20200530121759/400bd2d597da3d90576fc577dcb
da5a/ymusic/3b80/0420/76d5/a9b82c0b6db4062a047b3c6867ce5496.mp3',
          cover: 'cover1.jpg',
          lrc: 'lrc1.lrc',
          theme: '#ebd0c2'
        }
      ]
    });
    ap.play();
  }
  showplaylist();
</script>
```

Hexo —> Solo

我为什么从 Hexo 到 Solo呢？

- Solo 搭建的成本低，之前自己搭 Hexo 花了挺多时间的，整合评论啊，搜索啊，第三方插件一，，着实麻烦。
- Solo 有自己的社区，可以跟大佬们互动。
- 每天上班摸鱼的聊天室他不香嘛？huaji
- 博客发布到社区相当于多了份备份。
- 主要还是一个人玩，太寂寞了呀。huaji
- 这个cdn加速真的是香的没话说！！

交换友链

最后欢迎大家交换友链。

<https://blog.fpdan.cn/>

跑步去了huaji

希望我回来看到 999+