



链滴

Sym 用户基本信息保存失败

作者: [plumekanade](#)


原文链接: <https://ld246.com/article/1597666353776>

来源网站: 链滴

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

rofl 心血来潮想搭个symphony, 然后修改基本信息怎么写都报500

代码跟踪跟到依赖包里面报错



[ERROR]-[2020-08-17 19:58:47]-[org.b3log.latke.http.handler.InvokeHandler:47]: Handler processing failed:

```
java.lang.reflect.InvocationTargetException: null
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.8.0_202]
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3) ~[?:1.8.0_202]
    at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
    at org.b3log.latke.http.handler.InvokeHandler.handle(InvokeHandler.java:45) ~[latke-core-3.4.3.jar:?]
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.jar:?]
    at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMiddleware.handle(UpdateProfilesValidationMiddleware.java:171) ~[classes/:?]
    at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMiddleware$$jvst7c8_6c_d4handle(UpdateProfilesValidationMiddleware$$jvst7c8_6c.java) ~[classes/:?]
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.8.0_202]
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3) ~[?:1.8.0_202]
    at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
    at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[latke-core-3.4.3.jar:?]
    at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMiddleware$$jvst7c8_6c.handle(UpdateProfilesValidationMiddleware$$jvst7c8_6c.java) ~[classes/:?]
```

```
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.CSRFMiddleware.check(CSRFMiddleware.java:84) ~[classes/:?]
at org.b3log.symphony.processor.middleware.CSRFMiddleware_$$jvst7c8_8e_d0check(CSRFMiddleware_$$jvst7c8_8e.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.8.0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[latke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.CSRFMiddleware_$$jvst7c8_8e.check(CSRFMiddleware_$$jvst7c8_8e.java) ~[classes/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.LoginCheckMiddleware.handle(LoginCheckMiddleware.java:54) ~[classes/:?]
at org.b3log.symphony.processor.middleware.LoginCheckMiddleware_$$jvst7c8_63_d4handle(LoginCheckMiddleware_$$jvst7c8_63.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.8.0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[latke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.LoginCheckMiddleware_$$jvst7c8_63.handle(LoginCheckMiddleware_$$jvst7c8_63.java) ~[classes/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.handler.RouteHandler.handle(RouteHandler.java:200) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.handler.StaticResourceHandler.handle(StaticResourceHandler.java:36) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:91) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:78) [latke-core-3.4.3.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:34) [latke-core-3.4.3.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
```

```
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:90) [
atke-core-3.4.3.jar:?]
  at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:47) [latke
core-3.4.3.jar:?]
  at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDe
coder.java:103) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fir
ChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.49.Final.jar:4.1.4
9.Final]
  at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.
ava:324) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.jav
:296) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuple
xHandler.java:251) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipel
ne.java:1410) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91
) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChan
el.java:163) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-tr
nsport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65
) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-tr
nsport-4.1.49.Final.jar:4.1.49.Final]
  at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.49.Fi
nal.jar:4.1.49.Final]
```

```
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java
989) [netty-common-4.1.49.Final.jar:4.1.49.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-com
on-4.1.49.Final.jar:4.1.49.Final]
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [
etty-common-4.1.49.Final.jar:4.1.49.Final]
at java.lang.Thread.run(Thread.java:748) [?:1.8.0_202]
Caused by: java.lang.NullPointerException
at org.b3log.symphony.processor.SettingsProcessor.updateProfiles(SettingsProcessor.java:
01) ~[classes/:?]
at org.b3log.symphony.processor.SettingsProcessor_$$jvst7c8_8b_d24updateProfiles(Sett
ngsProcessor_$$jvst7c8_8b.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.SettingsProcessor_$$jvst7c8_8b.updateProfiles(SettingsP
rocessor_$$jvst7c8_8b.java) ~[classes/:?]
... 74 more
[ERROR]-[2020-08-17 19:59:32]-[org.b3log.latke.http.handler.InvokeHandler:47]: Handler proc
ssing failed:
java.lang.reflect.InvocationTargetException: null
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.http.handler.InvokeHandler.handle(InvokeHandler.java:45) ~[latke-core-3
4.3.jar:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.
ar:?]
at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMiddleware.ha
dle(UpdateProfilesValidationMiddleware.java:171) ~[classes/:?]
at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMiddleware_$$
jvst7c8_6c_d4handle(UpdateProfilesValidationMiddleware_$$jvst7c8_6c.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMiddleware_$$
jvst7c8_6c.handle(UpdateProfilesValidationMiddleware_$$jvst7c8_6c.java) ~[classes/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.
ar:?]
at org.b3log.symphony.processor.middleware.CSRFMiddleware.check(CSRFMiddleware.java:84) ~
classes/:?]
```

```
at org.b3log.symphony.processor.middleware.CSRFMiddleware_$$jvst7c8_8e_d0check(CSRF
idware_$$jvst7c8_8e.java) ~[classes/?:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
.0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.CSRFMiddleware_$$jvst7c8_8e.check(CSRFMid
are_$$jvst7c8_8e.java) ~[classes/?:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.
ar:?]
at org.b3log.symphony.processor.middleware.LoginCheckMiddleware.handle(LoginCheckMid
are.java:54) ~[classes/?:?]
at org.b3log.symphony.processor.middleware.LoginCheckMiddleware_$$jvst7c8_63_d4handl
(LoginCheckMiddleware_$$jvst7c8_63.java) ~[classes/?:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
.0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:?]
at org.b3log.symphony.processor.middleware.LoginCheckMiddleware_$$jvst7c8_63.handle(L
ginCheckMiddleware_$$jvst7c8_63.java) ~[classes/?:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.ja
:~]
at org.b3log.latke.http.handler.RouteHandler.handle(RouteHandler.java:200) [latke-core-3.4
3.jar:~]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.ja
:~]
at org.b3log.latke.http.handler.StaticResourceHandler.handle(StaticResourceHandler.java:36
[latke-core-3.4.3.jar:~]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.ja
:~]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:91) [latke-core-3.4.3.jar:~]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:78) [latke-core-3.4.3
jar:~]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:34) [latke-core-3.4.3
jar:~]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:90) [
atke-core-3.4.3.jar:~]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:47) [latke
```

core-3.4.3.jar:?)

```
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:103) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:324) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:296) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:251) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChannel.java:163) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java:989) [netty-common-4.1.49.Final.jar:4.1.49.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-common-4.1.49.Final.jar:4.1.49.Final]
```

```
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [
etty-common-4.1.49.Final.jar:4.1.49.Final]
at java.lang.Thread.run(Thread.java:748) [?:1.8.0_202]
Caused by: java.lang.NullPointerException
at org.b3log.symphony.processor.SettingsProcessor.updateProfiles(SettingsProcessor.java:
01) ~[classes/:?]
at org.b3log.symphony.processor.SettingsProcessor_$$jvst7c8_8b_d24updateProfiles(Sett
ngsProcessor_$$jvst7c8_8b.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:~]
at org.b3log.symphony.processor.SettingsProcessor_$$jvst7c8_8b.updateProfiles(SettingsP
rocessor_$$jvst7c8_8b.java) ~[classes/:?]
... 74 more
[ERROR]-[2020-08-17 20:06:05]-[org.b3log.latke.http.handler.InvokeHandler:47]: Handler proc
ssing failed:
java.lang.reflect.InvocationTargetException: null
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.http.handler.InvokeHandler.handle(InvokeHandler.java:45) ~[latke-core-3
4.3.jar:~]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.
ar:~]
at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMidware.ha
dle(UpdateProfilesValidationMidware.java:171) ~[classes/:?]
at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMidware_$$
jvst7c8_6c_d4handle(UpdateProfilesValidationMidware_$$jvst7c8_6c.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:~]
at org.b3log.symphony.processor.middleware.validate.UpdateProfilesValidationMidware_$$
jvst7c8_6c.handle(UpdateProfilesValidationMidware_$$jvst7c8_6c.java) ~[classes/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.
ar:~]
at org.b3log.symphony.processor.middleware.CSRFMiddleware.check(CSRFMiddleware.java:84) ~
classes/:?]
at org.b3log.symphony.processor.middleware.CSRFMiddleware_$$jvst7c8_8e_d0check(CSRF
idware_$$jvst7c8_8e.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
```



```
.0_202]
  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
    at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
    at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:~]
    at org.b3log.symphony.processor.middleware.CSRFMiddleware_$$jvst7c8_8e.check(CSRFMid
are_$$jvst7c8_8e.java) ~[classes/:~]
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) ~[latke-core-3.4.3.
ar:~]
    at org.b3log.symphony.processor.middleware.LoginCheckMiddleware.handle(LoginCheckMid
are.java:54) ~[classes/:~]
    at org.b3log.symphony.processor.middleware.LoginCheckMiddleware_$$jvst7c8_63.d4handl
(LoginCheckMiddleware_$$jvst7c8_63.java) ~[classes/:~]
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
.0_202]
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
    at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
    at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:~]
    at org.b3log.symphony.processor.middleware.LoginCheckMiddleware_$$jvst7c8_63.handle(L
ginCheckMiddleware_$$jvst7c8_63.java) ~[classes/:~]
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.ja
r:~]
    at org.b3log.latke.http.handler.RouteHandler.handle(RouteHandler.java:200) [latke-core-3.4
3.jar:~]
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.ja
r:~]
    at org.b3log.latke.http.handler.StaticResourceHandler.handle(StaticResourceHandler.java:36
[latke-core-3.4.3.jar:~]
    at org.b3log.latke.http.RequestContext.handle(RequestContext.java:579) [latke-core-3.4.3.ja
r:~]
    at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:91) [latke-core-3.4.3.jar:~]
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:78) [latke-core-3.4.3
jar:~]
    at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:34) [latke-core-3.4.3
jar:~]
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:90) [l
atke-core-3.4.3.jar:~]
    at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:47) [latke
core-3.4.3.jar:~]
    at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
```

```
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDe
oder.java:103) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fir
ChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.49.Final.jar:4.1.4
.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.
ava:324) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.jav
:296) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuple
Handler.java:251) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipel
ne.java:1410) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91
) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.nio.AbstractNioByteChannel$NioByteUnsafe.read(AbstractNioByteChan
el.java:163) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKey(NioEventLoop.java:714) [netty-tr
nsport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeysOptimized(NioEventLoop.java:65
) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.nio.NioEventLoop.processSelectedKeys(NioEventLoop.java:576) [netty-tr
nsport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.nio.NioEventLoop.run(NioEventLoop.java:493) [netty-transport-4.1.49.Fi
nal.jar:4.1.49.Final]
    at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java
989) [netty-common-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-com
on-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [
etty-common-4.1.49.Final.jar:4.1.49.Final]
    at java.lang.Thread.run(Thread.java:748) [?:1.8.0_202]
Caused by: java.lang.NullPointerException
```

```
at org.b3log.symphony.processor.SettingsProcessor.updateProfiles(SettingsProcessor.java:
01) ~[classes/:?]
at org.b3log.symphony.processor.SettingsProcessor_$$jvst7c8_8b_d24updateProfiles(Sett
ngsProcessor_$$jvst7c8_8b.java) ~[classes/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_202]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.
.0_202]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
3) ~[?:1.8.0_202]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_202]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[l
atke-core-3.4.3.jar:~]
at org.b3log.symphony.processor.SettingsProcessor_$$jvst7c8_8b.updateProfiles(SettingsP
rocessor_$$jvst7c8_8b.java) ~[classes/:?]
... 74 more
```

rofl rofl 有人救救孩子吗