



链滴

# Jenkins 的安装、部署、启动

作者: [724555508](#)

原文链接: <https://ld246.com/article/1601370128878>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)



[TOC]

## 安装jenkins（需要先安装jdk）

(1).导入镜像

```
sudo wget -O /etc/yum.repos.d/jenkins.repo https://pkg.jenkins.io/redhat-stable/jenkins.repo
```

(2).导入公钥

```
sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key
```

(3).安装jenkins

```
yum install jenkins
```

(4).修改配置文件（也可以不修改，默认8080）

```
vi /etc/sysconfig/jenkins
```

```
#自定义一个port  
JENKINS_PORT="8091"
```

(5).启动

```
#启动  
systemctl start jenkins  
#查询状态  
systemctl status jenkins  
#停止  
systemctl stop jenkins  
#重启
```

```
systemctl restart jenkins
```

(6).访问浏览器 (ip:端口) 端口就是配置文件修改的那个, 没有改的话默认是8080

初次使用需要设置密码

```
cat /var/lib/jenkins/secrets/initialAdminPassword
```

然后直接选推荐安装的插件, 或者直接下一步就完事儿了!

## 卸载jenkins

```
[root@centos7 ~]# rpm -e jenkins
warning: /etc/sysconfig/jenkins saved as /etc/sysconfig/jenkins.rpmsave
warning: /etc/init.d/jenkins saved as /etc/init.d/jenkins.rpmsave
[root@centos7 ~]# systemctl stop jenkins
Failed to stop jenkins.service: Access denied
See system logs and 'systemctl status jenkins.service' for details.
Failed to get load state of jenkins.service: Access denied
[root@centos7 ~]# rpm -q jenkins
package jenkins is not installed
[root@centos7 ~]# find / -iname jenkins | xargs -n 1000 rm -rf
[root@centos7 ~]#
```