

# centos 软件安装 -mysql

作者: [xuyan1095](#)

原文链接: <https://ld246.com/article/1604911873187>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

## 1.安装

wget <https://dev.mysql.com/get/mysql80-community-release-el7-3.noarch.rpm>

```
yum -y install mysql80-community-release-el7-3.noarch.rpm
```

```
yum -y install mysql-community-server
```

## 2.数据库设置

```
systemctl start mysqld
```

```
systemctl status mysqld
```

查看密码

```
grep "password" /var/log/mysqld.log
```

```
root@localhost: ~#  acl:hue_uqmA{
```

```
mysql -u root -p
```

输入上面的密码

设置新密码

```
set global validate_password.policy=0;
```

```
set global validate_password.length=1;
```

```
ALTER USER 'root'@'localhost' IDENTIFIED BY '123456';
```

## 3.开启远程

```
use mysql;
```

```
grant all privileges on . to 'root'@'%' identified by '123456' with grant option;
```

## 4.创建新用户

```
CREATE USER 'test'@'%' IDENTIFIED BY '123456';
```

```
grant all on . to 'test'@'%';
```