

网站来点圣诞气氛?

作者: [Rabbitzzc](#)

原文链接: <https://ld246.com/article/1608863781657>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

上 codepen 找了一圈灵感.....

```
<template>
<div>
  <div class="container">
    <div class="text">Merry Christmas, Friends!</div>
    <div class="presents">
      <div class="present orange">
        <div class="lid"></div>
        <div class="box"></div>
        <div class="bow"></div>
        <div class="ribbon"></div>
      </div>
      <div class="present blue">
        <div class="lid"></div>
        <div class="box"></div>
        <div class="bow"></div>
        <div class="ribbon"></div>
      </div>
      <div class="present green">
        <div class="lid"></div>
        <div class="box"></div>
        <div class="bow"></div>
        <div class="ribbon"></div>
      </div>
    </div>
  </div>
</div>
</template>

<script>
// 记得引入 mojs
export default {
  data() {
    return {
      timer: null,
    }
  },
  mounted() {
    this.timer = setInterval(() => this.randomizedConfetti(), 500)
  },
  methods: {
    randomizedConfetti() {
      let randomX = Math.floor(Math.random() * (document.body.clientWidth - 300) + 0)
      let randomY = Math.floor(Math.random() * (window.innerHeight - 300) + 0)
      // eslint-disable-next-line no-undef
      const burst = new mojs.Burst({
        left: 0,
        top: 0,
        radius: { 0: 200 },
        count: 20,
        degree: 360,
        children: {
          fill: { white: '#f67280' },

```

```

        duration: 2000,
      },
    }).tune({
      x: randomX,
      y: randomY,
    })

    burst.replay()
  },
},
beforeDestroy() {
  clearInterval(this.timer)
  this.timer = null
},
}
</script>

```

```

<style lang="scss" scoped>
@import url('https://fonts.googleapis.com/css2?family=Fredoka+One&display=swap');

```

```

$border-color: #2c3a49;
$border: 4px solid $border-color;
$border-radius: 5px;

```

```

html,
body {
  overflow-x: hidden;
}

```

```

.container {
  position: fixed;
  top: 50%;
  left: 50%;
  z-index: 1000;
  transform: translate(-50%, -50%);
}

```

```

.text {
  min-width: 100%;
  text-align: center;
  color: #fda639;
  // color: #ffe211;
  font-family: 'Fredoka One', cursive;

```

```

  text-shadow: 1px 1px $border-color;
  font-size: 3em;
  -webkit-clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 80%);
  clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 80%);
  transform: translateY(-50px);
  opacity: 0;
  animation-name: titleAnimation;
  animation-timing-function: ease;
  animation-duration: 3s;
  animation-delay: 0.6s;

```

```

    animation-fill-mode: forwards;
}

.presents {
  opacity: 0;
  animation-name: titleAnimation;
  animation-timing-function: ease;
  animation-duration: 3s;
  animation-delay: 1.1s;
  animation-fill-mode: forwards;

  display: flex;
  justify-content: center;
  align-items: flex-end;
  height: 200px;
}

@keyframes titleAnimation {
  0% {
    transform: translateY(-50px);
    opacity: 0;
    -webkit-clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 80%);
    clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 80%);
  }
  20% {
    transform: translateY(0);
    opacity: 1;
    -webkit-clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 15%);
    clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 15%);
  }
  100% {
    transform: translateY(0);
    opacity: 1;
    -webkit-clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 15%);
    clip-path: polygon(100% 0, 100% 100%, 0 100%, 0 15%);
  }
}

.text .char {
  animation: slide-in 1s cubic-bezier(0.5, 0, 0.5, 1) both;
  animation-delay: calc(60ms * var(--char-index));
}

@keyframes slide-in {
  from {
    transform: translateY(-1em) rotate(-0.5turn) scale(0.5);
    opacity: 0;
  }
}

@mixin present($name, $positionx, $box-color, $bow-color, $dot-color, $width, $height, $z-index) {
  position: relative;
  left: $positionx;

```

```

width: $width;
height: $height;
z-index: $z-index;

&:hover {
  animation: 0.5s #{$name};
}

.lid {
  background: $box-color;
}
.box {
  background-image: radial-gradient($dot-color 20%, transparent 20%),
    radial-gradient($dot-color 20%, transparent 20%);
  background-color: $box-color;
}
.ribbon {
  background: $bow-color;
  &::before {
    top: 21%;
  }
}
.bow {
  background: $bow-color;
  &::before,
  &::after {
    background: $bow-color;
  }
}

@keyframes #{$name} {
  0% {
    width: $width;
    height: $height;
  }
  30% {
    width: calc(#{ $width } + 10px);
    height: calc(#{ $height } - 10px);
  }
  60% {
    width: calc(#{ $width } - 10px);
    height: calc(#{ $height } + 10px);
  }
  100% {
    width: $width;
    height: $height;
  }
}

.green {
  @include present('green', -20px, #3ddc81, #f75d4c, #fff, 100px, 100px, 1);
}

```

```

.orange {
  @include present('orange', 20px, #ffa726, #f75d4c, $border-color, 130px, 120px, 10);
}

.blue {
  @include present('blue', 0, #1bb5fe, #3ddc81, transparent, 120px, 160px, 0);
}

.present {
  position: relative;
  display: flex;
  flex-direction: column;
  align-items: center;
  cursor: pointer;
  .lid {
    height: 20%;
    width: calc(100% + 10px);
    border: $border;
    border-radius: $border-radius;
    box-shadow: inset 2px 2px rgba(255, 255, 255, 0.5), 5px 0 rgba(0, 0, 0, 0.15);
  }
  .box {
    width: 100%;
    height: 100%;
    background-position: 0 0, 20px 20px;
    background-size: 40px 40px;
    border: $border;
    border-top: 0;
    border-bottom-left-radius: $border-radius;
    border-bottom-right-radius: $border-radius;
    box-shadow: inset -10px 5px rgba(0, 0, 0, 0.3), 5px 0 rgba(0, 0, 0, 0.15);
  }
  .ribbon {
    position: absolute;
    top: -3px;
    width: 30px;
    height: calc(100% - 5px);
    border: $border;
    border-radius: $border-radius;
    box-shadow: inset 2px 2px rgba(255, 255, 255, 0.5);
    &::before {
      display: block;
      content: "";
      position: absolute;
      width: 100%;
      height: 5px;
      background: rgba(0, 0, 0, 0.3);
    }
  }
  .bow {
    position: absolute;
    top: -20px;
    width: 20px;
    height: 20px;
  }
}

```

```
border: $border;
border-radius: 50%;
box-shadow: inset 2px 2px rgba(255, 255, 255, 0.5), inset -2px -5px rgba(0, 0, 0, 0.3);
&::before,
&::after {
  display: block;
  content: "";
  position: absolute;
  top: -10px;
  width: 30px;
  height: 30px;
  border: $border;
  border-radius: 50%;
  box-shadow: inset 2px 2px rgba(255, 255, 255, 0.5), inset -2px -5px rgba(0, 0, 0, 0.3);
  z-index: -1;
}
&::before {
  left: 15px;
}
&::after {
  right: 15px;
}
}
}
</style>
```