



链滴

# Solo 错误日志

作者: [andyho](#)

原文链接: <https://ld246.com/article/1615260560305>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

[WARN ]-[2021-03-09 11:23:44]-[org.b3log.solo.processor.OAuthProcessor:137]: Can't get use info with token [vOTaoSubKkjZkGJ7]

[ERROR]-[2021-03-09 11:24:32]-[org.b3log.solo.util.Solos:141]: Gets community user info faile

jodd.http.HttpException: Can't connect to: https://ld246.com/user/ak; <--- java.net.SocketTimeoutException: connect timed out

```
at jodd.http.HttpRequest.open(HttpRequest.java:777) ~[jodd-http-5.0.13.jar:5.0.13]
at jodd.http.HttpRequest.open(HttpRequest.java:759) ~[jodd-http-5.0.13.jar:5.0.13]
at jodd.http.HttpRequest._send(HttpRequest.java:887) ~[jodd-http-5.0.13.jar:5.0.13]
at jodd.http.HttpRequest.send(HttpRequest.java:861) ~[jodd-http-5.0.13.jar:5.0.13]
at org.b3log.solo.util.Solos.getUserInfo(Solos.java:130) [solo/:?]
at org.b3log.solo.processor.OAuthProcessor.authCallback(OAuthProcessor.java:135) [solo/:?]

at org.b3log.solo.processor.OAuthProcessor_$$jvst5a4_12_d0authCallback(OAuthProcessor_$$jvst5a4_12.java) [solo/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_212]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.8.0_212]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3) ~[?:1.8.0_212]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_212]
at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) [latke-core-3.4.10.jar:?]
at org.b3log.solo.processor.OAuthProcessor_$$jvst5a4_12.authCallback(OAuthProcessor_$$jvst5a4_12.java) [solo/:?]
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) ~[?:1.8.0_212]
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) ~[?:1.8.0_212]
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:3) ~[?:1.8.0_212]
at java.lang.reflect.Method.invoke(Method.java:498) ~[?:1.8.0_212]
at org.b3log.latke.http.handler.InvokeHandler.handle(InvokeHandler.java:45) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:548) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.handler.RouteHandler.handle(RouteHandler.java:200) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:548) [latke-core-3.4.10.jar:?]
at org.b3log.solo.processor.PermalinkHandler.handle(PermalinkHandler.java:71) [solo/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:548) [latke-core-3.4.10.jar:?]
at org.b3log.solo.processor.InitCheckHandler.handle(InitCheckHandler.java:59) [solo/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:548) [latke-core-3.4.10.jar:?]
at org.b3log.solo.processor.SkinHandler.handle(SkinHandler.java:59) [solo/:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:548) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.handler.StaticResourceHandler.handle(StaticResourceHandler.java:36) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.RequestContext.handle(RequestContext.java:548) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:91) [latke-core-3.4.10.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:78) [latke-core-3.4.
```

```
0.jar:?)
  at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:34) [latke-core-3.4.0.jar:?)
  at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
    at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
      at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
        at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
          at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:90) [latke-core-3.4.10.jar:?)
            at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:47) [latke-core-3.4.10.jar:?)
              at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHandler.java:99) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                  at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                    at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                      at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDecoder.java:103) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
                        at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                          at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                            at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                              at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fireChannelRead(CombinedChannelDuplexHandler.java:436) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.java:324) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
                                  at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.java:296) [netty-codec-4.1.49.Final.jar:4.1.49.Final]
                                    at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuplexHandler.java:251) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                      at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                        at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                          at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandlerContext.java:357) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                            at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipeline.java:1410) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                              at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:379) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                                at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelHandlerContext.java:365) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
                                                  at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91) [netty-transport-4.1.49.Final.jar:4.1.49.Final]
```

```
at io.netty.channel.epoll.AbstractEpollStreamChannel$EpollStreamUnsafe.epollInReady(Abs
ractEpollStreamChannel.java:792) [netty-transport-native-epoll-4.1.49.Final-linux-x86_64.jar:4.
.49.Final]
at io.netty.channel.epoll.EpollEventLoop.processReady(EpollEventLoop.java:475) [netty-tran
port-native-epoll-4.1.49.Final-linux-x86_64.jar:4.1.49.Final]
at io.netty.channel.epoll.EpollEventLoop.run(EpollEventLoop.java:378) [netty-transport-nati
e-epoll-4.1.49.Final-linux-x86_64.jar:4.1.49.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java
989) [netty-common-4.1.49.Final.jar:4.1.49.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) [netty-com
on-4.1.49.Final.jar:4.1.49.Final]
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) [
etty-common-4.1.49.Final.jar:4.1.49.Final]
at java.lang.Thread.run(Thread.java:748) [?:1.8.0_212]
Caused by: java.net.SocketTimeoutException: connect timed out
at java.net.PlainSocketImpl.socketConnect(Native Method) ~[?:1.8.0_212]
at java.net.AbstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:350) ~[?:1.8.0_
12]
at java.net.AbstractPlainSocketImpl.connectToAddress(AbstractPlainSocketImpl.java:206) ~[
:1.8.0_212]
at java.net.AbstractPlainSocketImpl.connect(AbstractPlainSocketImpl.java:188) ~[?:1.8.0_212

at java.net.SocksSocketImpl.connect(SocksSocketImpl.java:392) ~[?:1.8.0_212]
at java.net.Socket.connect(Socket.java:589) ~[?:1.8.0_212]
at jodd.http.Sockets.connect(Sockets.java:55) ~[jodd-http-5.0.13.jar:5.0.13]
at jodd.http.net.SocketHttpConnectionProvider.createSSLSocket(SocketHttpConnectionProv
der.java:182) ~[jodd-http-5.0.13.jar:5.0.13]
at jodd.http.net.SocketHttpConnectionProvider.createHttpConnection(SocketHttpConnecti
nProvider.java:99) ~[jodd-http-5.0.13.jar:5.0.13]
at jodd.http.HttpRequest.open(HttpRequest.java:775) ~[jodd-http-5.0.13.jar:5.0.13]
... 63 more
[WARN ]-[2021-03-09 11:24:32]-[org.b3log.solo.processor.OAuthProcessor:137]: Can't get use
info with token [nc7QC3yLw5lQac5c]
[INFO ]-[2021-03-09 11:26:16]-[org.b3log.solo.processor.OAuthProcessor:205]: Logged in [na
e=andyho, remoteAddr=182.46.51.205] with oauth
```