



链滴

Docker 部署 b3log/siyuan 最新版本 (1.2.3) 后的问题

作者: [sqybi](#)

原文链接: <https://ld246.com/article/1627666337604>


来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

首先，我参考[这个链接](#)，通过手动挂载一份修改过的 `conf.json` 的方式解决了 Docker 部署无法访问问题。


在解决访问问题后，我又陆续遇到了两个问题。

第一个是无法关闭已经打开的笔记本，如下图：



点击“关闭”后，菜单会消失，但笔记本仍然处于打开状态。

第二个是无法登录，如下图：



点击“登录”后，没有任何反应。我 F12 看了一下网络请求，发现原因是请求被发到了一个相对路径，如图（隐去部分个人信息）：

Name	Headers	Preview	Response	Initiator	Timing
<input checked="" type="checkbox"/> login	▼ General				
<input type="checkbox"/> check-auth	Request URL: http://[redacted]:6806/api/account/login Request Method: POST Status Code: 302 Found Remote Address: [redacted]:6806 Referrer Policy: strict-origin-when-cross-origin				
	▼ Response Headers View source				
	Access-Control-Allow-Origin: * Content-Length: 0 Date: Fri, 30 Jul 2021 17:30:12 GMT Location: /check-auth				
	▼ Request Headers View source				
	Accept: */* Accept-Encoding: gzip, deflate Accept-Language: en-US,en;q=0.9,zh-CN;q=0.8,zh;q=0.7 Cache-Control: no-cache Connection: keep-alive Content-Length: 83 Content-Type: text/plain;charset=UTF-8 DNT: 1 Host: [redacted]:6806 Origin: http://[redacted] Pragma: no-cache Referer: http://[redacted]/ User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/2.0.4515.107 Safari/537.36				
	▼ Request Payload view source				
	▼ {username: "[redacted]", userPassword: "[redacted]", captcha: ""} captcha: "" username: "[redacted]" userPassword: "[redacted]"				