



链滴

# javax.net.ssl.SSLHandshakeException 异常

作者: [weilino](#)

原文链接: <https://ld246.com/article/1629220947846>

来源网站: 链滴

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)



## 发生背景：

运行博客端，启动成功后，在登录获取登录信息时报错

## 异常堆栈：

```
0:\software\java\jdk1.8.0_291\bin\java.exe ...
已连接到目标 VM，地址：''127.0.0.1:64082'。传输：'存接字''
[WARN ]-[2021-08-18 00:18:53]-[org.b3log.latke.Latkes:713]: !!!!Runtime mode is [DEVELOPMENT], please make sure configured it with [PRODUCTION] in latke.properties
[INFO ]-[2021-08-18 00:18:54]-[org.b3log.solo.Server:254]: Solo is booting [ver=4.3.1, os=Windows 10, isDocker=false, inJar=false, luteAvailable=false, pid=17120]
[INFO ]-[2021-08-18 00:18:55]-[org.b3log.solo.util.Skins:70]: Loaded template from directory [/D:/software/ideaWorkSpace/solo/src/main/resources/]
[INFO ]-[2021-08-18 00:18:55]-[org.b3log.solo.Server:301]: Solo is running
[ERROR]-[2021-08-18 00:19:09]-[org.b3log.solo.util.GitHubs:63]: Gets GitHub repos failed
jodd.http.HttpException Create breakpoint : No appropriate protocol (protocol is disabled or cipher suites are inappropriate); <--- javax.net.ssl.SSLHandshakeException
    at jodd.http.net.SocketHttpConnectionProvider.createHttpConnection(SocketHttpConnectionProvider.java:127) ~[jodd-http-5.0.13.jar:5.0.13]
    at jodd.http.HttpRequest.open(HttpRequest.java:775) ~[jodd-http-5.0.13.jar:5.0.13]
    at jodd.http.HttpRequest.open(HttpRequest.java:759) ~[jodd-http-5.0.13.jar:5.0.13]
    at jodd.http.HttpRequest._send(HttpRequest.java:887) ~[jodd-http-5.0.13.jar:5.0.13]
    at jodd.http.HttpRequest.send(HttpRequest.java:861) ~[jodd-http-5.0.13.jar:5.0.13]
    at org.b3log.solo.util.GitHubs.getGitHubRepos(GitHubs.java:51) ~[classes/:?]
    at org.b3log.solo.service.ArticleMgmtService.refreshGitHub(ArticleMgmtService.java:199) ~[classes/:?]
    at org.b3log.solo.service.ArticleMgmtService_$$jvstfb9_12_d10refreshGitHub(ArticleMgmtService_$$jvstfb9_12.java) ~[classes/:?] <4 个内部行>
    at org.b3log.latke.ioc.JavassistMethodHandler.invoke(JavassistMethodHandler.java:108) ~[latke-core-3.4.14.jar:~]
    at org.b3log.solo.service.ArticleMgmtService_$$jvstfb9_12.refreshGitHub(ArticleMgmtService_$$jvstfb9_12.java) ~[classes/:?]
    at org.b3log.solo.service.CronMgmtService.lambda$start$2(CronMgmtService.java:107) ~[classes/:?] <8 个内部行>
Caused by: javax.net.ssl.SSLHandshakeException Create breakpoint : No appropriate protocol (protocol is disabled or cipher suites are inappropriate)
```



步骤大致是：

- 新建一份自己的xxxjava.security文件
- 原java.security文件中配置成允许覆盖
- 启动加载