



链滴

【模板分享】汇总包含关键词的块

作者: [Achuan-2](#)

原文链接: <https://ld246.com/article/1631156487344>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

<p>只需要改第一行的 keywords 变量内的 “关键词”，就可以通过使用模板找关键词了，对于标题是用块引方式展现。</p>

<p>可以根据自己的需要建立一个关键词文件夹，对该模板复制几份，改成不同的常用关键词</p>

<h2 id="汇总本文档内包含关键词的内容块">汇总本文档内包含关键词的内容块</h2>

```
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight-cl">.action{$keywords := "关键词"}</span></span><span class="highlight-line"><span class="highlight-cl"></span></span><span class="highlight-line"><span class="highlight-cl">.action{.title}文档包含关键词(.action{$keywords})的段落文字汇总</span></span><span class="highlight-line"><span class="highlight-cl">{{SELECT * FROM locks WHERE path LIKE '%/.action{id}.sy' AND markdown LIKE '%.action{$keywords}%' AND (type = 'p' AND parent_id not in (SELECT id FROM blocks WHERE path LIKE '%/.action{id}.sy' AND type = 'i')) OR (type = 'i' AND id in (SELECT parent_id FROM blocks WHERE path LIKE '%/.action{id}.sy' AND type = 'p' AND markdown LIKE '%.action{$keywords}%' )) ORDER BY created LIMIT 10000 }}</span></span><span class="highlight-line"><span class="highlight-cl"></span></span></code></pre>
```

<p>md 文件</p>

<p>:paperclip:doc_contain_keyword.md</p>

<h2 id="汇总所有子文档内包含关键词的内容块">汇总所有子文档内包含关键词的内容块</h2>

```
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight-cl">.action{$keywords := "关键词"}</span></span><span class="highlight-line"><span class="highlight-cl"></span></span><span class="highlight-line"><span class="highlight-cl">子文档内包含关键词(.action{$keywords})的段落文字汇总 (不包含本文档)</span></span><span class="highlight-line"><span class="highlight-cl">{{SELECT * FROM locks WHERE path LIKE '%.action{id}/%' AND markdown LIKE '%.action{$keywords}%' AND ((type = 'p' AND parent_id not in (SELECT id FROM blocks WHERE type = 'i')) OR (type = 'i' AND id in (SELECT parent_id FROM blocks WHERE type = 'p' AND markdown LIKE '%.action{$keywords}%' ))) ORDER BY created LIMIT 10000 }}</span></span><span class="highlight-line"><span class="highlight-cl"></span></span><span class="highlight-line"><span class="highlight-cl">单独以块引展示包含关键词(.action{$keywords})的标题</span></span><span class="highlight-line"><span class="highlight-cl">.action{$block:= (queryBlocks "SELECT * FROM blocks WHERE type= 'h' AND path LIKE '%?/%' AND markdown LIKE '%?%' ORDER BY created LIMIT 10000" .id $keywords)}</span></span><span class="highlight-line"><span class="highlight-cl"></span></span><span class="highlight-line"><span class="highlight-cl">.action{range $v:= block}</span></span><span class="highlight-line"><span class="highlight-cl">- ((.action{$v.ID} ".action{$v.Content}")) (.action{$v.HPath})</span></span><span class="highlight-line"><span class="highlight-cl">.action{end}</span></span></code></pre>
```

<p>:paperclip:subdoc_contain_keywords.md</p>

<h2 id="汇总所有文档内包含关键词的内容块">汇总所有文档内包含关键词的内容块</h2>

```

<p><strong>搜索所有文档中包含关键词的内容，但不包括此文档</strong></p>
<pre><code class="highlight-chroma"><span class="highlight-line"><span class="highlight-cl">.action{$keywords := "关键词"}
</span></span><span class="highlight-line"><span class="highlight-cl">
</span></span><span class="highlight-line"><span class="highlight-cl">所有文档内包含关键词(.action{$keywords})的段落文字汇总（不包含本文档）
</span></span><span class="highlight-line"><span class="highlight-cl">{{SELECT * FROM locks WHERE path NOT LIKE '%/.action{id}.sy' AND markdown LIKE '%.action{$keywords}%' AND ((type = 'p' AND parent_id not in (SELECT id FROM blocks WHERE type = 'i')) OR (type 'i' AND id in (SELECT parent_id FROM blocks WHERE type = 'p' AND markdown LIKE '%.action{$keywords}%' ))) ORDER BY created LIMIT 10000 }}
</span></span><span class="highlight-line"><span class="highlight-cl">
</span></span><span class="highlight-line"><span class="highlight-cl">单独以块引展示包关键词(.action{$keywords})的标题
</span></span><span class="highlight-line"><span class="highlight-cl">.action{$block:= (queryBlocks "SELECT * FROM blocks WHERE type= 'h' AND path NOT LIKE '%/.action{id}.sy' AND markdown LIKE '%?%' ORDER BY created LIMIT 10000" $keywords)}
</span></span><span class="highlight-line"><span class="highlight-cl">
</span></span><span class="highlight-line"><span class="highlight-cl">.action{range $v:= block}
</span></span><span class="highlight-line"><span class="highlight-cl">- ((.action{$v.ID} ".ction{$v.Content}")) (.action{$v.HPath})
</span></span><span class="highlight-line"><span class="highlight-cl">.action{end}
</span></span></code></pre>
<p><a href="https://ld246.com/forward?goto=https%3A%2F%2Fwww.yuque.com%2Fattachments%2Fyuque%2F0%2F2021%2Fmd%2F1408046%2F1631162066413-4dbc3dc5-5352-4d07aef6-1f8503ed5521.md" target="_blank" rel="nofollow ugc">:paperclip:all_contain_keywords.md.md</a></p>
<blockquote>
<p>关于模板的更多使用方法见分享：<a href="https://ld246.com/forward?goto=https%3A%2F%2Fwww.yuque.com%2Fachuan-2%2Fsiyuan%2Fza9g3z" target="_blank" rel="nofollow ugc">:clipboard: 模板使用基本介绍 · 语雀 (yuque.com)</a></p>
</blockquote>

```