



链滴

思源笔记 Docker 伺服并配置 Nginx 反代 https

作者: [zjan](#)

原文链接: <https://ld246.com/article/1633101239807>

来源网站: 链滴

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

思源笔记目前没有IOS客户端，以及在外面不好使用，之前的网页版也取消了，所以现在搭建一个Docker容器，用于平时没有条件的时候使用。

1.

安装Docker

1. 暂时掠过

2.

安装思源笔记

1. 拉取思源笔记的docker镜像

```
$ docker pull b3log/siyuan
```

2. 运行docker镜像 (https)

```
$ docker run -d -v /home/xxx/data/siyuan:/siyuanworkspace -p 6806:6806 b3log/siyuan --resdent="true" -workspace /siyuanworkspace --servePath="xxx.com" --ssl=true --accessAuthCode="xxxxx"
```

注意：

- `/home/xxx/data/siyuan` 为你的本地存储思源路径
- 如果需要使用nginx反代，并且设置https必须加上 `--ssl=true` 并且 `--servePath` 需要设置你的域名，不用带协议。

3.

配置Nginx反代

```
server
{
    listen 80;
    listen 443 ssl http2;
    server_name xxx.com;
    index index.php index.html index.htm default.php default.htm default.html;
    root /var/www/html;

    if ($server_port !~ 443){
        rewrite ^(/.*)$ https://$host$1 permanent;
    }
    #HTTP_TO_HTTPS_END
    ssl_certificate /etc/ssl/fullchain.cer;
    ssl_certificate_key /etc/ssl/senlief.xyz.key;
    ssl_protocols TLSv1 TLSv1.1 TLSv1.2;
    ssl_ciphers ECDHE-RSA-AES128-GCM-SHA256:HIGH:!aNULL:!MD5:!RC4:!DHE;
    ssl_prefer_server_ciphers on;
    ssl_session_cache shared:SSL:10m;
    ssl_session_timeout 10m;
    error_page 497 https://$host$request_uri;
```

```
#SSL-END
```

```
location / {  
    proxy_set_header X-Real-IP $remote_addr;  
    proxy_set_header Host $http_host;  
    proxy_pass http://127.0.0.1:6806;  
    proxy_set_header Upgrade $http_upgrade;  
    proxy_set_header Connection 'Upgrade';  
    client_max_body_size 100m;  
}
```