



链滴

Solo yilia 皮肤标签墙中的分类标签点击后 出现 500 错误

作者: [zhuSilence](#)

原文链接: <https://ld246.com/article/1650190275843>

来源网站: [链滴](#)

许可协议: [署名-相同方式共享 4.0 国际 \(CC BY-SA 4.0\)](#)

最近准备给自己搭建的 solo 博客换一个皮肤，感觉 yilia 挺好看的，切换了一下发现标签墙中的分类点击出现问题，然后在官方的示例中也看了一下，也有同样的问题。



日志中的错误如下，看上去应该是皮肤的模板问题有点问题。

```
[ERROR]-[2022-04-17 17:49:57]-[org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer:14]: Renders template [category-articles.ftl] failed [Request [method=GET, URI=/category/tech, contentType=null, remoteAddr=, headers=[
```

```
Host=
Connection=keep-alive
Upgrade-Insecure-Requests=1
User-Agent=Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.75 Safari/537.36
Accept=text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.9
Referer=
Accept-Encoding=gzip, deflate
Accept-Language=zh,zh-CN;q=0.9,en;q=0.8,zh-TW;q=0.7
Cookie=__gads=ID=8cd9cac3c1e5c58f-228acfeba1cb00cb:T=1631629169:RT=1631629169:S=ALNI_MbharWc02RW4zLxk4KhcQdNmeVkaw; __gads=ID=8cd9cac3c1e5c58f-228acfeba1b00cb:T=1631629169:RT=1631629169:S=ALNI_MbharWc02RW4zLxk4KhcQdNmeVkaw; _ga_7HB28MTR5=GS1.1.1649774147.8.0.1649774147.0; Hm_lvt_770a4ac62c4d64e5bdc1e59443d2cfc=1634972768; _ga=GA1.1.838816994.1631629169; Hm_lvt_770a4ac62c4d64e5bdc1e5944324cfc=1650107418; Hm_lpv_770a4ac62c4d64e5bdc1e59443d24cfc=1650107418; _gid=GA1.2.1476963482.1650107419; Hm_lpv_770a4ac62c4d64e5bdc1e59443d24cfc=1650107418; _gid=GA1.2.1476963482.1650107419; _ga=GA1.1.838816994.1631629169; LATKE_SESSION_ID=yN076uvfNiGCMcV; solo=f49a1f0086f5d6b7c0c1f5aa8f2420f991c2835aec92a63e7549bab942f796ddac4a3d33c7b2ec4653922c40c3355543ab6e3e9f1a9c1fc4f5074fd7225a99e; _ga_57HB28TR5=GS1.1.1650188994.9.0.1650188994.0; _dd_s=logs=1&id=56fb8ebb-4168-449e-97b5-7a00358fb9f&created=1650187788020&expire=1650189897156
content-length=0
]
]]
```

freemarker.core.InvalidReferenceException: The following has evaluated to null or missing:
==> category.categoryPublishedArticleCount [in template "skins/yilia/category-articles.ftl" at line 28, column 20]

Tip: It's the step after the last dot that caused this error, not those before it.

Tip: If the failing expression is known to legally refer to something that's sometimes null or missing, either specify a default value like `myOptionalVar!myDefault`, or use `<#if myOptionalVar?>when-present<#else>when-missing</#if>`. (These only cover the last step of the expression; to cover the whole expression, use parenthesis: `(myOptionalVar.foo)!myDefault`, `(myOptionalVar.foo)??`)

FTL stack trace ("~" means nesting-related):

- Failed at: `#{category.categoryPublishedArticleCo...}` [in template "skins/yilia/category-articles.ftl" at line 28, column 18]

```
at freemarker.core.InvalidReferenceException.getInstance(InvalidReferenceException.java:14) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.EvalUtil.coerceModelToTextualCommon(EvalUtil.java:481) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:401) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.EvalUtil.coerceModelToStringOrMarkup(EvalUtil.java:370) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.DollarVariable.calculateInterpolatedStringOrMarkup(DollarVariable.java:00) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.DollarVariable.accept(DollarVariable.java:63) ~[freemarker-2.3.31.jar:2.3.31]
```

```
at freemarker.core.Environment.visit(Environment.java:347) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.Environment.visit(Environment.java:353) ~[freemarker-2.3.31.jar:2.3.31]
at freemarker.core.Environment.process(Environment.java:326) ~[freemarker-2.3.31.jar:2.3.
1]
at freemarker.template.Template.process(Template.java:383) ~[freemarker-2.3.31.jar:2.3.31]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.genHTML(AbstractFreeMarke
Renderer.java:127) ~[latke-core-3.4.26.jar:?]
at org.b3log.solo.processor.SkinRenderer.genHTML(SkinRenderer.java:81) ~[solo/:?]
at org.b3log.latke.http.renderer.AbstractFreeMarkerRenderer.render(AbstractFreeMarkerRe
derer.java:98) ~[latke-core-3.4.26.jar:?]
at org.b3log.latke.http.Dispatcher.renderResponse(Dispatcher.java:120) ~[latke-core-3.4.26.
ar:?]
at org.b3log.latke.http.Dispatcher.handle(Dispatcher.java:92) ~[latke-core-3.4.26.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:78) ~[latke-core-3.4
26.jar:?]
at org.b3log.latke.http.ServerHandler.channelRead0(ServerHandler.java:34) ~[latke-core-3.4
26.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at org.b3log.latke.http.WebSocketHandler.handleHttpRequest(WebSocketHandler.java:90)
[latke-core-3.4.26.jar:?]
at org.b3log.latke.http.WebSocketHandler.channelRead0(WebSocketHandler.java:47) ~[latk
-core-3.4.26.jar:?]
at io.netty.channel.SimpleChannelInboundHandler.channelRead(SimpleChannelInboundHa
dler.java:99) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.handler.codec.MessageToMessageDecoder.channelRead(MessageToMessageDe
oder.java:103) ~[netty-codec-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.CombinedChannelDuplexHandler$DelegatingChannelHandlerContext.fir
ChannelRead(CombinedChannelDuplexHandler.java:436) ~[netty-transport-4.1.75.Final.jar:4.1
75.Final]
at io.netty.handler.codec.ByteToMessageDecoder.fireChannelRead(ByteToMessageDecoder.
ava:327) ~[netty-codec-4.1.75.Final.jar:4.1.75.Final]
at io.netty.handler.codec.ByteToMessageDecoder.channelRead(ByteToMessageDecoder.jav
:299) ~[netty-codec-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.CombinedChannelDuplexHandler.channelRead(CombinedChannelDuple
Handler.java:251) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
```

```
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.fireChannelRead(AbstractChannelHandl
rContext.java:357) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.DefaultChannelPipeline$HeadContext.channelRead(DefaultChannelPipel
ne.java:1410) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:379) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeChannelRead(AbstractChannelH
ndlerContext.java:365) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.DefaultChannelPipeline.fireChannelRead(DefaultChannelPipeline.java:91
) ~[netty-transport-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.epoll.AbstractEpollStreamChannel$EpollStreamUnsafe.epollInReady(Abs
tractEpollStreamChannel.java:800) ~[netty-transport-classes-epoll-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.epoll.EpollEventLoop.processReady(EpollEventLoop.java:480) ~[netty-tr
nsport-classes-epoll-4.1.75.Final.jar:4.1.75.Final]
at io.netty.channel.epoll.EpollEventLoop.run(EpollEventLoop.java:378) ~[netty-transport-cla
ses-epoll-4.1.75.Final.jar:4.1.75.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor$4.run(SingleThreadEventExecutor.java
986) ~[netty-common-4.1.75.Final.jar:4.1.75.Final]
at io.netty.util.internal.ThreadExecutorMap$2.run(ThreadExecutorMap.java:74) ~[netty-co
mon-4.1.75.Final.jar:4.1.75.Final]
at io.netty.util.concurrent.FastThreadLocalRunnable.run(FastThreadLocalRunnable.java:30) ~
netty-common-4.1.75.Final.jar:4.1.75.Final]
at java.lang.Thread.run(Thread.java:833) ~[?:?]
```